

Braytron
lighting expert

LIGHTING UNIT
CATALOGUE
2023





BRAYTRON GLOBAL OFFICE



BRAYTRON GLOBAL Head Office

BRAYTRON, an international brand specialized in lighting with 15 years' experience in manufacturing and distributing high-tech lighting solutions in four continents.

BRAYTRON is a premium brand developed in consultation with specialist in the field of energy conservation.

The emphasis is to design, manufacture, develop and distribute all type of energy-saving lighting products, mainly focusing on LED lighting solutions.

BRAYTRON products are certified under CE, RoHS, EMC, Dekra, EAC and TÜV. We use high quality LED chips and components supplied by reputed suppliers like Bridgelux, Philips, Sharp, Citizen, Meanwell,

Tridonic and so on. All BRAYTRON products are being manufactured after extensive feasibility, research and testing ensure energy conservation and affordability.

With the growing awareness about LED technology all over the world, BRAYTRON aspires to be among the global pioneers in the advancement and distribution of this technology and pledges to remain updated of all new innovations so as to incorporate the same into our product range.

BRAYTRON operates factories in Romania and Turkey with a modern manufacturing base equipped with high-tech production lines and advanced research and development center.

HEAD OFFICE

BRAYTRON SRL
Bulevardul Iuliu Maniu, Nr.616, Sector 6,
Corp B, Etaj 1, Bucharest, Romania
info@braytron.com

EUROPE WAREHOUSE

BRAYTRON SRL
Bulevardul Iuliu Maniu, Nr.616, Sector 6,
Corp B, Etaj 1, Bucharest, Romania
info@braytron.com

BALKAN WAREHOUSE

BRAYTRON BALKAN DOO
Dimitrija Tucovica bb, 36300
Novi Pazar, Serbia
info@braytron.com

FACTORY

Eksioglu Mah. Saray Cad. No.7
Cekmekoy, Istanbul, Turkey
info@braytron.com

• Distribution network:

In order to provide the best service to its customers BRAYTRON set up its own warehouses and companies at different locations:


For more specific details please visit website;
www.braytron.com




BRAYTRON ROMANIA




EUROPE WAREHOUSE











TECHNICAL LIGHTING

WELCOME TO
Braytron
lighting expert



Scan the QR code
for more information.




LNR300 BD60-00301 BD60-00311
 10W 3000K 10W 4000K
 950lm Black 950lm Black
 48VDC CRI>90 48VDC CRI>90
 IP20 Aluminium IP20 Aluminium



LNR600 BD60-00601 BD60-00611
 18W 3000K 18W 4000K
 1850lm Black 1850lm Black
 48VDC CRI>90 48VDC CRI>90
 IP20 Aluminium IP20 Aluminium




LNR900 BD60-00901 BD60-00911
 36W 3000K 36W 4000K
 3890lm Black 3890lm Black
 48VDC CRI>90 48VDC CRI>90
 IP20 Aluminium IP20 Aluminium




*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



LNS110 BD60-01101 BD60-01111
6W 3000K 6W 4000K
370lm Black 370lm Black
48VDC CRI>90 48VDC CRI>90
IP20 Aluminium IP20 Aluminium



LNS220 BD60-01201 BD60-01211
12W 3000K 12W 4000K
850lm Black 850lm Black
48VDC CRI>90 48VDC CRI>90
IP20 Aluminium IP20 Aluminium



LNS330 BD60-01301 BD60-01311
18W 3000K 18W 4000K
1340lm Black 1340lm Black
48VDC CRI>90 48VDC CRI>90
IP20 Aluminium IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.




WSL110 BD60-03101



6W 3000K
370lm Black
48VDC CRI>90
IP20 Aluminium

BD60-03111

6W 4000K
370lm Black
48VDC CRI>90
IP20 Aluminium




WSL250 BD60-03201



12W 3000K
850lm Black
48VDC CRI>90
IP20 Aluminium

BD60-03211

12W 4000K
850lm Black
48VDC CRI>90
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



TRC035 BD61-00101 BD61-00111
LED 6W 3000K 6W 4000K
370lm Black 370lm Black
48VDC CRI>90 48VDC CRI>90
IP20 Aluminium IP20 Aluminium



TRC045 BD61-00201 BD61-00211
LED 10W 3000K 10W 4000K
680lm Black 680lm Black
48VDC CRI>90 48VDC CRI>90
IP20 Aluminium IP20 Aluminium



TRC045 BD61-00301 BD61-00311
LED 18W 3000K 18W 4000K
1340lm Black 1340lm Black
48VDC CRI>90 48VDC CRI>90
IP20 Aluminium IP20 Aluminium



PDT030 BD62-00201 BD62-00211
LED 7W 3000K 7W 4000K
430lm Black 430lm Black
48VDC CRI>90 48VDC CRI>90
IP20 Aluminium IP20 Aluminium



PDT100 BD62-00401
LED 7W 3000K
610lm Black
48VDC CRI>90
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



BY41-00111



RC01-1M Black
Output 48VDC
Input 48VAC
IP20 Aluminium

BY41-00121

RC01-2M Black
Output 48VDC
Input 48VAC
IP20 Aluminium

BY41-00131

RC01-3M Black
Output 48VDC
Input 48VAC
IP20 Aluminium





BY41-00211

SR01-1M Black
Output 48VDC
Input 48VAC
IP20 Aluminium


BY41-00221

SR01-2M Black
Output 48VDC
Input 48VAC
IP20 Aluminium





BY41-10101

RC01 Black
Output 48VDC
Input 48VAC
IP20 Aluminium




BY41-10111

CRC02 Black
Output 48VDC
Input 48VAC
IP20 Aluminium




BY41-10121

CRC03 Black
Output 48VDC
Input 48VAC
IP20 Aluminium




BY41-10201

SRC01 Black
Output 48VDC
Input 48VAC
IP20 Aluminium



BY41-10211

SRC02 Black
Output 48VDC
Input 48VAC
IP20 Aluminium



BY41-10221

SRC03 Black
Output 48VDC
Input 48VAC
IP20 Aluminium



BY41-90011

ST01 Black
Output 48VDC
Input 48VAC
IP20 PC




BY41-90021

CR01 Black
Output 48VDC
Input 48VAC
IP20 PC




BY41-90031

SC01 Black
Output 48VDC
Input 48VAC
IP20 PC




BY41-90041

PD01 Black
IP20 Metal



BY41-90061

RC01 Black
IP20 PC



BY41-90081

SR11 Black
IP20 PC



BY41-90081

Silver
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



Shopline BD30-00300



30W 3000K
2660lm White
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-00310

30W 4000K
2660lm White
220-240V CRI>80
IP20 Aluminium 2-Wires



Shopline BD30-00301



30W 3000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-00311

30W 4000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires



Shopline BD30-00200



30W 3000K
2660lm White
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-00210

30W 4000K
2660lm White
220-240V CRI>80
IP20 Aluminium 2-Wires



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



Shoptline BD30-00201



30W 3000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-00211

30W 4000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires



Shoptline BD30-50200



30W 3000K
2660lm White
220-240V CRI>80
IP20 Aluminium 4-Wires

BD30-50210

30W 4000K
2660lm White
220-240V CRI>80
IP20 Aluminium 4-Wires




Shoptline BD30-50201



30W 3000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 4-Wires

BD30-50211

30W 4000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 4-Wires



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com

Scan the QR code for more information.



Shopline BD30-00400
30W 3000K
2660lm White
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-00410
30W 4000K
2660lm White
220-240V CRI>80
IP20 Aluminium 2-Wires



Shopline BD30-00401
30W 3000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-00411
30W 4000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires



Shopline BD30-50400
30W 3000K
2660lm White
220-240V CRI>80
IP20 Aluminium 4-Wires

BD30-50410
30W 4000K
2660lm White
220-240V CRI>80
IP20 Aluminium 4-Wires



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



Shopline BD30-50401

30W 3000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 4-Wires

BD30-50411

30W 4000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 4-Wires



Shopline BD30-01300

30W 3000K
2660lm White
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-01310

30W 4000K
2660lm White
220-240V CRI>80
IP20 Aluminium 2-Wires



Shopline BD30-01301

30W 3000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-01311

30W 4000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code for more information.



Shopline BD30-01600 BD30-01610
30W 3000K 30W 4000K
2660lm White 2660lm White
220-240V CRI>80 220-240V CRI>80
IP20 Aluminium 2-Wires IP20 Aluminium 2-Wires



Shopline BD30-01601 BD30-01611
30W 3000K 30W 4000K
2660lm Black 2660lm Black
220-240V CRI>80 220-240V CRI>80
IP20 Aluminium 2-Wires IP20 Aluminium 2-Wires



Shopline BD30-51600 BD30-51610
30W 3000K 30W 4000K
2660lm White 2660lm White
220-240V CRI>80 220-240V CRI>80
IP20 Aluminium 4-Wires IP20 Aluminium 4-Wires



Shopline BD30-51601 BD30-51611
30W 3000K 30W 4000K
2660lm Black 2660lm Black
220-240V CRI>80 220-240V CRI>80
IP20 Aluminium 4-Wires IP20 Aluminium 4-Wires



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



Shopline BD30-01400



15W 3000K
1180lm White
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-01410

15W 4000K
1180lm White
220-240V CRI>80
IP20 Aluminium 2-Wires



Shopline BD30-01401



15W 3000K
1180lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-01411

15W 4000K
1180lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires



Shopline BD30-51400



15W 3000K
1180lm White
220-240V CRI>80
IP20 Aluminium 4-Wires

BD30-51410

15W 4000K
1180lm White
220-240V CRI>80
IP20 Aluminium 4-Wires



Shopline BD30-51401



15W 3000K
1180lm Black
220-240V CRI>80
IP20 Aluminium 4-Wires

BD30-51411

15W 4000K
1180lm Black
220-240V CRI>80
IP20 Aluminium 4-Wires



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



Shopline	BD40-00100	BD40-00110	BD40-00130
	15W 3000K	15W 4000K	15W 6500K
	1120lm White	1120lm White	1120lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium 2-Wires	IP20 Aluminium 2-Wires	IP20 Aluminium 2-Wires



Shopline	BD40-00101	BD40-00111	BD40-00131
	15W 3000K	15W 4000K	15W 6500K
	1120lm Black	1120lm Black	1120lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium 2-Wires	IP20 Aluminium 2-Wires	IP20 Aluminium 2-Wires



Shopline	BD40-00200	BD40-00210	BD40-00230
	30W 3000K	30W 4000K	30W 6500K
	2450lm White	2450lm White	2450lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium 2-Wires	IP20 Aluminium 2-Wires	IP20 Aluminium 2-Wires



Shopline	BD40-00201	BD40-00211	BD40-00221	BD40-00231
	30W 3000K	30W 4000K	30W 5000K	30W 6500K
	2450lm Black	2450lm Black	2450lm Black	2450lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium 2-Wires	IP20 Aluminium 2-Wires	IP20 Aluminium 2-Wires	IP20 Aluminium 2-Wires




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


Scan the QR code
for more information.




BH04-10600
Max. 1x10W LED
Beta White
220-240V 2-Wires
IP20 Aluminium




BH04-60600
Max. 1x10W LED
Beta White
220-240V 4-Wires
IP20 Aluminium




BH04-10601
Max. 1x10W LED
Beta Black
220-240V 2-Wires
IP20 Aluminium




BH04-60601
Max. 1x10W LED
Beta Black
220-240V 4-Wires
IP20 Aluminium




BH04-10606
Max. 1x10W LED
Beta Golden
220-240V 2-Wires
IP20 Aluminium




BH04-60606
Max. 1x10W LED
Beta Golden
220-240V 4-Wires
IP20 Aluminium



BH04-00606
Max. 1x35W
Beta Golden
220-240V 2-Wires
IP20 Aluminium



BH04-50606
Max. 1x35W
Beta Golden
220-240V 4-Wires
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



LED DOWNLIGHT

Scan the QR code
for more information.




Shopline	BD36-00300	BD36-00310	BD36-00330	
	30W 3000K 2660lm White 220-240V CRI>80 IP20 Aluminium	30W 4000K 2660lm White 220-240V CRI>80 IP20 Aluminium	30W 6500K 2660lm White 220-240V CRI>80 IP20 Aluminium	

Shopline	BD36-00301	BD36-00311	BD36-00331	
	30W 3000K 2660lm Black 220-240V CRI>80 IP20 Aluminium	30W 4000K 2660lm Black 220-240V CRI>80 IP20 Aluminium	30W 6500K 2660lm Black 220-240V CRI>80 IP20 Aluminium	



Shopline	BD36-00500	BD36-00510	BD36-00530	
	30W 3000K 2660lm White 220-240V CRI>80 IP20 Aluminium	30W 4000K 2660lm White 220-240V CRI>80 IP20 Aluminium	30W 6500K 2660lm White 220-240V CRI>80 IP20 Aluminium	

Shopline	BD36-00501	BD36-00511	BD36-00531	
	30W 3000K 2660lm Black 220-240V CRI>80 IP20 Aluminium	30W 4000K 2660lm Black 220-240V CRI>80 IP20 Aluminium	30W 6500K 2660lm Black 220-240V CRI>80 IP20 Aluminium	



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




LineX	BD37-00100	BD37-00110	BD37-00130
	10W 3000K	10W 4000K	10W 6500K
	1000lm White	1000lm White	1000lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



NEW




LineX	BD63-00100	BD63-00110
	6W 3000K	6W 4000K
	480lm White	480lm White
	220-240V CRI>90	220-240V CRI>90
	IP20 Aluminium	IP20 Aluminium



NEW




LineX	BD63-00200	BD63-00210
	9W 3000K	9W 4000K
	720lm White	720lm White
	220-240V CRI>90	220-240V CRI>90
	IP20 Aluminium	IP20 Aluminium



NEW



LineX	BD63-00300	BD63-00310
	18W 3000K	18W 4000K
	1440lm White	1440lm White
	220-240V CRI>90	220-240V CRI>90
	IP20 Aluminium	IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



IP54

Minispot	BH06-00200	BH06-00210	BH06-00230
LED	3W 3000K	3W 4000K	3W 6500K
	210lm White	210lm White	210lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP54 PC	IP54 PC	IP54 PC




IP54

Minispot	BH06-00201	BH06-00211	BH06-00231
LED	3W 3000K	3W 4000K	3W 6500K
	210lm Black	210lm Black	210lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP54 PC	IP54 PC	IP54 PC



IP54

Minispot	BH06-00203	BH06-00213	BH06-00233
LED	3W 3000K	3W 4000K	3W 6500K
	210lm Grey	210lm Grey	210lm Grey
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP54 PC	IP54 PC	IP54 PC



NEW

IP54

3 COLOUR INSIDE



Minispot	BH06-00209	BH06-00219	BH06-00239
LED	3W 3000K	3W 4000K	3W 6500K
	210lm 3 Color	210lm 3 Color	210lm 3 Color
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP54 PC	IP54 PC	IP54 PC




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


Scan the QR code
for more information.




Spotted	BD02-00300	BD02-00310	BD02-00330
	3W 3000K 200lm White 220-240V CRI>80 IP20 PC	3W 4000K 200lm White 220-240V CRI>80 IP20 PC	3W 6500K 200lm White 220-240V CRI>80 IP20 PC




Spotted	BD02-00301	BD02-00311	BD02-00331
	3W 3000K 200lm Black 220-240V CRI>80 IP20 PC	3W 4000K 200lm Black 220-240V CRI>80 IP20 PC	3W 6500K 200lm Black 220-240V CRI>80 IP20 PC



Spotted	BD02-00500	BD02-00510	BD02-00530
	5W 3000K 400lm White 220-240V CRI>80 IP20 PC	5W 4000K 400lm White 220-240V CRI>80 IP20 PC	5W 6500K 400lm White 220-240V CRI>80 IP20 PC



Spotted	BD02-00501	BD02-00511	BD02-00531
	5W 3000K 400lm Black 220-240V CRI>80 IP20 PC	5W 4000K 400lm Black 220-240V CRI>80 IP20 PC	5W 6500K 400lm Black 220-240V CRI>80 IP20 PC




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com


Scan the QR code
for more information.




Spotled	BD02-00700	BD02-00710	BD02-00730
	7W 3000K 630lm White 220-240V CRI>80 IP20 PC	7W 4000K 630lm White 220-240V CRI>80 IP20 PC	7W 6500K 630lm White 220-240V CRI>80 IP20 PC




Spotled	BD02-00701	BD02-00711	BD02-00731
	7W 3000K 630lm Black 220-240V CRI>80 IP20 PC	7W 4000K 630lm Black 220-240V CRI>80 IP20 PC	7W 6500K 630lm Black 220-240V CRI>80 IP20 PC



Spotled	BD02-01000	BD02-01010	BD02-01030
	10W 3000K 770lm White 220-240V CRI>80 IP20 PC	10W 4000K 770lm White 220-240V CRI>80 IP20 PC	10W 6500K 770lm White 220-240V CRI>80 IP20 PC



Spotled	BD02-01001	BD02-01011	BD02-01031
	10W 3000K 770lm Black 220-240V CRI>80 IP20 PC	10W 4000K 770lm Black 220-240V CRI>80 IP20 PC	10W 6500K 770lm Black 220-240V CRI>80 IP20 PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


Scan the QR code
for more information.




NEW



Spotled	BD02-10500	BD02-10510	BD02-10530
	5W 3000K 400lm White 220-240V CRI>80 IP20 PC	5W 4000K 400lm White 220-240V CRI>80 IP20 PC	5W 6500K 400lm White 220-240V CRI>80 IP20 PC



Spotled	BD02-10700	BD02-10710	BD02-10730
	7W 3000K 630lm White 220-240V CRI>80 IP20 PC	7W 4000K 630lm White 220-240V CRI>80 IP20 PC	7W 6500K 630lm White 220-240V CRI>80 IP20 PC



NEW



NEW



Spotled	BD02-20700	BD02-20710	BD02-20730
	7W 3000K 630lm White 220-240V CRI>80 IP20 PC	7W 4000K 630lm White 220-240V CRI>80 IP20 PC	7W 6500K 630lm White 220-240V CRI>80 IP20 PC



Spotled	BD02-20701	BD02-20711	BD02-20731
	7W 3000K 630lm Black 220-240V CRI>80 IP20 PC	7W 4000K 630lm Black 220-240V CRI>80 IP20 PC	7W 6500K 630lm Black 220-240V CRI>80 IP20 PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.




IP54

Spotled BD01-00780



3 CCT
7W 630lm White
220-240V CRI>80
IP54 PC




Dimmable
BD02-60780

Spotled BD02-00780



3 CCT
7W 630lm White
220-240V CRI>80
IP20 PC

3 CCT - Dimmable
7W 630lm White
220-240V CRI>80
IP20 PC




Dimmable
BD02-60781

Spotled BD02-00781



3 CCT
7W 630lm Black
220-240V CRI>80
IP20 PC


3 CCT - Dimmable
7W 630lm Black
220-240V CRI>80
IP20 PC



Spotled BD02-00783



3 CCT
7W 630lm Silver
220-240V CRI>80
IP20 PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.




Spotled BD02-10780

3 CCT
7W 630lm White
220-240V CRI>80
IP20 PC

BD02-70780

3 CCT - Dimmable
7W 630lm White
220-240V CRI>80
IP20 PC




Spotled BD02-10781

3 CCT
7W 630lm Black
220-240V CRI>80
IP20 PC

BD02-70781


3 CCT - Dimmable
7W 630lm Black
220-240V CRI>80
IP20 PC



Spotled BD02-10783

3 CCT
7W 630lm Silver
220-240V CRI>80
IP20 PC

PRICE 13,33€



Color Temperature Changeable

3000K

4000K

6500K

Color Switch

4000K 3000K 6500K



LVD



ErP
COMPLIANT



Hg
0.0mg



25,000

-20°C
+40°C

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


Scan the QR code
for more information.

**Basic**

BP12-00800
8W 3000K
680lm White
220-240V CRI>80
IP20 PC

BP12-00810
8W 4000K
680lm White
220-240V CRI>80
IP20 PC



BP12-00830
8W 6500K
680lm White
220-240V CRI>80
IP20 PC

**Basic**

BP12-01200
12W 3000K
1020lm White
220-240V CRI>80
IP20 PC

BP12-01210
12W 4000K
1020lm White
220-240V CRI>80
IP20 PC

BP12-01230
12W 6500K
1020lm White
220-240V CRI>80
IP20 PC

**Basic**

BP12-01500
15W 3000K
1425lm White
220-240V CRI>80
IP20 PC

BP12-01510
15W 4000K
1425lm White
220-240V CRI>80
IP20 PC

BP12-01530
15W 6500K
1425lm White
220-240V CRI>80
IP20 PC




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


Scan the QR code
for more information.




Basic	BP12-01800	BP12-01810	BP12-01830
LED	18W 3000K	18W 4000K	18W 6500K
	1720lm White	1720lm White	1720lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 PC	IP20 PC	IP20 PC



Basic	BP12-02000	BP12-02010	BP12-02030
LED	20W 3000K	20W 4000K	20W 6500K
	1880lm White	1880lm White	1880lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 PC	IP20 PC	IP20 PC



Basic	BP12-02500	BP12-02510	BP12-02530
LED	25W 3000K	25W 4000K	25W 6500K
	2520lm White	2520lm White	2520lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 PC	IP20 PC	IP20 PC




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com


Scan the QR code
for more information.




Faton	BP13-00800	BP13-00810	BP13-00830
	8W 3000K	8W 4000K	8W 6500K
	800lm White	800lm White	800lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



Faton	BP13-00801	BP13-00811	BP13-00831
	8W 3000K	8W 4000K	8W 6500K
	800lm Black	800lm Black	800lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



Faton	BP13-01200	BP13-01210	BP13-01230
	12W 3000K	12W 4000K	12W 6500K
	1200lm White	1200lm White	1200lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code for more information.




Faton	BP13-01800	BP13-01810	BP13-01830
	18W 3000K	18W 4000K	18W 6500K
	1800lm White	1800lm White	1800lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



Faton	BP13-02400	BP13-02410	BP13-02430
	24W 3000K	24W 4000K	24W 6500K
	2400lm White	2400lm White	2400lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



Faton	BP13-03200	BP13-03210	BP13-03230
	32W 3000K	32W 4000K	32W 6500K
	2880lm White	2880lm White	2880lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



*Technical information indicated above may have tolerance ±10%. For final updated information please visit website www.braytron.com


Scan the QR code
for more information.



NEW



DW11	BP11-00600	BP11-00610	BP11-00630	BP11-00680
	6W 3000K 440lm White	6W 4000K 440lm White	6W 6500K 440lm White	6W 3 CCT 440lm White
	110-240V CRI>80 IP40 Plastic	110-240V CRI>80 IP40 Plastic	110-240V CRI>80 IP40 Plastic	110-240V CRI>80 IP40 Plastic



NEW



DW11	BP11-00800	BP11-00810	BP11-00830	BP11-00880
	8W 3000K 650lm White	8W 4000K 650lm White	8W 6500K 650lm White	8W 3 CCT 650lm White
	110-240V CRI>80 IP40 Plastic	110-240V CRI>80 IP40 Plastic	110-240V CRI>80 IP40 Plastic	110-240V CRI>80 IP40 Plastic



NEW




DW11	BP11-01600	BP11-01610	BP11-01630	BP11-01680
	16W 3000K 1650lm White	16W 4000K 1650lm White	16W 6500K 1650lm White	16W 3 CCT 1650lm White
	110-240V CRI>80 IP40 Plastic	110-240V CRI>80 IP40 Plastic	110-240V CRI>80 IP40 Plastic	110-240V CRI>80 IP40 Plastic



NEW



DW11	BP11-02400	BP11-02410	BP11-02430	BP11-02480
	24W 3000K 2250lm White	24W 4000K 2250lm White	24W 6500K 2250lm White	24W 3 CCT 2250lm White
	110-240V CRI>80 IP40 Plastic	110-240V CRI>80 IP40 Plastic	110-240V CRI>80 IP40 Plastic	110-240V CRI>80 IP40 Plastic



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




LED PANEL LIGHT


Scan the QR code
for more information.




Panelled	BP15-36610	BP15-36630
	40W 4000K 4200lm White	40W 6500K 4200lm White
	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium



Panelled	BP15-56610	BP15-56630
	48W 4000K 5000lm White	48W 6500K 5000lm White
	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium



Panelled	BP16-46200	BP16-46210	BP16-46230
	40W 3000K 4400lm White	40W 4000K 4400lm White	40W 6500K 4400lm White
	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium



Panelled	BP16-33110	BP16-33130
	40W 4000K 4400lm White	40W 6500K 4400lm White
	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code for more information.



IP40



Panelled

BP27-36610	BP27-36630
40W 4000K	40W 6500K
4200lm White	4200lm White
220-240V CRI>80	220-240V CRI>80
IP20 Aluminium	IP20 Aluminium

Panelled

BP27-36200	BP27-36210	BP27-36230
40W 3000K	40W 4000K	40W 6500K
4200lm White	4200lm White	4200lm White
220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
IP40 Aluminium	IP40 Aluminium	IP40 Aluminium



IP40



Backlite

BP28-56610	BP28-56630
50W 4000K	50W 6500K
5200lm White	5200lm White
220-240V CRI>80	220-240V CRI>80
IP40 Aluminium	IP40 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



Panelled	BP21-06600	BP21-06610	BP21-06630
	50W 3000K	50W 4000K	50W 6500K
	5300lm White	5300lm White	5300lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Metal	IP20 Metal	IP20 Metal




Panelled	BP21-03110	BP21-03130
	50W 4000K	50W 6500K
	5300lm White	5300lm White
	220-240V CRI>80	220-240V CRI>80
	IP20 Metal	IP20 Metal



IP40

Panelled	BP25-56610	BP25-56630
	50W 4000K	50W 6500K
	5200lm White	5200lm White
	220-240V CRI>80	220-240V CRI>80
	IP40 Aluminium	IP40 Aluminium




IP40

Panelled	BP25-53110	BP25-53130
	50W 4000K	50W 6500K
	5200lm White	5200lm White
	220-240V CRI>80	220-240V CRI>80
	IP40 Aluminium	IP40 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



BP16-99040
60x60 Surface Frame
White
Aluminium
Pcs/Ctn 20



BP16-99070
62x62 Surface Frame
White
Aluminium
Pcs/Ctn 20



BP16-99030
30x120 Surface Frame
White
Aluminium
Pcs/Ctn 20



BP16-99060
Adjustable Suspension Wire
Metal-Steel
Pcs/Ctn 100



BP16-99050
Recessed Apparatus
Metal
Pcs/Ctn 125



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


Scan the QR code
for more information.



IP40




SMD	BP01-60300	BP01-60310	BP01-60330
	3W 3000K 220lm White	3W 4000K 220lm White	3W 6500K 220lm White
	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC



IP40



SMD	BP01-60600	BP01-60610	BP01-60630
	6W 3000K 470lm White	6W 4000K 470lm White	6W 6500K 470lm White
	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC



IP40



SMD	BP01-60900	BP01-60910	BP01-60930
	9W 3000K 790lm White	9W 4000K 790lm White	9W 6500K 790lm White
	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC



IP40



SMD	BP01-61200	BP01-61210	BP01-61230
	12W 3000K 1120lm White	12W 4000K 1120lm White	12W 6500K 1120lm White
	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


Scan the QR code
for more information.



IP40




SMD	BP01-61500	BP01-61510	BP01-61530
	15W 3000K 1440lm White 220-240V CRI>80 IP40 PC	15W 4000K 1440lm White 220-240V CRI>80 IP40 PC	15W 6500K 1440lm White 220-240V CRI>80 IP40 PC



IP40



SMD	BP01-61800	BP01-61810	BP01-61830
	18W 3000K 1760lm White 220-240V CRI>80 IP40 PC	18W 4000K 1760lm White 220-240V CRI>80 IP40 PC	18W 6500K 1760lm White 220-240V CRI>80 IP40 PC



IP40



SMD	BP01-62400	BP01-62410	BP01-62430
	24W 3000K 2400lm White 220-240V CRI>80 IP40 PC	24W 4000K 2400lm White 220-240V CRI>80 IP40 PC	24W 6500K 2400lm White 220-240V CRI>80 IP40 PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


NEW



Dimmable

IP40

SMD	BP01-90400	BP01-90410	BP01-90430
4W 3000K	4W 4000K	4W 6500K	
280lm White	280lm White	280lm White	
220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
IP40 PC	IP40 PC	IP40 PC	




NEW



Dimmable

IP40

SMD	BP01-90600	BP01-90610	BP01-90630
6W 3000K	6W 4000K	6W 6500K	
470lm White	470lm White	470lm White	
220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
IP40 PC	IP40 PC	IP40 PC	




NEW



Dimmable

IP40

SMD	BP01-91800	BP01-91810	BP01-91830
18W 3000K	18W 4000K	18W 6500K	
1760lm White	1760lm White	1760lm White	
220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
IP40 PC	IP40 PC	IP40 PC	




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



Dimmable
IP40

SMD	BP01-90401	BP01-90411	BP01-90431
LED	4W 3000K 280lm Black 220-240V CRI>80 IP40 PC	4W 4000K 280lm Black 220-240V CRI>80 IP40 PC	4W 6500K 280lm Black 220-240V CRI>80 IP40 PC



NEW




Dimmable
IP40

SMD	BP01-90601	BP01-90611	BP01-90631
LED	6W 3000K 470lm Black 220-240V CRI>80 IP40 PC	6W 4000K 470lm Black 220-240V CRI>80 IP40 PC	6W 6500K 470lm Black 220-240V CRI>80 IP40 PC




NEW



Dimmable
IP40

SMD	BP01-91801	BP01-91811	BP01-91831
LED	18W 3000K 1760lm Black 220-240V CRI>80 IP40 PC	18W 4000K 1760lm Black 220-240V CRI>80 IP40 PC	18W 6500K 1760lm Black 220-240V CRI>80 IP40 PC



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Scan the QR code
for more information.



IP40





SMD	BP02-60600	BP02-60610	BP02-60630
	6W 3000K 470lm White	6W 4000K 470lm White	6W 6500K 470lm White
	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC



IP40



SMD	BP02-61200	BP02-61210	BP02-61230
	12W 3000K 1120lm White	12W 4000K 1120lm White	12W 6500K 1120lm White
	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC



IP40



SMD	BP02-61800	BP02-61810	BP02-61830
	18W 3000K 1760lm White	18W 4000K 1760lm White	18W 6500K 1760lm White
	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



IP40



IP40

SMD	BP03-61200	BP03-61210	BP03-61230
	12W 3000K 1120lm White	12W 4000K 1120lm White	12W 6500K 1120lm White
	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC

SMD	BP03-61800	BP03-61810	BP03-61830
	18W 3000K 1760lm White	18W 4000K 1760lm White	18W 6500K 1760lm White
	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC



IP40

SMD	BP03-62400	BP03-62410	BP03-62430
	24W 3000K 2400lm White	24W 4000K 2400lm White	24W 6500K 2400lm White
	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.




IP40

SMD	BP04-61200	BP04-61210	BP04-61230
	12W 3000K	12W 4000K	12W 6500K
	1120lm White	1120lm White	1120lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 PC	IP40 PC	IP40 PC




IP40

SMD	BP04-61800	BP04-61810	BP04-61830
	18W 3000K	18W 4000K	18W 6500K
	1760lm White	1760lm White	1760lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 PC	IP40 PC	IP40 PC



IP40

SMD	BP04-62400	BP04-62410	BP04-62430
	24W 3000K	24W 4000K	24W 6500K
	2400lm White	2400lm White	2400lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 PC	IP40 PC	IP40 PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


Scan the QR code for more information.




NEW



IP40




SMD-CRB	BP03-72080	BP03-72081
20W 3 CCT	20W 3 CCT	20W 3 CCT
2000lm White	2000lm White	2000lm Black
220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
IP40 PC	IP40 PC	IP40 PC




NEW



IP40




SMD-CRB	BP04-72080	BP04-72081
20W 3 CCT	20W 3 CCT	20W 3 CCT
2000lm White	2000lm White	2000lm Black
220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
IP40 PC	IP40 PC	IP40 PC



NEW



SNS	BP03-92000	BP03-92010	BP03-92030
18W 3000K Sensor	18W 4000K Sensor	18W 6500K Sensor	
1800lm White	1800lm White	1800lm White	
220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


Scan the QR code
for more information.



SMD	BP01-30300	BP01-30310	BP01-30330
	3W 3000K 150lm White	3W 4000K 150lm White	3W 6500K 150lm White
	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium




SMD	BP01-30600	BP01-30610	BP01-30630
	6W 3000K 350lm White	6W 4000K 350lm White	6W 6500K 350lm White
	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium




NEW



SMD	BP01-30930
	9W 6500K 680lm White
	220-240V CRI>80 IP20 Aluminium



SMD	BP01-31200	BP01-31210	BP01-31230
	12W 3000K 910lm White	12W 4000K 910lm White	12W 6500K 910lm White
	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


Scan the QR code
for more information.




SMD	BP01-31500	BP01-31510	BP01-31530
	15W 3000K 1120lm White 220-240V CRI>80 IP20 Aluminium	15W 4000K 1120lm White 220-240V CRI>80 IP20 Aluminium	15W 6500K 1120lm White 220-240V CRI>80 IP20 Aluminium



SMD	BP01-31800	BP01-31810	BP01-31830
	18W 3000K 1360lm White 220-240V CRI>80 IP20 Aluminium	18W 4000K 1360lm White 220-240V CRI>80 IP20 Aluminium	18W 6500K 1360lm White 220-240V CRI>80 IP20 Aluminium




SMD	BP01-32400	BP01-32410	BP01-32430
	24W 3000K 1850lm White 220-240V CRI>80 IP20 Aluminium	24W 4000K 1850lm White 220-240V CRI>80 IP20 Aluminium	24W 6500K 1850lm White 220-240V CRI>80 IP20 Aluminium




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Scan the QR code
for more information.



SMD	BP02-30600	BP02-30610	BP02-30630
	6W 3000K	6W 4000K	6W 6500K
	350lm White	350lm White	350lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



SMD	BP02-31200	BP02-31210	BP02-31230
	12W 3000K	12W 4000K	12W 6500K
	1120lm White	1120lm White	1120lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



SMD	BP02-31800	BP02-31810	BP02-31830
	18W 3000K	18W 4000K	18W 6500K
	1360lm White	1360lm White	1360lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



SMD	BP02-32400	BP02-32410	BP02-32430
	24W 3000K	24W 4000K	24W 6500K
	1850lm White	1850lm White	1850lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



SMD	BP03-31200	BP03-31210	BP03-31230	
	12W 3000K	12W 4000K	12W 6500K	
	910lm White	910lm White	910lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	Ø170

SMD	BP03-31800	BP03-31810	BP03-31830	
	18W 3000K	18W 4000K	18W 6500K	
	1360lm White	1360lm White	1360lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	Ø220



SMD	BP03-32400	BP03-32410	BP03-32430	
	24W 3000K	24W 4000K	24W 6500K	
	1850lm White	1850lm White	1850lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	Ø300

SMD	BP03-33600	BP03-33610	BP03-33630	
	36W 3000K	36W 4000K	36W 6500K	
	3720lm White	3720lm White	3720lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	Ø400



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



SMD	BP04-31200	BP04-31210	BP04-31230	
	12W 3000K	12W 4000K	12W 6500K	
	910lm White	910lm White	910lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	

SMD	BP04-31800	BP04-31810	BP04-31830	
	18W 3000K	18W 4000K	18W 6500K	
	1360lm White	1360lm White	1360lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	



SMD	BP04-32400	BP04-32410	BP04-32430	
	24W 3000K	24W 4000K	24W 6500K	
	1850lm White	1850lm White	1850lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	

SMD	BP04-33600	BP04-33610	BP04-33630	
	36W 3000K	36W 4000K	36W 6500K	
	3720lm White	3720lm White	3720lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

SPOTLIGHT FIXTURE



Scan the QR code
for more information.



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00100
Beta
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

145
Ø54



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00101
Beta
Black 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium


145
Ø54



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00110
Beta
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium


140
97x97



Bulb not included.
Suitable For
GU10 BULB
50mm





BH04-00111
Beta
Black 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

140
97x97



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



Bulb not included.
Suitable For
GU10 BULB
—50mm—
BH04-00200
Gama
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium
125
Ø94



Bulb not included.
Suitable For
GU10 BULB
—50mm—
BH04-00201
Gama
Black 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium
125
Ø94



Bulb not included.
Suitable For
GU10 BULB
—50mm—
BH04-00210
Gama
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium
125
97x97



Bulb not included.
Suitable For
GU10 BULB
—50mm—
BH04-00211
Gama
Black 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium
125
97x97



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



BH04-00300
Gama
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

BH04-00301
Gama
Black 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

BH04-00306
Gama
Golden 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



BH04-00310
Gama
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

BH04-00311
Gama
Black 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

BH04-00316
Gama
Golden 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



Bulb not included.
Suitable For
GU10 BULB
50mm
BH04-30300
Gama
White 1xGU10
Max.1x35W
220-240V
IP20 Aluminium
100
80x80



Bulb not included.
Suitable For
GU10 BULB
50mm
BH04-30301
Gama
Black 1xGU10
Max.1x35W
220-240V
IP20 Aluminium
100
80x80



Bulb not included.
Suitable For
GU10 BULB
50mm
BH04-30310
Gama
White 1xGU10
Max.1x35W
220-240V
IP20 Aluminium
100
80x80



Bulb not included.
Suitable For
GU10 BULB
50mm
BH04-30311
Gama
Black 1xGU10
Max.1x35W
220-240V
IP20 Aluminium
100
80x80



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



Bulb not included.
Suitable For
GU10 BULB
50mm



BH04-00500
Gama
White 1xGU10
Max.1x35W
220-240V
IP20 Aluminium



100
55



Bulb not included.
Suitable For
GU10 BULB
50mm



BH04-00501
Gama
Black 1xGU10
Max.1x35W
220-240V
IP20 Aluminium



100
55



Bulb not included.
Suitable For
GU10 BULB
50mm



BH04-00506
Gama
Golden 1xGU10
Max.1x35W
220-240V
IP20 Aluminium



100
55



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



Bulb not included.
Suitable For GU10 BULB
50mm
BH04-00560
Gama
White 1xGU10
Max.1x35W
220-240V
IP20 Aluminium
200
855

Bulb not included.
Suitable For GU10 BULB
50mm
BH04-00561
Gama
Black 1xGU10
Max.1x35W
220-240V
IP20 Aluminium
200
855



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com

Scan the QR code for more information.



NEW



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00900
Beta
White 1xGU10
Max.1x35W
220-240V
IP20 Aluminium



NEW



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00901
Beta
Black 1xGU10
Max.1x35W
220-240V
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00800
Beta
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium





Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00801
Beta
Black 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.




Bulb not included.



Suitable For
GU10 BULB
L=50mm

BH04-00830
Beta
White 3xGU10
Max.3x35w
220-240VAC
IP20 Aluminium




Bulb not included.



Suitable For
GU10 BULB
L=50mm

BH04-00831
Beta
Black 3xGU10
Max.3x35w
220-240VAC
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


Scan the QR code
for more information.




NEW



NEW



NEW



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



NEW



NEW



NEW



NEW




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.




NEW



NEW



NEW



NEW



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com


Scan the QR code
for more information.



NEW




BH03-06050
Alfa
White 1xMR16
Max.1x35W
220-240V
IP20 Aluminium



NEW




BH03-06051
Alfa
Black+Black 1xMR16
Max.1x35W
220-240V
IP20 Aluminium




NEW




BH03-06052
Alfa
Black+White 1xMR16
Max.1x35W
220-240V
IP20 Aluminium



NEW






BH03-06053
Alfa
White+Black 1xMR16
Max.1x35W
220-240V
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-05110
Beta
White+Black 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-05111
Beta
Black 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-05116
Beta
Black+Golden 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium





*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.




Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-05010
Beta
White 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium




Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-05011
Beta
Black 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium




Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-05020
Beta
White 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium




Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-05021
Beta
Black 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.




NEW

NEW




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



*Technical information indicated above may have tolerance ±10%. For final updated information please visit website www.braytron.com


Scan the QR code
for more information.




BH03-04090
Tetra
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium




BH03-04091
Tetra
Black 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



BH03-04100
Tetra
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



BH03-04101
Tetra
Black 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


Scan the QR code
for more information.




BH03-04050
Tetra
White 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium




BH03-04051
Tetra
Black 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium



BH03-04040
Tetra
White 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium



BH03-04041
Tetra
Black 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium





*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.





Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-00161
Spotti
Black Silver 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium





Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-00163
Spotti
Brushed Silver 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium




Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-00111
Spotti
Black Silver 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-00113
Spotti
Brushed Silver 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-00121
Spotti
Black Silver 2xGU10
Max.2x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-00123
Spotti
Brushed Silver 2xGU10
Max.2x35w
220-240VAC
IP20 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


Scan the QR code
for more information.



BH03-02070
Mitto
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium




BH03-02074
Mitto
Nickel 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



BH03-02040
Mitto
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



BH03-02044
Mitto
Nickel 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code for more information.



NEW



IP54



NEW



IP54



NEW




IP54



NEW



IP54



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



Linear	BN02-00600	BN02-00610	BN02-00630
	18W 3000K	18W 4000K	18W 6500K
	1620lm White	1620lm White	1620lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



Linear	BN02-00601	BN02-00611	BN02-00631
	18W 3000K	18W 4000K	18W 6500K
	1620lm Black	1620lm Black	1620lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium




Linear	BN02-01200	BN02-01210	BN02-01230
	36W 3000K	36W 4000K	36W 6500K
	3240lm White	3240lm White	3240lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



Linear	BN02-01201	BN02-01211	BN02-01231
	36W 3000K	36W 4000K	36W 6500K
	3240lm Black	3240lm Black	3240lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



Linear	BN02-01500	BN02-01510	BN02-01530
	45W 3000K	45W 4000K	45W 6500K
	4050lm White	4050lm White	4050lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium




Linear	BN02-01501	BN02-01511	BN02-01531
	45W 3000K	45W 4000K	45W 6500K
	4050lm Black	4050lm Black	4050lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.




Ledline BN10-00400 BN10-00410 BN10-00430



4W 3000K
440lm White
220-240V CRI>80
IP20 PC

4W 4000K
440lm White
220-240V CRI>80
IP20 PC

4W 6500K
440lm White
220-240V CRI>80
IP20 PC




Ledline BN10-00700 BN10-00710 BN10-00730



7W 3000K
780lm White
220-240V CRI>80
IP20 PC

7W 4000K
780lm White
220-240V CRI>80
IP20 PC

7W 6500K
780lm White
220-240V CRI>80
IP20 PC




Ledline BN10-01100 BN10-01110 BN10-01130



11W 3000K
1220lm White
220-240V CRI>80
IP20 PC

11W 4000K
1220lm White
220-240V CRI>80
IP20 PC

11W 6500K
1220lm White
220-240V CRI>80
IP20 PC



Ledline BN10-01400 BN10-01410 BN10-01430



14W 3000K
1550lm White
220-240V CRI>80
IP20 PC

14W 4000K
1550lm White
220-240V CRI>80
IP20 PC

14W 6500K
1550lm White
220-240V CRI>80
IP20 PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



Proline BN18-00610 BN18-00630
 18W 4000K 18W 6500K
 1800lm White 1800lm White
 220-240V CRI>80 220-240V CRI>80
 IP20 PC IP20 PC



Proline BN18-01210 BN18-01230
 35W 4000K 35W 6500K
 3600lm White 3600lm White
 220-240V CRI>80 220-240V CRI>80
 IP20 PC IP20 PC



Proline BN20-00603 BN20-00613 BN20-00633
 20W 3000K 20W 4000K 20W 6500K
 2000lm Silver 2000lm Silver 2000lm Silver
 220-240V CRI>80 220-240V CRI>80 220-240V CRI>80
 IP20 Aluminium IP20 Aluminium IP20 Aluminium



Proline BN20-01203 BN20-01213 BN20-01233
 40W 3000K 40W 4000K 40W 6500K
 4200lm Silver 4200lm Silver 4200lm Silver
 220-240V CRI>80 220-240V CRI>80 220-240V CRI>80
 IP20 Aluminium IP20 Aluminium IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code for more information.



NEW

IP40

Proline	BN20-10610	BN20-10630
LED	18W 4000K	18W 6500K
	2160lm White	2160lm White
	220-240V CRI>80	220-240V CRI>80
	IP40 PC	IP40 PC



NEW

IP40

Proline	BN20-11210	BN20-11230
LED	36W 4000K	36W 6500K
	4320lm White	4320lm White
	220-240V CRI>80	220-240V CRI>80
	IP40 PC	IP40 PC



NEW

IP40

Color Temperature Changeable			Color Switch		
3000K	4000K	6500K	4000K	3000K	6500K
Proline BN20-41280			SENSOR		
LED	36W 3CCT Sensor				
	4320lm White				
	220-240V CRI>80				
	IP40 PC				



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

DESK LAMP



Scan the QR code
for more information.



LB124 BK01-00516
LED 4.5W 5000K
350lm White
13.2V DC CRI>80
IP20 ABS



LB125 BK01-00710
LED 5W 5000K
400lm White
5V DC CRI>80
IP20 ABS



LB131 BK01-01310
LED 7W 5000K
580lm White
12V DC CRI>80
IP20 ABS



LB132 BK01-01411
LED 7W 5000K
580lm Black
12V DC CRI>80
IP20 ABS



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



LB145 BK01-02680

5W CCT TUNABLE
500lm White
5V DC CRI>80
IP20 ABS



LB145 BK01-02681

5W CCT TUNABLE
500lm Black
5V DC CRI>80
IP20 ABS



LB146 BK01-02781

5W CCT TUNABLE
500lm Black
5V DC CRI>80
IP20 ABS



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com

A modern living room interior featuring a light-colored sofa, a low wooden coffee table, and a large potted plant. A circular pendant light hangs from the ceiling. A semi-transparent grey box contains a list of decorative lighting products. The background wall has a horizontal wood slat design.

DECORATIVE LIGHTING

- LED CEILING LIGHT JADE
- LED CEILING LIGHT BLADE
- LED PENDANT LIGHT BLADE
- LED PENDANT LIGHT LINA
- LED CEILING LIGHT BELLA
- LED PENDANT LIGHT BELLA
- DECORATIVE LED WALL LIGHT
- LED MIRROR LIGHT
- PENDANT KIT
- DECORATIVE LINEAR LIGHT

Scan the QR code for more information.



NEW



Lina BH16-09080
 3 CCT
 30W 3000lm White
 220-240V CRI>80
 IP20 Aluminium

NEW



Lina BH16-09081
 3 CCT
 30W 3000lm Black
 220-240V CRI>80
 IP20 Aluminium



NEW



Lina BH16-09086
 3 CCT
 30W 3000lm Golden
 220-240V CRI>80
 IP20 Aluminium



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com

Scan the QR code for more information.





Lina BH16-09180
3 CCT
35W 3500lm White
220-240V CRI>80
IP20 Aluminium



Lina BH16-09181
3 CCT
35W 3500lm Black
220-240V CRI>80
IP20 Aluminium



Lina BH16-09186
3 CCT
35W 3500lm Golden
220-240V CRI>80
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



Lina BH16-09280
3 CCT
45W 4520lm White
220-240V CRI>80
IP20 Aluminium



Lina BH16-09281
3 CCT
45W 4520lm Black
220-240V CRI>80
IP20 Aluminium



Lina BH16-09286
3 CCT
45W 4520lm Golden
220-240V CRI>80
IP20 Aluminium



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com

Scan the QR code
for more information.




Lina BH16-09680
3 CCT
65W 6500lm White
220-240V CRI>80
IP20 Aluminium



Lina BH16-09681
3 CCT
65W 6500lm Black
220-240V CRI>80
IP20 Aluminium




Lina BH16-09686
3 CCT
65W 6500lm Golden
220-240V CRI>80
IP20 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


Scan the QR code for more information.




Lina BH16-09980
3 CCT
30W 3000lm White
220-240V CRI>80
IP20 Aluminium



Lina BH16-09981
3 CCT
30W 3000lm Black
220-240V CRI>80
IP20 Aluminium



Lina BH16-09986
3 CCT
30W 3000lm Golden
220-240V CRI>80
IP20 Aluminium



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com




BELLA

Scan the QR code
for more information.




Bella BH17-00280

3 CCT
36W 4260lm White
220-240V CRI>80
IP20 Aluminium




Bella BH17-00281

3 CCT
36W 4260lm Black
220-240V CRI>80
IP20 Aluminium




Bella BH17-00286

3 CCT
36W 4260lm Golden
220-240V CRI>80
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Scan the QR code
for more information.



Bella BH17-00780




3 CCT
36W 4260lm White
220-240V CRI>80
IP20 Aluminium



Bella BH17-00781






3 CCT
36W 4260lm Black
220-240V CRI>80
IP20 Aluminium



Bella BH17-00786



3 CCT
36W 4260lm Golden
220-240V CRI>80
IP20 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.




Bella BH17-02380

3 CCT
36W 4260lm White
220-240V CRI>80
IP20 Aluminium




Bella BH17-02381

3 CCT
36W 4260lm Black
220-240V CRI>80
IP20 Aluminium



Bella BH17-02386

3 CCT
36W 4260lm Golden
220-240V CRI>80
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Scan the QR code
for more information.



Bella BH17-02880




3 CCT
36W 4260lm White
220-240V CRI>80
IP20 Aluminium



Bella BH17-02881





3 CCT
36W 4260lm Black
220-240V CRI>80
IP20 Aluminium



Bella BH17-02886



3 CCT
36W 4260lm Golden
220-240V CRI>80
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code for more information.




Bella BH17-01280
3 CCT
36W 4260lm White
220-240V CRI>80
IP20 Aluminium



Bella BH17-01281
3 CCT
36W 4260lm Black
220-240V CRI>80
IP20 Aluminium



Bella BH17-01286
3 CCT
36W 4260lm Golden
220-240V CRI>80
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.





Bella BH17-01780
3 CCT
36W 4260lm White
220-240V CRI>80
IP20 Aluminium



Bella BH17-01781
3 CCT
36W 4260lm Black
220-240V CRI>80
IP20 Aluminium



Bella BH17-01786
3 CCT
36W 4260lm Golden
220-240V CRI>80
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code for more information.




Bella BH17-01380
 3 CCT
 46W 5200lm White
 220-240V CRI>80
 IP20 Aluminium



Bella BH17-01381
 3 CCT
 46W 5200lm Black
 220-240V CRI>80
 IP20 Aluminium



Bella BH17-01386
 3 CCT
 46W 5200lm Golden
 220-240V CRI>80
 IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code for more information.




Bella BH17-01980
3 CCT
46W 5200lm White
220-240V CRI>80
IP20 Aluminium



Bella BH17-01981
3 CCT
46W 5200lm Black
220-240V CRI>80
IP20 Aluminium



Bella BH17-01986
3 CCT
46W 5200lm Golden
220-240V CRI>80
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code for more information.



Bella BH17-03480
 3 CCT
 46W 5200lm White
 220-240V CRI>80
 IP20 Aluminium



Bella BH17-03481
 3 CCT
 46W 5200lm Black
 220-240V CRI>80
 IP20 Aluminium



Bella BH17-03486
 3 CCT
 46W 5200lm Golden
 220-240V CRI>80
 IP20 Aluminium



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com

Scan the QR code for more information.




Bella BH17-03980
3 CCT
46W 5200lm White
220-240V CRI>80
IP20 Aluminium



Bella BH17-03981
3 CCT
46W 5200lm Black
220-240V CRI>80
IP20 Aluminium




Bella BH17-03986
3 CCT
46W 5200lm Golden
220-240V CRI>80
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

BLADE




Scan the QR code for more information.




Blade BH16-04181

3 CCT
36W 3680lm Black
220-240V CRI>80
IP20 Metal




Blade BH16-04180

3 CCT
36W 3680lm White
220-240V CRI>80
IP20 Metal



Blade BH16-04187


3 CCT
36W 3680lm Wooden
220-240V CRI>80
IP20 Metal



PENDANT KIT • BLADE
White • SH16-05001

PENDANT KIT • BLADE
Black • SH16-05002

PENDANT KIT • BLADE
Wooden • SH16-05003



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code for more information.




Blade BH16-04280
3 CCT
45W 4650lm White
220-240V CRI>80
IP20 Metal



Dimmable

BH16-04290
3 CCT - With Remote
45W 4650lm White
220-240V CRI>80
IP20 Metal




Blade BH16-04281
3 CCT
45W 4650lm Black
220-240V CRI>80
IP20 Metal



Dimmable

BH16-04291
3 CCT - With Remote
45W 4650lm Black
220-240V CRI>80
IP20 Metal



PENDANT KIT • BLADE
White • SH16-05001

PENDANT KIT • BLADE
Black • SH16-05002

PENDANT KIT • BLADE
Wooden • SH16-05003



Blade BH16-04287
3 CCT
45W 4650lm Wooden
220-240V CRI>80
IP20 Metal



Dimmable

BH16-04297
3 CCT - With Remote
45W 4650lm Wooden
220-240V CRI>80
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code for more information.



Blade BH16-05180
3 CCT
36W 3680lm White
220-240V CRI>80
IP20 Metal




Blade BH16-05181
3 CCT
36W 3680lm Black
220-240V CRI>80
IP20 Metal



Blade BH16-05187
3 CCT
36W 3680lm Wooden
220-240V CRI>80
IP20 Metal



PENDANT KIT • BLADE
White • SH16-05004
PENDANT KIT • BLADE
Black • SH16-05005
PENDANT KIT • BLADE
Wooden • SH16-05006



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code for more information.



Blade BH16-05280

3 CCT
45W 4650lm White
220-240V CRI>80
IP20 Metal

BH16-05290

3 CCT - With Remote
45W 4650lm White
220-240V CRI>80
IP20 Metal



Blade BH16-05281

3 CCT
45W 4650lm Black
220-240V CRI>80
IP20 Metal

BH16-05291

3 CCT - With Remote
45W 4650lm Black
220-240V CRI>80
IP20 Metal



PENDANT KIT • BLADE
White • SH16-05004

PENDANT KIT • BLADE
Black • SH16-05005

PENDANT KIT • BLADE
Wooden • SH16-05006



Blade BH16-05287

3 CCT
45W 4650lm Wooden
220-240V CRI>80
IP20 Metal

BH16-05297

3 CCT - With Remote
45W 4650lm Wooden
220-240V CRI>80
IP20 Metal




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


Scan the QR code
for more information.





Blade BH16-06180
3 CCT
36W 3680lm White
220-240V CRI>80
IP20 Metal



Blade BH16-06181
3 CCT
36W 3680lm Black
220-240V CRI>80
IP20 Metal



Blade BH16-06187
3 CCT
36W 3680lm Wooden
220-240V CRI>80
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code for more information.



Blade BH16-06280
 3 CCT
 45W 4650lm White
 220-240V CRI>80
 IP20 Metal

BH16-06290
 3 CCT - With Remote
 45W 4650lm White
 220-240V CRI>80
 IP20 Metal



Blade BH16-06281
 3 CCT
 45W 4650lm Black
 220-240V CRI>80
 IP20 Metal

BH16-06291
 3 CCT - With Remote
 45W 4650lm Black
 220-240V CRI>80
 IP20 Metal



Blade BH16-06287
 3 CCT
 45W 4650lm Wooden
 220-240V CRI>80
 IP20 Metal

BH16-06297
 3 CCT - With Remote
 45W 4650lm Wooden
 220-240V CRI>80
 IP20 Metal




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.




Blade BH16-07180

3 CCT
36W 3680lm White
220-240V CRI>80
IP20 Metal





Blade BH16-07181

3 CCT
36W 3680lm Black
220-240V CRI>80
IP20 Metal



Blade BH16-07187

3 CCT
36W 3680lm Wooden
220-240V CRI>80
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code for more information.




Blade BH16-07280

3 CCT
45W 4650lm White
220-240V CRI>80
IP20 Metal

BH16-07290

3 CCT - With Remote
45W 4650lm White
220-240V CRI>80
IP20 Metal




Blade BH16-07281

3 CCT
45W 4650lm Black
220-240V CRI>80
IP20 Metal

BH16-07291

3 CCT - With Remote
45W 4650lm Black
220-240V CRI>80
IP20 Metal




Blade BH16-07287

3 CCT
45W 4650lm Wooden
220-240V CRI>80
IP20 Metal

BH16-07297

3 CCT - With Remote
45W 4650lm Wooden
220-240V CRI>80
IP20 Metal




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


Scan the QR code for more information.




Blade BH16-08280
3 CCT
45W 4650lm White
220-240V CRI>80
IP20 Metal



Blade BH16-08281
3 CCT
45W 4650lm Black
220-240V CRI>80
IP20 Metal



Blade BH16-08287
3 CCT
45W 4650lm Wooden
220-240V CRI>80
IP20 Metal



PENDANT KIT • BLADE
White • SH16-05007

PENDANT KIT • BLADE
Black • SH16-05008

PENDANT KIT • BLADE
Wooden • SH16-05009



Color Temperature Changeable

3000K

4000K

6500K

Color Switch

4000K

3000K

6500K



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



Jade BH16-23583
24W 3 CCT
2450lm Silver
220-240V CRI>80
IP20 Metal

NEW



Jade BH16-23581
24W 3 CCT
2450lm Black
220-240V CRI>80
IP20 Metal

NEW



Jade BH16-23586
24W 3 CCT
2450lm Golden
220-240V CRI>80
IP20 Metal



*Technical information indicated above may have tolerance ±10%. For final updated information please visit website www.braytron.com


NEW



Jade BH16-23693

34W 3 CCT
3550lm Silver
220-240V CRI>80
IP20 Metal

Dimmable




NEW



Jade BH16-23691

34W 3 CCT
3550lm Black
220-240V CRI>80
IP20 Metal

Dimmable



NEW



Jade BH16-23696

34W 3 CCT
3550lm Golden
220-240V CRI>80
IP20 Metal

Dimmable



Color Temperature Changeable

3000K

4000K

6500K

Color Switch

4000K

3000K

6500K



CE

LVD

EMC

ErP

RoHS

Hg 0.0mg

IP20

RECYCLED

WARRANTY > 25,000

-20°C +40°C

*Technical information indicated above may have tolerance ±10. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



Jade BH16-20080
3 CCT
24W 2450lm White
220-240V CRI>80
IP20 Metal



Jade BH16-20180
3 CCT
34W 3550lm White
220-240V CRI>80
IP20 Metal



Jade BH16-20280
3 CCT
44W 4580lm White
220-240V CRI>80
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



Jade BH16-20380
3 CCT
24W 2450lm White
220-240V CRI>80
IP20 Metal



Jade BH16-20480
3 CCT
34W 3550lm White
220-240V CRI>80
IP20 Metal



Jade BH16-20580
3 CCT
44W 4580lm White
220-240V CRI>80
IP20 Metal



Color Temperature Changeable

3000K

4000K

6500K

Color Switch

4000K

3000K

6500K



CE

LVD

EMC

ErP

RoHS

Hg 0.0mg

IP 20

Recycle

Warranty > 25,000

Temp -20°C +40°C


*Technical information indicated above may have tolerance ±10%. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.




Jade BH16-20680

3 CCT
24W 2450lm White
220-240V CRI>80
IP20 Metal



Jade BH16-20780

3 CCT
34W 3550lm White
220-240V CRI>80
IP20 Metal



Jade BH16-20880

3 CCT
44W 4580lm White
220-240V CRI>80
IP20 Metal



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com

Scan the QR code
for more information.




Jade BH16-21080
3 CCT
24W 2450lm White
220-240V CRI>80
IP20 Metal



Jade BH16-21180
3 CCT
34W 3550lm White
220-240V CRI>80
IP20 Metal



Jade BH16-21280
3 CCT
44W 4580lm White
220-240V CRI>80
IP20 Metal



Color Temperature Changeable

3000K

4000K

6500K

Color Switch

4000K

3000K

6500K




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


Scan the QR code
for more information.




Jade BH16-22130
6500K White
18W 1760lm
220-240V CRI>80
IP20 Metal




Jade BH16-22230 BH16-22280
6500K White 3 CCT
24W 2450lm 24W 2450lm White
220-240V CRI>80 220-240V CRI>80
IP20 Metal+PC IP20 Metal



Jade BH16-22380
3 CCT
34W 3550lm White
220-240V CRI>80
IP20 Metal



Jade BH16-22480
3 CCT
44W 4580lm White
220-240V CRI>80
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.




Jade BH16-23130
LED 6500K White
18W 1760lm
220-240V CRI>80
IP20 Metal





Jade BH16-23280
LED 3 CCT
24W 2450lm White
220-240V CRI>80
IP20 Metal



Jade BH16-23380
LED 3 CCT
34W 3550lm White
220-240V CRI>80
IP20 Metal



Jade BH16-23480
LED 3 CCT
44W 4580lm White
220-240V CRI>80
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



Sensa	BC15-00300	BC15-00310	BC15-00330
LED	15W 3000K 1460lm White	15W 4000K 1460lm White	15W 6500K 1460lm White
Energy Star	220-240V CRI>80 IP20 Metal	220-240V CRI>80 IP20 Metal	220-240V CRI>80 IP20 Metal



IP44

Jade	BH15-01100	BH15-01110	BH15-01130
LED	18W 3000K 1740lm White	18W 4000K 1740lm White	18W 6500K 1740lm White
Energy Star	220-240V CRI>80 IP44 PC	220-240V CRI>80 IP44 PC	220-240V CRI>80 IP44 PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



IP44

 	Jade BH15-02100	BH15-02110	BH15-02130
	20W 3000K	20W 4000K	20W 6500K
	1980lm White	1980lm White	1980lm White
	220-240V CRI>80 IP44 PC	220-240V CRI>80 IP44 PC	220-240V CRI>80 IP44 PC



IP44

 	Jade BH15-02200	BH15-02210	BH15-02230
	30W 3000K	30W 4000K	30W 6500K
	3050lm White	3050lm White	3050lm White
	220-240V CRI>80 IP44 PC	220-240V CRI>80 IP44 PC	220-240V CRI>80 IP44 PC



IP44

 	Jade BH15-03100	BH15-03110	BH15-03130
	20W 3000K	20W 4000K	20W 6500K
	1980lm White	1980lm White	1980lm White
	220-240V CRI>80 IP44 PC	220-240V CRI>80 IP44 PC	220-240V CRI>80 IP44 PC



IP44

 	Jade BH15-03200	BH15-03230
	30W 3000K	30W 6500K
	2940lm White	2940lm White
	220-240V CRI>80 IP44 PC	220-240V CRI>80 IP44 PC




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Scan the QR code
for more information.





Avva BH07-03000
8W 3000K
520lm White
220-240V CRI>80
IP20 Aluminium




Avva BH07-03001
8W 3000K
520lm Black
220-240V CRI>80
IP20 Aluminium



Avva BH07-03100
8W 3000K
520lm White
220-240V CRI>80
IP20 Aluminium



Avva BH07-03101
8W 3000K
520lm Black
220-240V CRI>80
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



Avva BH07-03200
LED 8W 3000K
520lm White
220-240V CRI>80
IP20 Aluminium



Avva BH07-03201
LED 8W 3000K
520lm Black
220-240V CRI>80
IP20 Aluminium



Avva BH07-03300
LED 12W 3000K
810lm White
220-240V CRI>80
IP20 Aluminium



Avva BH07-03301
LED 12W 3000K
810lm Black
220-240V CRI>80
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



NEW



Tiny BH07-04101
 16W 3000K
 1160lm Black
 220-240V CRI>80
 IP20 Aluminium

NEW



Tiny BH07-04106
 16W 3000K
 1160lm Golden
 220-240V CRI>80
 IP20 Aluminium





*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.





NEW

IP44



IP44




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.




NEW



Sara BN12-00885

8W 3 CCT
700lm Chrome
220-240V CRI>80
IP20 Metal




NEW




Sara BN12-00881

8W 3 CCT
700lm Black
220-240V CRI>80
IP20 Metal




NEW



Sara BN12-00886

8W 3 CCT
700lm Golden
220-240V CRI>80
IP20 Metal



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com

Scan the QR code for more information.



NEW



IP65

CEIL BC18-00280

LED 16W 3 CCT
1600lm White
220-240V CRI>80
IP65 PC



NEW



IP65

CEIL BC18-00281

LED 16W 3 CCT
1600lm Black
220-240V CRI>80
IP65 PC



NEW



IP65

CEIL BC18-00680

LED 25W 3 CCT
2250lm White
220-240V CRI>80
IP65 PC



NEW



IP65

CEIL BC18-00681

LED 25W 3 CCT
2250lm Black
220-240V CRI>80
IP65 PC



Color Temperature Changeable

3000K

4000K

6500K

Color Switch

4000K 3000K 6500K



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



NEW

IP65

CEIL BC18-00380
LED 25W 3 CCT
2250lm White
220-240V CRI>80
IP65 PC



NEW

IP65

CEIL BC18-00381
LED 25W 3 CCT
2250lm Black
220-240V CRI>80
IP65 PC



NEW

IP65


CEIL BC18-00780
LED 25W 3 CCT
2250lm White
220-240V CRI>80
IP65 PC



NEW

IP65

CEIL BC18-00781
LED 25W 3 CCT
2250lm Black
220-240V CRI>80
IP65 PC




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code for more information.



IP54

 	Bulkhead BC17-00700	BC17-00730
	8W 3000K	8W 6500K
	700lm White	700lm White
	220-240V CRI>80 IP54 PC	220-240V CRI>80 IP54 PC



IP54

 	Bulkhead BC17-00800	BC17-00830
	12W 3000K	12W 6500K
	1140lm White	1140lm White
	220-240V CRI>80 IP54 PC	220-240V CRI>80 IP54 PC



IP54

 	Bulkhead BC17-00900	BC17-00930
	18W 3000K	18W 6500K
	1780lm White	1780lm White
	220-240V CRI>80 IP54 PC	220-240V CRI>80 IP54 PC



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



IP54


Bulkhead BC17-01100



12W 3000K
1140lm White
220-240V CRI>80
IP54 PC

BC17-01130

12W 6500K
1140lm White
220-240V CRI>80
IP54 PC



IP54


Bulkhead BC17-01200



18W 3000K
1780lm White
220-240V CRI>80
IP54 PC

BC17-01230

18W 6500K
1780lm White
220-240V CRI>80
IP54 PC



IP54


Bulkhead BC17-21100



15W 3000K Sensor
1460lm White
220-240V CRI>80
IP54 PC

BC17-21130

15W 6500K Sensor
1460lm White
220-240V CRI>80
IP54 PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW


IP54


Solaris BG36-00211

LED 15W 4000K
1500lm Black
Voltage: Solar Panel Energy
CRI>80 IP54 PC

SOLAR

SENSOR





NEW


IP54

Solaris BG36-00130

LED 3W 6500K
240lm White
Voltage: Solar Panel Energy
CRI>80 IP54 PC

SOLAR

SENSOR





*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.




IP44

Veneto BG37-00381



10W 3 CCT
950lm White
220-240V CRI>80
IP44 PC




IP44

Veneto BG37-00481



20W 3 CCT
1900lm White
220-240V CRI>80
IP44 PC






IP44

Veneto BG37-00381



10W 3 CCT
950lm Black
220-240V CRI>80
IP44 PC




IP44

Veneto BG37-00481



20W 3 CCT
1900lm Black
220-240V CRI>80
IP44 PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



IP65

Palermo BG37-00200



12W 3000K
1160lm White
220-240V CRI>80
IP65 PC




IP65

Palermo BG37-00201



12W 3000K
1160lm Black
220-240V CRI>80
IP65 PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



IP65

Walls	BG38-01001	BG38-01011	
	15W 3000K	15W 4000K	
	1450lm Black	1450lm Black	
	220-240V CRI>80	220-240V CRI>80	
	IP65 PC	IP65 PC	



IP65

Walls	BG38-01101	BG38-01111	
	15W 3000K	15W 4000K	
	1450lm Black	1450lm Black	
	220-240V CRI>80	220-240V CRI>80	
	IP65 PC	IP65 PC	



IP65

Walls	BG38-01201	BG38-01211	
	15W 3000K	15W 4000K	
	1450lm Black	1450lm Black	
	220-240V CRI>80	220-240V CRI>80	
	IP65 PC	IP65 PC	



IP65

Walls	BG38-01301	BG38-01311	
	15W 3000K	15W 4000K	
	1450lm Black	1450lm Black	
	220-240V CRI>80	220-240V CRI>80	
	IP65 PC	IP65 PC	



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



IP65

Walls BG38-01401



15W 3000K

1450lm Black

220-240V CRI>80

IP65 PC



IP65

Walls BG38-01501




15W 3000K

1450lm Black

220-240V CRI>80

IP65 PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



IP65

Walls	BG38-00102	BG38-00112	BG38-00132
LED	15W 3000K	15W 4000K	15W 6500K
	1460lm Black	1460lm Black	1460lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC	IP65 PC



IP65

Walls	BG38-00302	BG38-00312	BG38-00332
LED	15W 3000K	15W 4000K	15W 6500K
	1460lm Black	1460lm Black	1460lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC	IP65 PC




IP65

Walls	BG38-00202	BG38-00212	BG38-00232
LED	15W 3000K	15W 4000K	15W 6500K
	1460lm Black	1460lm Black	1460lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC	IP65 PC




IP65

Walls	BG38-00402
LED	20W 3000K
	1980lm Black
	220-240V CRI>80
	IP65 PC




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



IP65

Walls	BG38-00702	BG38-00712	BG38-00732
	12W 3000K	12W 4000K	12W 6500K
	1140lm D.Grey	1140lm D.Grey	1140lm D.Grey
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC	IP65 PC



IP65

Walls	BG38-00902	BG38-00912	BG38-00932
	15W 3000K	15W 4000K	15W 6500K
	1450lm D.Grey	1450lm D.Grey	1450lm D.Grey
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC	IP65 PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code for more information.



IP65




IP65



IP65



IP65



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



IP65

 	Vekta BG38-02401	BG38-02411	
	1x9W 3000K	1x9W 3000K	
	720lm Black	720lm Black	
	220-240V CRI>80	220-240V CRI>80	
	IP65 PC	IP65 PC	



IP65

 	Vekta BG38-02501	BG38-02511	
	2x9W 3000K	2x9W 4000K	
	1440lm Black	1440lm Black	
	220-240V CRI>80	220-240V CRI>80	
	IP65 PC	IP65 PC	




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.




IP65

Vekta BG38-02000
3W 3000K
160lm White
220-240V CRI>80
IP65 PC






IP65

Vekta BG38-02001
3W 3000K
160lm Black
220-240V CRI>80
IP65 PC





IP65

Vekta BG38-02100 BG38-02110
3W 3000K 3W 4000K
160lm White 160lm White
220-240V CRI>80 220-240V CRI>80
IP65 PC IP65 PC

IP65

Vekta BG38-02101 BG38-02111
3W 3000K 3W 4000K
160lm Black 160lm Black
220-240V CRI>80 220-240V CRI>80
IP65 PC IP65 PC





*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.




NEW




IP65

VEKTA BG38-01900

3W 3000K
180lm White
220-240V CRI>80
IP65 PC




NEW



IP65

VEKTA BG38-01901

3W 3000K
180lm Black
220-240V CRI>80
IP65 PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code for more information.




NEW



IP65

VEKTOR BG38-02802

LED 4x1W 3000K
440lm D.Grey
220-240V CRI>80
IP65 Aluminium




NEW



IP65

VEKTOR BG38-02900

LED 6x1W 3000K
660lm White
220-240V CRI>80
IP65 Aluminium




NEW



IP65

VEKTOR BG38-02902

LED 6x1W 3000K
660lm D.Grey
220-240V CRI>80
IP65 Aluminium



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



IP65

Vector BG38-02200
LED 2W 3000K
200lm White
220-240V CRI>80
IP65 Aluminium




IP65

Vector BG38-02201
LED 2W 3000K
200lm Black
220-240V CRI>80
IP65 Aluminium



IP65

Vector BG38-02300
LED 2W 3000K
200lm White
220-240V CRI>80
IP65 Aluminium



IP65

Vector BG38-02301
LED 2W 3000K
200lm Black
220-240V CRI>80
IP65 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW



IP44

BG32-00402
RITA
Grey 1xGU10
Max.1x35w
220-240V
IP44 Aluminium
Bulb not included




NEW



IP44

BG32-00422
RITA
Grey 2xGU10
Max.2x35w
220-240V
IP44 Aluminium
Bulb not included



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



IP44

Bulb not included.

Suitable For
GU10 BULB
50mm

BG32-00200
Rita
White 1xGU10
Max.1x35w
220-240V
IP44 Aluminium




IP44

Bulb not included.

Suitable For
GU10 BULB
50mm

BG32-00202
Rita
D.Grey 1xGU10
Max.1x35w
220-240V
IP44 Aluminium




IP44

Bulb not included.

Suitable For
GU10 BULB
50mm

BG32-00220
Rita
White 2xGU10
Max.2x35w
220-240V
IP44 Aluminium




IP44

Bulb not included.

Suitable For
GU10 BULB
50mm

BG32-00222
Rita
D.Grey 2xGU10
Max.2x35w
220-240V
IP44 Aluminium



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



NEW



IP44



Bulb not included.
Suitable For
GU10 BULB
50mm

BG32-00302
Rita
Grey 1xGU10
Max.1x35w
220-240V
IP44 Aluminium



NEW



IP44



Bulb not included.
Suitable For
GU10 BULB
50mm

BG32-00322
Rita
Grey 2xGU10
Max.2x35w
220-240V
IP44 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code for more information.



IP65

Spotlux	BT25-00102	BT25-00132	BT25-00152	BT25-00172	
	9W 3000K	9W 6500K	9W Green	9W Amber	
	680lm Grey	680lm Grey	Grey 220-240V	Grey 220-240V	
	220-240V CRI>80	220-240V CRI>80	CRI>80 IP65	CRI>80 IP65	



IP65

Bulb not included. Suitable For GU10 BULB	BT25-00351	
50mm	Spotlux	
	Black 1xGU10	
	Max. 1x35w	

220-240V
IP65 PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

IP67

Indus BT27-00101
Max.1x35W
1xGU10 Nickel
220-240V
IP67 Aluminium+304SS



NEW

IP67

Indus BT27-00111
Max.1x35W
1xGU10 Nickel
220-240V
IP67 Aluminium+304SS



*Technical information indicated above may have tolerance ±10. For final updated information please visit website www.braytron.com


Scan the QR code for more information.



IP54

Pirus BG40-00502


LED 7W 3000K
600lm Grey
220-240V CRI>80
IP54 Aluminium



IP54

Pirus BG40-00602


LED 10W 3000K
930lm Grey
220-240V CRI>80
IP54 Aluminium



IP54

Sirius BG40-00702

LED 5W 3000K
380lm Grey
220-240V CRI>80
IP54 Aluminium



IP54

Sirius BG40-00802

LED 2x5W 3000K
730lm Grey
220-240V CRI>80
IP54 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


Scan the QR code
for more information.




IP54




IP54



IP54



IP54



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



IP54

Dallas BG43-02002


LED 7W 3000K
600lm Grey
220-240V CRI>80
IP54 Aluminium



IP54

Dallas BG43-02102

LED 7W 3000K
600lm Grey
220-240V CRI>80
IP54 Aluminium



IP54

Dallas BG43-02302

LED 7W 3000K
600lm Grey
220-240V CRI>80
IP54 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


Scan the QR code
for more information.



BG43-03002
Paris
Grey 1xE27
Max.1x23W
220-240V
IP54 Aluminium
Bulb not included



BG43-03102
Paris
Grey 1xE27
Max.1x23W
220-240V
IP54 Aluminium
Bulb not included



BG43-03202
Paris
Grey 1xE27
Max.1x23W
220-240V
IP54 Aluminium
Bulb not included



BG43-03302
Paris
Grey 1xE27
Max.1x23W
220-240V
IP54 Aluminium
Bulb not included



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



IP44

BG43-04002
Milano
Grey 1xE27
Max.1x23W
220-240V
IP44 Aluminium



IP44

BG43-04102
Milano
Grey 1xE27
Max.1x23W
220-240V
IP44 Aluminium



IP44

BG43-04202
Milano
Grey 1xE27
Max.1x23W
220-240V
IP44 Aluminium



IP44

BG43-04302
Milano
Grey 1xE27
Max.1x23W
220-240V
IP44 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

IP44

BG44-03001
Prag
Black 1xE27
Max. 1x23w
220-240V
IP44 PC
Bulb not included



NEW

IP44

BG44-03021
Prag
Black 1xE27
Max. 1x23w
220-240V
IP44 PC
Bulb not included



NEW

IP44

BG44-03041
Prag
Black 1xE27
Max. 1x23w
220-240V
IP44 PC
Bulb not included



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

IP44


BG44-03101
Prag
Black 1xE27
Max.1x23w
220-240V
IP44 PC
Bulb not included



NEW

IP44

BG44-03111
Prag
Black 1xE27
Max.1x23w
220-240V
IP44 Metal
Bulb not included




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



BG44-00100
Dublin
White 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included

BG44-00101
Dublin
Black 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included




IP44



BG44-20100
Dublin
With Sensor
White 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included

BG44-20101
Dublin
With Sensor
Black 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included



IP44



BG44-00300
Berlin
White 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included

BG44-00301
Berlin
Black 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included

BG44-00306
Berlin
Bronze 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included



IP44



BG44-20300
Berlin
With Sensor
White 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included

BG44-20301
Berlin
With Sensor
Black 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included



IP44




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.




IP44

BG44-00400	BG44-00401	BG44-00406
Berlin	Berlin	Berlin
White 1xE27	Black 1xE27	Bronze 1xE27
Max.1x23w	Max.1x23w	Max.1x23w
220-240V	220-240V	220-240V
IP44 Plastic	IP44 Plastic	IP44 Plastic
Bulb not included	Bulb not included	Bulb not included



IP44

BG44-00500	BG44-00501	BG44-00506
Berlin	Berlin	Berlin
White 1xE27	Black 1xE27	Bronze 1xE27
Max.1x23w	Max.1x23w	Max.1x23w
220-240V	220-240V	220-240V
IP44 Plastic	IP44 Plastic	IP44 Plastic
Bulb not included	Bulb not included	Bulb not included



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



IP44

BG44-00600
Berlin
White 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included



IP44

BG44-00601
Berlin
Black 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included



IP44

BG44-00606
Berlin
Bronze 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included




*Technical information indicated above may have tolerance ±10%. For final updated information please visit website www.braytron.com

Scan the QR code for more information.



IP65

Proline	BT07-00610	BT07-00630
	16W 4000K	16W 6500K
	1600lm White	1600lm White
	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC



IP65

Proline	BT07-01210	BT07-01230
	32W 4000K	32W 6500K
	3400lm White	3400lm White
	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



Proline BT07-30610 BT07-30630
 20W 4000K 20W 6500K
 2240lm White 2240lm White
 220-240V CRI>80 220-240V CRI>80
 IP65 PC IP65 PC



IP65



Proline BT07-31210 BT07-31230
 40W 4000K 40W 6500K
 4500lm White 4500lm White
 220-240V CRI>80 220-240V CRI>80
 IP65 PC IP65 PC



IP65



Proline BT07-31510 BT07-31530
 60W 4000K 60W 6500K
 6300lm White 6300lm White
 220-240V CRI>80 220-240V CRI>80
 IP65 PC IP65 PC



IP65

Linkable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



IP65

BT05-11280

Aqualine 1x1.2mt
Single Side Tube
G13 220-240V
IP65 ABS+PC
Bulb not included



BT05-21280

Aqualine 2x1.2mt
Single Side Tube
G13 220-240V
IP65 ABS+PC
Bulb not included



BT05-11580

Aqualine 1x1.5mt
Single Side Tube
G13 220-240V
IP65 ABS+PC
Bulb not included



BT05-21580

Aqualine 2x1.5mt
Single Side Tube
G13 220-240V
IP65 ABS+PC
Bulb not included



IP65

BT05-10681

Aqualine 1x0.6mt
Single Side Tube
G13 220-240V
IP65 ABS+PS
Bulb not included



BT05-20681

Aqualine 2x0.6mt
Single Side Tube
G13 220-240V
IP65 ABS+PS
Bulb not included



BT05-11281

Aqualine 1x1.2mt
Single Side Tube
G13 220-240V
IP65 ABS+PS
Bulb not included



BT05-21281

Aqualine 2x1.2mt
Single Side Tube
G13 220-240V
IP65 ABS+PS
Bulb not included



BT05-11581

Aqualine 1x1.5mt
Single Side Tube
G13 220-240V
IP65 ABS+PS
Bulb not included



BT05-21581

Aqualine 2x1.5mt
Single Side Tube
G13 220-240V
IP65 ABS+PS
Bulb not included



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



IP65

BT05-10685

Aqualine 1x0.6mt
Double Side Tube
T8 G13 220-240V
IP65 ABS+PC
Bulb not included



BT05-20685


Aqualine 2x0.6mt
Double Side Tube
T8 G13 220-240V
IP65 ABS+PC
Bulb not included



IP65

BT05-11285

Aqualine 1x1.2mt
Double Side Tube
T8 G13 220-240V
IP65 ABS+PC
Bulb not included



BT05-21285


Aqualine 2x1.2mt
Double Side Tube
T8 G13 220-240V
IP65 ABS+PC
Bulb not included



IP65

BT05-11585

Aqualine 1x1.5mt
Double Side Tube
T8 G13 220-240V
IP65 ABS+PC
Bulb not included



BT05-21585

Aqualine 2x1.5mt
Double Side Tube
T8 G13 220-240V
IP65 ABS+PC
Bulb not included



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

SOLAR PRODUCTS





Solar BT43-01531
 30W 6500K
 650lm Black
 Solar Capacity: 15W
 Voltage: Solar Panel Energy
 CRI>70 IP65 PC



Solar BT43-03031
 60W 6500K
 1350lm Black
 Solar Capacity: 30W
 Voltage: Solar Panel Energy
 CRI>70 IP65 PC



Solar BT43-05031
 90W 6500K
 2000lm Black
 Solar Capacity: 50W
 Voltage: Solar Panel Energy
 CRI>70 IP65 PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Solar BT43-15032
100W 6500K
1200lm Grey
Solar Capacity: 50W
Voltage: Solar Panel Energy
CRI>70 IP65 Aluminium



Solar BT43-29132
200W 6500K
2500lm Grey
Solar Capacity: 100W
Voltage: Solar Panel Energy
CRI>70 IP65 Aluminium



Solar BT43-29432
300W 6500K
3200lm Grey
Solar Capacity: 150W
Voltage: Solar Panel Energy
CRI>70 IP65 Aluminium





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





IP65

Solar BT63-01532
LED 50W 6500K
 400lm Grey
 Solar Capacity: 15W
 Voltage: Solar Panel Energy
 CRI>70 IP65 Aluminium





IP65

Solar BT63-03032
LED 100W 6500K
 900lm Grey
 Solar Capacity: 30W
 Voltage: Solar Panel Energy
 CRI>70 IP65 Aluminium





IP65

Solar BT63-05032
LED 200W 6500K
 1800lm Grey
 Solar Capacity: 50W
 Voltage: Solar Panel Energy
 CRI>70 IP65 Aluminium




IP65

Solar BT63-09032
LED 300W 6500K
 2600lm Grey
 Solar Capacity: 90W
 Voltage: Solar Panel Energy
 CRI>70 IP65 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

SMD LED FLOODLIGHT LED HIBAY FIXTURE



Scan the QR code
for more information.



IP65

Hibay BT45-09112

100W 4000K
10700lm Grey
220-240V CRI>80
IP65 Aluminium

BT45-09132

100W 6500K
10700lm Grey
220-240V CRI>80
IP65 Aluminium



IP65

Hibay BT45-09612

200W 4000K
21300lm Grey
220-240V CRI>80
IP65 Aluminium

BT45-09632

200W 6500K
21300lm Grey
220-240V CRI>80
IP65 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code for more information.



IP65

Hibay BT45-19112

100W 4000K
13000lm Grey
220-240V CRI>80
 IP65 Aluminium

BT45-19132

100W 6500K
13000lm Grey
220-240V CRI>80
IP65 Aluminium



IP65

Hibay BT45-19412

150W 4000K
19500lm Grey
220-240V CRI>80
 IP65 Aluminium

BT45-19432

150W 6500K
19500lm Grey
220-240V CRI>80
IP65 Aluminium



IP65

Hibay BT45-19612

200W 4000K
26000lm Grey
220-240V CRI>80
 IP65 Aluminium

BT45-19632

200W 6500K
26000lm Grey
220-240V CRI>80
IP65 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



NEW



IP65

Hibay BT45-29111

100W 4000K
14000lm Black
100-265V CRI>80
IP65 Aluminium

BT45-29131

100W 6500K
14000lm Black
100-265V CRI>80
IP65 Aluminium



NEW



IP65

Hibay BT45-29411

150W 4000K
21000lm Black
100-265V CRI>80
IP65 Aluminium

BT45-29431

150W 6500K
21000lm Black
100-265V CRI>80
IP65 Aluminium



BT45-99001

291x1 Black
For 100w Bracket



BT45-99002

294x1 Black
For 150w Bracket



BT45-99003

296x1 Black
For 200w Bracket



NEW



IP65

Hibay BT45-29611

200W 4000K
28000lm Black
100-265V CRI>80
IP65 Aluminium

BT45-29631

200W 6500K
28000lm Black
100-265V CRI>80
IP65 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




NEW



IP65

Hibay BT45-39111 100W 4000K 12000lm Black 220-240V CRI>80 IP65 Aluminium



Hibay BT45-39131 100W 6500K 12000lm Black 220-240V CRI>80 IP65 Aluminium



IP65

Hibay BT45-39611 200W 4000K 24000lm Black 220-240V CRI>80 IP65 Aluminium

Hibay BT45-39631 200W 6500K 24000lm Black 220-240V CRI>80 IP65 Aluminium



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




IP66

Flood	BT62-09112	BT62-09132
LED	100W 4000K	100W 6500K
	13000lm Grey	13000lm Grey
	220-240V CRI>80	220-240V CRI>80
	IP66 Aluminium	IP66 Aluminium



IP66

Flood	BT62-09412	BT62-09432
LED	150W 4000K	150W 6500K
	19500lm Grey	19500lm Grey
	220-240V CRI>80	220-240V CRI>80
	IP66 Aluminium	IP66 Aluminium




IP66

Flood	BT62-09612	BT62-09632
LED	200W 4000K	200W 6500K
	26000lm Grey	26000lm Grey
	220-240V CRI>80	220-240V CRI>80
	IP66 Aluminium	IP66 Aluminium



IP66

Flood	BT62-09712	BT62-09732
LED	300W 4000K	300W 6500K
	39000lm Grey	39000lm Grey
	220-240V CRI>80	220-240V CRI>80
	IP66 Aluminium	IP66 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP65

Flood BT60-95031

 50W 6500K
 4200lm Black
 220-240V CRI>70
 IP65 Aluminium




Flood BT60-99131


 100W 6500K
 8500lm Black
 220-240V CRI>70
 IP65 Aluminium




Rechargeable with battery



IP65

WLB20 BT59-00231

 20W 6500K
2000lm Black
3.7V 6600mA CRI>90
IP54 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.




IP65

Flood	BT60-11002	BT60-11032
	10W 3000K	10W 6500K
	800lm Grey	800lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium




IP65

Flood	BT60-12002	BT60-12032
	20W 3000K	20W 6500K
	1620lm Grey	1620lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium



IP65

Flood	BT60-13002	BT60-13032
	30W 3000K	30W 6500K
	2550lm Grey	2550lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium




*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com

Scan the QR code for more information.




IP65

Flood	BT60-15002	BT60-15032	BT60-15052
	50W 3000K	50W 6500K	50W GREEN
	4200lm Grey	4200lm Grey	Grey
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium




IP65

Flood	BT60-19102	BT60-19132
	100W 3000K	100W 6500K
	8500lm Grey	8500lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium



IP65

Flood	BT60-19402	BT60-19432
	150W 3000K	150W 6500K
	13000lm Grey	13000lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.




IP65

Flood	BT60-19602	BT60-19632
LED	200W 3000K 17200lm Grey	200W 6500K 17200lm Grey
IP	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium



IP65

Flood	BT60-09802	BT60-09832
LED	300W 3000K 26000lm Grey	300W 6500K 26000lm Grey
IP	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code for more information.




IP54

Flood BT60-22002 BT60-22032
20W 3000K 20W 6500K
1620lm Grey 1620lm Grey
220-240V CRI>70 220-240V CRI>70
IP54 Aluminium IP54 Aluminium




IP54

Flood BT60-23032
30W 6500K
2550lm Grey
220-240V CRI>70
IP54 Aluminium



IP54

Flood BT60-25002 BT60-25032
50W 3000K 50W 6500K
4200lm Grey 4200lm Grey
220-240V CRI>70 220-240V CRI>70
IP54 Aluminium IP54 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.




IP65

Flood	BT60-31001	BT60-31011	BT60-31031
	10W 3000K	10W 4000K	10W 6500K
	800lm Black	800lm Black	800lm Black
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium




IP65

Flood	BT60-32001	BT60-32011	BT60-32031
	20W 3000K	20W 4000K	20W 6500K
	1620lm Black	1620lm Black	1620lm Black
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium




IP65

Flood	BT60-33001	BT60-33011	BT60-33031
	30W 3000K	30W 4000K	30W 6500K
	2550lm Black	2550lm Black	2550lm Black
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium



IP65

Flood	BT60-35001	BT60-35011	BT60-35031	BT60-35051
	50W 3000K	50W 4000K	50W 6500K	50W Green
	4200lm Black	4200lm Black	4200lm Black	4200lm Black
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code for more information.




IP65

Flood	BT60-39101	BT60-39111	BT60-39131
	100W 3000K	100W 4000K	100W 6500K
	8500lm Black	8500lm Black	8500lm Black
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium




IP65

Flood	BT60-39401	BT60-39411	BT60-39431
	150W 3000K	150W 4000K	150W 6500K
	13000lm Black	13000lm Black	13000lm Black
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium



IP65


Flood	BT60-39601	BT60-39611	BT60-39631
	200W 3000K	200W 4000K	200W 6500K
	17200lm Black	17200lm Black	17200lm Black
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Flood BT60-42031
 20W 6500K
 1620lm Black
 220-240V CRI>70
 IP54 Aluminium



Flood BT60-43031
 30W 6500K
 2550lm Black
 220-240V CRI>70
 IP54 Aluminium



Flood BT60-45031
 50W 6500K
 4200lm Black
 220-240V CRI>70
 IP54 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code for more information.




IP65

Flood	BT61-01002	BT61-01032
LED	10W 3000K	10W 6500K
	800lm Grey	800lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium




IP65

Flood	BT61-02002	BT61-02032	BT61-02052
LED	20W 3000K	20W 6500K	20W Green
	1620lm Grey	1620lm Grey	1620lm Grey
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium




IP65

Flood	BT61-03002	BT61-03032
LED	30W 3000K	30W 6500K
	2400lm Grey	2400lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium



IP65

Flood	BT61-05002	BT61-05032
LED	50W 3000K	50W 6500K
	4100lm Grey	4100lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.




IP65

Flood	BT61-09102	BT61-09132
	100W 3000K	100W 6500K
	8300lm Grey	8300lm Grey
	220-240V CRI>80	220-240V CRI>80
	IP65 Aluminium	IP65 Aluminium




IP65

Flood	BT61-09402	BT61-09432
	150W 3000K	150W 6500K
	12200lm Grey	12200lm Grey
	220-240V CRI>80	220-240V CRI>80
	IP65 Aluminium	IP65 Aluminium



IP65

Flood	BT61-09602	BT61-09632
	200W 3000K	200W 6500K
	16000lm Grey	16000lm Grey
	220-240V CRI>80	220-240V CRI>80
	IP65 Aluminium	IP65 Aluminium



IP54

Flood	BT61-23002	BT61-23032
	30W 3000K	30W 6500K
	2400lm Grey	2400lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP54 Aluminium	IP54 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

LED STREET LIGHT




Scan the QR code
for more information.



NEW

IP65


ST86 BT42-69132
100W 6500K
12000lm Grey
100-240V CRI>70
IP65 Aluminium



NEW

IP65

ST86 BT42-69432
150W 6500K
18000lm Grey
100-240V CRI>70
IP65 Aluminium



NEW

IP65

ST86 BT42-69632
200W 6500K
24000lm Grey
100-240V CRI>70
IP65 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code for more information.



IP66

ST83	BT42-83012	BT42-83032
30W 4000K	30W 4000K	30W 6500K
3300lm Grey	3300lm Grey	3300lm Grey
220-240V CRI>70	220-240V CRI>70	220-240V CRI>70
IP66 Aluminium	IP66 Aluminium	IP66 Aluminium



IP66

ST83	BT42-85002	BT42-85012	BT42-85032
50W 3000K	50W 3000K	50W 4000K	50W 6500K
5600lm Grey	5600lm Grey	5600lm Grey	5600lm Grey
220-240V CRI>70	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70
IP66 Aluminium	IP66 Aluminium	IP66 Aluminium	IP66 Aluminium



IP66

ST83	BT42-89112	BT42-89132
100W 4000K	100W 4000K	100W 6500K
11500lm Grey	11500lm Grey	11500lm Grey
220-240V CRI>70	220-240V CRI>70	220-240V CRI>70
IP66 Aluminium	IP66 Aluminium	IP66 Aluminium



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



IP65

ST81 BT42-03032
30W 6500K
2770lm Grey
220-240V CRI>70
IP65 Aluminium



IP65

ST81 BT42-05032
50W 6500K
4400lm Grey
220-240V CRI>70
IP65 Aluminium



IP65

ST81 BT42-09132
100W 6500K
10000lm Grey
220-240V CRI>70
IP65 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


LED TORCH




Scan the QR code
for more information.




TR010 BC03-00100
LED 3W 120lm 6500K
Rechargeable White
220-240V CRI>70
IP20 PC



TR012 BC03-00121
LED 3W 150lm 6500K
Rechargeable Red+Black
220-240V CRI>70
IP20 PC



TR013 BC03-00137
LED 10W 400lm 6500K
Rechargeable Yellow+Black
220-240V CRI>70
IP20 PC




*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com


Scan the QR code
for more information.



TR016 BC03-00161
5W 300lm 6500K
Rechargeable Red+Black
220-240V CRI>70
IP20 PC



TR018 BC03-00187
15W 450lm 6500K
Rechargeable Red+Black
220-240V CRI>70
IP20 PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



PICTOGRAMS



BC14-01311



BC14-01312





BC14-01313



BC14-01314

IP65

BC14-00900
White 5W 350lm
Maintained and
Non-Maintained
220-240VAC ABS



PICTOGRAMS



BC14-01301



BC14-01302



BC14-01310



BC14-01306



BC14-01304



BC14-01303




BC14-01305



BC14-01307

BC14-01100
White 2W 150lm
Maintained
220-240VAC ABS



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



BC14-01120
White
2W 150lm
Maintained
220-240VAC ABS



PICTOGRAMS



BC14-01301



BC14-01302



BC14-01310



BC14-01306



BC14-01304





BC14-01303



BC14-01305



BC14-01307



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Scan the QR code
for more information.



BM30 BC01-00130
LED 2W 6500K
30Led White
220-240V IP20
ABS



BM60 BC01-00330
LED 4W 6500K
60Led White
220-240V IP20
ABS



BM90 BC01-00430
LED 6W 6500K
90Led White
220-240V IP20
PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

BULBS & TUBES


- LED CANDLE BULB
- LED GLOBE BULB
- LED A SHAPE BULB
- LED T SHAPE BULB
- LED SENSOR BULB
- LED GU10 BULB
- LED MR16 BULB
- LED CAPSULE BULB
- LED R BULB
- LED FILAMENT BULB
- LED TUBE



The ultimate light experience

Make home sweet home even sweeter with the right solution

We are committed to delivering expanded value to our customers by providing superior lighting and controls solutions, light your home smarter. Create your own uniqueness, Create your future, Think Smart, Live Smart.



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	LUMEN	VOLTAGE	P.F.	BEAM ANGLE	MATERIAL	PCS/CTN
BA13-00929	A60	E27	RGBW	9W	806Lm	220-240VAC	>0.5	220°	ThermoPC	60

Scan the QR code for more information.












MODEL NO	TYPE	SOCKET	CCT	WATT	LUMEN	VOLTAGE	P.F.	BEAM ANGLE	MATERIAL	PCS/CTN
BA24-00559	MR16	GU10	RGBW	5W	430Lm	220-240VAC	>0.5	110°	ThermoPC	100









*Technical information indicated above may have tolerance ±10%. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA07-00510	C37-Tail	E14	3000K	5W	35W	450Lm	220-240VAC	180°	ThermoPC	100
BA07-00513	C37-Tail	E14	6500K	5W	35W	450Lm	220-240VAC	180°	ThermoPC	100

LED

15,000 HOURS

2 YEARS WARRANTY



Scan the QR code for more information.



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA09-00510	C37	E14	3000K	5W	35W	450Lm	220-240VAC	180°	ThermoPC	100
BA09-00511	C37	E14	4000K	5W	35W	450Lm	220-240VAC	180°	ThermoPC	100
BA09-00513	C37	E14	6500K	5W	35W	450Lm	220-240VAC	180°	ThermoPC	100

LED

15,000 HOURS

2 YEARS WARRANTY



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA09-00710	C37	E14	3000K	6,5W	45W	560Lm	220-240VAC	180°	ThermoPC	100
BA09-00711	C37	E14	4000K	6,5W	45W	560Lm	220-240VAC	180°	ThermoPC	100
BA09-00713	C37	E14	6500K	6,5W	45W	560Lm	220-240VAC	180°	ThermoPC	100

LED

15,000 HOURS

2 YEARS WARRANTY



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA09-00520	C37	E27	3000K	5W	35W	450Lm	220-240VAC	180°	ThermoPC	100
BA09-00523	C37	E27	6500K	5W	35W	450Lm	220-240VAC	180°	ThermoPC	100

LED

15,000 HOURS

2 YEARS WARRANTY

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA11-00510	P45	E14	3000K	5W	35W	450Lm	220-240VAC	180°	ThermoPC	100
BA11-00511	P45	E14	4000K	5W	35W	450Lm	220-240VAC	180°	ThermoPC	100
BA11-00513	P45	E14	6500K	5W	35W	450Lm	220-240VAC	180°	ThermoPC	100



Scan the QR code for more information.



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA11-00710	P45	E14	3000K	6,5W	45W	560Lm	220-240VAC	180°	ThermoPC	100
BA11-00711	P45	E14	4000K	6,5W	45W	560Lm	220-240VAC	180°	ThermoPC	100
BA11-00713	P45	E14	6500K	6,5W	45W	560Lm	220-240VAC	180°	ThermoPC	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA11-00520	G45	E27	3000K	5W	35W	450Lm	220-240VAC	180°	ThermoPC	100
BA11-00521	G45	E27	4000K	5W	35W	450Lm	220-240VAC	180°	ThermoPC	100
BA11-00523	G45	E27	6500K	5W	35W	450Lm	220-240VAC	180°	ThermoPC	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA11-00720	G45	E27	3000K	6,5W	45W	560Lm	220-240VAC	180°	ThermoPC	100
BA11-00721	G45	E27	4000K	6,5W	45W	560Lm	220-240VAC	180°	ThermoPC	100
BA11-00723	G45	E27	6500K	6,5W	45W	560Lm	220-240VAC	180°	ThermoPC	100



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-00520	A60	E27	3000K	5W	40W	470Lm	220-240VAC	180°	ThermoPC	100
BA13-00523	A60	E27	6500K	5W	40W	470Lm	220-240VAC	180°	ThermoPC	100

LED

15,000
HOURS2 YEARS
WARRANTYScan the QR code
for more information.

MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-00720	A55	E27	3000K	7W	50W	630Lm	220-240VAC	180°	ThermoPC	100
BA13-00723	A55	E27	6500K	7W	50W	630Lm	220-240VAC	180°	ThermoPC	100
BA13-00820	A60	E27	3000K	8W	50W	630Lm	220-240VAC	180°	ThermoPC	100
BA13-00823	A60	E27	6500K	8W	50W	630Lm	220-240VAC	180°	ThermoPC	100

LED

15,000
HOURS2 YEARS
WARRANTY

MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-00920	A60	E27	3000K	9W	60W	806Lm	220-240VAC	180°	ThermoPC	100
BA13-00921	A60	E27	4000K	9W	60W	806Lm	220-240VAC	180°	ThermoPC	100
BA13-00923	A60	E27	6500K	9W	60W	806Lm	220-240VAC	180°	ThermoPC	100

LED

15,000
HOURS2 YEARS
WARRANTY

MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-60920	A60	E27	3000K	9W	60W	806Lm	220-240VAC	180°	ThermoPC	100
BA13-60921	A60	E27	4000K	9W	60W	806Lm	220-240VAC	180°	ThermoPC	100

LED

15,000
HOURS2 YEARS
WARRANTY*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-01120	A60	E27	3000K	11W	75W	1055Lm	220-240VAC	180°	ThermoPC	100
BA13-01121	A60	E27	4000K	11W	75W	1055Lm	220-240VAC	180°	ThermoPC	100
BA13-01123	A60	E27	6500K	11W	75W	1055Lm	220-240VAC	180°	ThermoPC	100
BA13-01220	A60	E27	3000K	12W	75W	1055Lm	220-240VAC	180°	ThermoPC	100
BA13-01221	A60	E27	4000K	12W	75W	1055Lm	220-240VAC	180°	ThermoPC	100
BA13-01223	A60	E27	6500K	12W	75W	1055Lm	220-240VAC	180°	ThermoPC	100

LED

15,000 HOURS

2 YEARS WARRANTY



Scan the QR code for more information.



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-01320	A65	E27	3000K	13W	90W	1350Lm	220-240VAC	180°	ThermoPC	100
BA13-01321	A65	E27	4000K	13W	90W	1350Lm	220-240VAC	180°	ThermoPC	100
BA13-01323	A65	E27	6500K	13W	90W	1350Lm	220-240VAC	180°	ThermoPC	100

LED

15,000 HOURS

2 YEARS WARRANTY



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-01520	A65	E27	3000K	15W	90W	1350Lm	220-240VAC	180°	ThermoPC	100
BA13-01521	A65	E27	4000K	15W	90W	1350Lm	220-240VAC	180°	ThermoPC	100
BA13-01523	A65	E27	6500K	15W	90W	1350Lm	220-240VAC	180°	ThermoPC	100

LED

15,000 HOURS

2 YEARS WARRANTY



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-01620	A70	E27	3000K	16W	105W	1620Lm	220-240VAC	180°	ThermoPC	100
BA13-01621	A70	E27	4000K	16W	105W	1620Lm	220-240VAC	180°	ThermoPC	100
BA13-01623	A70	E27	6500K	16W	105W	1620Lm	220-240VAC	180°	ThermoPC	100

LED

15,000 HOURS

2 YEARS WARRANTY



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-01820	A80	E27	3000K	18W	115W	1800Lm	220-240VAC	180°	ThermoPC	50
BA13-01821	A80	E27	4000K	18W	115W	1800Lm	220-240VAC	180°	ThermoPC	50
BA13-01823	A80	E27	6500K	18W	115W	1800Lm	220-240VAC	180°	ThermoPC	50



Scan the QR code for more information.



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA14-70920	A60-Sensor	E27	3000K	9W	60W	806Lm	220-240VAC	180°	ThermoPC	100
BA14-70923	A60-Sensor	E27	6500K	9W	60W	806Lm	220-240VAC	180°	ThermoPC	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA33-01420	G95	E27	3000K	14W	90W	1360Lm	220-240VAC	180°	ThermoPC	36
BA33-01423	G95	E27	6500K	14W	90W	1360Lm	220-240VAC	180°	ThermoPC	36



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA34-00610	R50	E14	3000K	6W	45W	550Lm	220-240VAC	150°	ThermoPC	100
BA34-00613	R50	E14	6500K	6W	45W	550Lm	220-240VAC	150°	ThermoPC	100



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA34-00920	R63	E27	3000K	9W	60W	830Lm	220-240VAC	150°	ThermoPC	100
BA34-00923	R63	E27	6500K	9W	60W	830Lm	220-240VAC	150°	ThermoPC	100

LED

15.000 HOURS

2 YEARS WARRANTY



Scan the QR code for more information.



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA41-30720	G95-Soft	E27	3000K	7W	60W	806Lm	220-240VAC	300°	Glass	20
BA41-30723	G95-Soft	E27	6500K	7W	60W	806Lm	220-240VAC	300°	Glass	20

LED

15.000 HOURS

2 YEARS WARRANTY



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-22020	T80	E27	3000K	18W	125W	1760Lm	220-240VAC	180°	ThermoPC	40
BA13-22023	T80	E27	6500K	18W	125W	1760Lm	220-240VAC	180°	ThermoPC	40



Scan the QR code for more information.



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-23020	T100	E27	3000K	28W	175W	2850Lm	220-240VAC	180°	ThermoPC	30
BA13-23023	T100	E27	6500K	28W	175W	2850Lm	220-240VAC	180°	ThermoPC	30



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-24020	T120	E27	3000K	38W	200W	3950Lm	220-240VAC	180°	ThermoPC	20
BA13-24023	T120	E27	6500K	38W	200W	3950Lm	220-240VAC	180°	ThermoPC	20



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-25020	T140	E27	3000K	48W	250W	4980Lm	220-240VAC	180°	ThermoPC	8
BA13-25023	T140	E27	6500K	48W	250W	4980Lm	220-240VAC	180°	ThermoPC	8



*Technical information indicated above may have tolerance ±10%. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-31820	T80	E27	3000K	18W	130W	2100Lm	220-240VAC	180°	ThermoPC	40
BA13-31821	T80	E27	4000K	18W	130W	2100Lm	220-240VAC	180°	ThermoPC	40
BA13-31823	T80	E27	6500K	18W	130W	2100Lm	220-240VAC	180°	ThermoPC	40
BA13-32020	T80	E27	3000K	20W	130W	2100Lm	220-240VAC	180°	ThermoPC	40
BA13-32021	T80	E27	4000K	20W	130W	2100Lm	220-240VAC	180°	ThermoPC	40
BA13-32023	T80	E27	6500K	20W	130W	2100Lm	220-240VAC	180°	ThermoPC	40

LED

15,000 HOURS

2 YEARS WARRANTY



Scan the QR code for more information.




MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-32820	T100	E27	3000K	28W	175W	3000Lm	220-240VAC	180°	ThermoPC	30
BA13-32821	T100	E27	4000K	28W	175W	3000Lm	220-240VAC	180°	ThermoPC	30
BA13-32823	T100	E27	6500K	28W	175W	3000Lm	220-240VAC	180°	ThermoPC	30
BA13-33020	T100	E27	3000K	30W	175W	3000Lm	220-240VAC	180°	ThermoPC	30
BA13-33021	T100	E27	4000K	30W	175W	3000Lm	220-240VAC	180°	ThermoPC	30
BA13-33023	T100	E27	6500K	30W	175W	3000Lm	220-240VAC	180°	ThermoPC	30

LED

15,000 HOURS

2 YEARS WARRANTY



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-33820	T120	E27	3000K	38W	250W	4260Lm	220-240VAC	180°	ThermoPC	20
BA13-33821	T120	E27	4000K	38W	250W	4260Lm	220-240VAC	180°	ThermoPC	20
BA13-33823	T120	E27	6500K	38W	250W	4260Lm	220-240VAC	180°	ThermoPC	20
BA13-34020	T120	E27	3000K	40W	250W	4260Lm	220-240VAC	180°	ThermoPC	20
BA13-34021	T120	E27	4000K	40W	250W	4260Lm	220-240VAC	180°	ThermoPC	20
BA13-34023	T120	E27	6500K	40W	250W	4260Lm	220-240VAC	180°	ThermoPC	20

LED

15,000 HOURS

2 YEARS WARRANTY



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-35021	T140	E27	4000K	50W	320W	5500Lm	220-240VAC	180°	ThermoPC	8
BA13-35023	T140	E27	6500K	50W	320W	5500Lm	220-240VAC	180°	ThermoPC	8

LED

15,000 HOURS

2 YEARS WARRANTY



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA23-00500	MR16 LED Modul	3000K	5W	50W	430Lm	220-240VAC	110°	ThermoPC	100
BA23-00501	MR16 LED Modul	4000K	5W	50W	430Lm	220-240VAC	110°	ThermoPC	100
BA23-00503	MR16 LED Modul	6500K	5W	50W	430Lm	220-240VAC	110°	ThermoPC	100

LED **20,000 HOURS** **2 YEARS WARRANTY**



Scan the QR code for more information.



MODEL NO	TYPE	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA23-00700	MR16 LED Modul	3000K	7W	70W	700Lm	220-240VAC	110°	ThermoPC	100
BA23-00701	MR16 LED Modul	4000K	7W	70W	700Lm	220-240VAC	110°	ThermoPC	100
BA23-00703	MR16 LED Modul	6500K	7W	70W	700Lm	220-240VAC	110°	ThermoPC	100

LED **20,000 HOURS** **2 YEARS WARRANTY**



MODEL NO	TYPE	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA23-10500	MR16 LED Modul	3000K	5W	50W	380Lm	220-240VAC	38°	ThermoPC	100
BA23-10501	MR16 LED Modul	4000K	5W	50W	380Lm	220-240VAC	38°	ThermoPC	100
BA23-10503	MR16 LED Modul	6500K	5W	50W	380Lm	220-240VAC	38°	ThermoPC	100

LED **20,000 HOURS** **2 YEARS WARRANTY**



MODEL NO	TYPE	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA23-10700	MR16 LED Modul	3000K	7W	70W	700Lm	220-240VAC	38°	ThermoPC	100
BA23-10701	MR16 LED Modul	4000K	7W	70W	700Lm	220-240VAC	38°	ThermoPC	100
BA23-10703	MR16 LED Modul	6500K	7W	70W	700Lm	220-240VAC	38°	ThermoPC	100

LED **20,000 HOURS** **2 YEARS WARRANTY**



MODEL NO	TYPE	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA23-31001	MR16 LED Modul	3000K	10W	70W	1000Lm	220-240VAC	38°	ThermoPC	100
BA23-31011	MR16 LED Modul	4000K	10W	70W	1000Lm	220-240VAC	38°	ThermoPC	100
BA23-31031	MR16 LED Modul	6500K	10W	70W	1000Lm	220-240VAC	38°	ThermoPC	100

LED **20,000 HOURS** **2 YEARS WARRANTY**



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA24-00550	MR16	GU10	3000K	5W	50W	430Lm	220-240VAC	110°	ThermoPC	100
BA24-00551	MR16	GU10	4000K	5W	50W	430Lm	220-240VAC	110°	ThermoPC	100
BA24-00553	MR16	GU10	6500K	5W	50W	430Lm	220-240VAC	110°	ThermoPC	100

LED

15,000 HOURS

2 YEARS WARRANTY



Scan the QR code for more information.



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA24-00750	MR16	GU10	3000K	7W	70W	580Lm	220-240VAC	110°	ThermoPC	100
BA24-00751	MR16	GU10	4000K	7W	70W	580Lm	220-240VAC	110°	ThermoPC	100
BA24-00753	MR16	GU10	6500K	7W	70W	580Lm	220-240VAC	110°	ThermoPC	100

LED

15,000 HOURS

2 YEARS WARRANTY



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA24-00560	MR16	GU5.3	3000K	5W	50W	430Lm	220-240VAC	110°	ThermoPC	100
BA24-00561	MR16	GU5.3	4000K	5W	50W	430Lm	220-240VAC	110°	ThermoPC	100
BA24-00563	MR16	GU5.3	6500K	5W	50W	430Lm	220-240VAC	110°	ThermoPC	100

LED

15,000 HOURS

2 YEARS WARRANTY



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA25-00550	MR16	GU10	3000K	5W	50W	380Lm	220-240VAC	38°	ThermoPC	100
BA25-00551	MR16	GU10	4000K	5W	50W	380Lm	220-240VAC	38°	ThermoPC	100
BA25-00553	MR16	GU10	6500K	5W	50W	380Lm	220-240VAC	38°	ThermoPC	100

LED

15,000 HOURS

2 YEARS WARRANTY



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA25-00750	MR16	GU10	3000K	7W	70W	530Lm	220-240VAC	38°	ThermoPC	100
BA25-00751	MR16	GU10	4000K	7W	70W	530Lm	220-240VAC	38°	ThermoPC	100
BA25-00753	MR16	GU10	6500K	7W	70W	530Lm	220-240VAC	38°	ThermoPC	100

LED

15,000 HOURS

2 YEARS WARRANTY



Scan the QR code for more information.



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA25-00754	MR16	GU10	Red	7W	/	/	220-240VAC	38°	ThermoPC	100
BA25-00755	MR16	GU10	Green	7W	/	/	220-240VAC	38°	ThermoPC	100
BA25-00756	MR16	GU10	Blue	7W	/	/	220-240VAC	38°	ThermoPC	100
BA25-00757	MR16	GU10	Amber	7W	/	/	220-240VAC	38°	ThermoPC	100

LED

15,000 HOURS

2 YEARS WARRANTY



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA25-30460	MR16	GU5.3	3000K	4.5W	50W	360Lm	12VAC	38°	ThermoPC	100
BA25-30461	MR16	GU5.3	4000K	4.5W	50W	360Lm	12VAC	38°	ThermoPC	100
BA25-30463	MR16	GU5.3	6500K	4.5W	50W	360Lm	12VAC	38°	ThermoPC	100

LED

15,000 HOURS

2 YEARS WARRANTY



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA26-00650	MR16	GU10	3000K	6.5W	70W	630Lm	220-240VAC	38°	ThermoPC	100
BA26-00651	MR16	GU10	4000K	6.5W	70W	630Lm	220-240VAC	38°	ThermoPC	100
BA26-00653	MR16	GU10	6500K	6.5W	70W	630Lm	220-240VAC	38°	ThermoPC	100

LED

20,000 HOURS

2 YEARS WARRANTY

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA26-60650	MR16 Dim.	GU10	3000K	6W	70W	450Lm	220-240VAC	38°	ThermoPC	100
BA26-60651	MR16 Dim.	GU10	4000K	6W	70W	450Lm	220-240VAC	38°	ThermoPC	100
BA26-60653	MR16 Dim.	GU10	6500K	6W	70W	450Lm	220-240VAC	38°	ThermoPC	100

LED

CE

LVD

ErP COMPLIANT

Hg 0.0mg

IP 20

-20°C +40°C

Scan the QR code for more information.



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA27-60650	MR16-Dimmable	GU10	3000K	5.5W	50W	400Lm	220-240VAC	38°	ThermoPC	100
BA27-60651	MR16-Dimmable	GU10	4000K	5.5W	50W	400Lm	220-240VAC	38°	ThermoPC	100

LED

CE


LVD

ErP COMPLIANT

Hg 0.0mg

IP 20

-20°C +40°C



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA29-30240	G4	G4	3000K	1.5W	15W	140Lm	220-240VAC	240°	PC	500
BA29-30243	G4	G4	6500K	1.5W	15W	140Lm	220-240VAC	240°	PC	500

LED

CE

LVD

ErP COMPLIANT

Hg 0.0mg

IP 20

-20°C +40°C



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA29-00390	G9-Dimmable	G9	3000K	3W	20W	260Lm	220-240VAC	240°	PC	500
BA29-00393	G9-Dimmable	G9	6500K	3W	20W	260Lm	220-240VAC	240°	PC	500

LED

CE

LVD

ErP COMPLIANT

Hg 0.0mg

IP 20

-20°C +40°C


*Technical information indicated above may have tolerance ±10%. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA29-00590	G9	G9	3000K	5W	45W	430Lm	220-240VAC	240°	ThermoPC	250
BA29-00593	G9	G9	6500K	5W	45W	430Lm	220-240VAC	240°	ThermoPC	250



Scan the QR code for more information.



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA29-50290	G9	G9	3000K	2W	24W	240Lm	220-240VAC	360°	Glass	200
BA29-50293	G9	G9	6500K	2W	24W	240Lm	220-240VAC	360°	Glass	200



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA35-00410	C35-Tail	E14	3000K	4W	40W	470Lm	220-240VAC	300°	Glass	100
BA35-00613	C35-Tail	E14	6500K	6W	50W	630Lm	220-240VAC	300°	Glass	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA36-00410	C35	E14	3000K	4W	40W	470Lm	220-240VAC	300°	Glass	100
BA36-00613	C35	E14	6500K	6W	50W	630Lm	220-240VAC	300°	Glass	100



*Technical information indicated above may have tolerance ±10%. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA36-60410	C35-Dimmable	E14	3000K	4W	40W	470Lm	220-240VAC	300°	Glass	100

LED

CE

LVD

Scan the QR code for more information.



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA37-00410	P45	E14	3000K	4W	40W	470Lm	220-240VAC	300°	Glass	100

LED

CE

LVD



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA37-00420	G45	E27	3000K	4W	40W	470Lm	220-240VAC	300°	Glass	100

LED

CE

LVD



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA38-00620	A60	E27	3000K	6W	50W	660Lm	220-240VAC	300°	Glass	100

LED

CE

LVD

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA38-00720	A60	E27	3000K	7W	60W	806Lm	220-240VAC	300°	Glass	100
BA38-00723	A60	E27	6500K	7W	60W	806Lm	220-240VAC	300°	Glass	100




Scan the QR code for more information.



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA38-60720	A60-Dimmable	E27	3000K	7W	60W	806Lm	220-240VAC	300°	Glass	100
BA38-60820	A60-Dimmable	E27	3000K	8W	60W	806Lm	220-240VAC	300°	Glass	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA39-00420	T45	E27	3000K	4W	40W	470Lm	220-240VAC	300°	Glass	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA41-60820	G95-Dimmable	E27	3000K	8W	60W	806Lm	220-240VAC	360°	Glass	20



*Technical information indicated above may have tolerance ±10%. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA46-00720	ST64	E27	3000K	7W	60W	806Lm	220-240VAC	360°	Glass	50

LED

CE

LVD

ErP COMPLIANT

Hg 0.0mg

IP 20

-20°C +40°C



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB36-00410	C35-Amber	E14	2200K	4W	32W	360Lm	220-240VAC	360°	Glass	100

LED

CE

LVD

ErP COMPLIANT

Hg 0.0mg

IP 20

-20°C +40°C



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB36-60410	C35-Amber-Dimmable	E14	2200K	4W	32W	360Lm	220-240VAC	360°	Glass	100

LED

CE

LVD

ErP COMPLIANT

Hg 0.0mg

IP 20

-20°C +40°C



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB37-00410	P45-Amber	E14	2200K	4W	32W	360Lm	220-240VAC	360°	Glass	100

LED

CE

LVD

ErP COMPLIANT

Hg 0.0mg

IP 20

-20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB37-00420	G45-Amber	E27	2200K	4W	32W	360Lm	220-240VAC	360°	Glass	100



Scan the QR code for more information.



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB39-00420	T45	E27	2200K	4W	32W	360Lm	220-240VAC	360°	Glass	100




MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB46-00620	ST64-Amber	E27	2200K	6W	45W	540Lm	220-240VAC	360°	Glass	50



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB46-60620	ST64-Amber-Dimmable	E27	2200K	6W	45W	540Lm	220-240VAC	360°	Glass	50



*Technical information indicated above may have tolerance ±10%. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB47-00620	G95-Amber	E27	2200K	6W	45W	540Lm	220-240VAC	360°	Glass	20

LED

15,000 HOURS

2 YEARS WARRANTY

CE

LVD

EMC

ErP COMPLIANT

RoHS

Hg 0.0mg

IP 20


Non-Flammable

UV

> 12,500

-20°C +40°C

Scan the QR code for more information.



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB47-60620	G95-Amber-Dimmable	E27	2200K	6W	45W	540Lm	220-240VAC	360°	Glass	20

LED

15,000 HOURS

2 YEARS WARRANTY

DIMMABLE

CE

LVD

EMC

ErP COMPLIANT

RoHS

Hg 0.0mg


IP 20

Non-Flammable

UV

> 12,500

-20°C +40°C



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB48-00620	G125-Amber	E27	2200K	6W	45W	540Lm	220-240VAC	360°	Glass	20

LED

15,000 HOURS

2 YEARS WARRANTY

CE

LVD

EMC

ErP COMPLIANT

RoHS

Hg 0.0mg


IP 20

Non-Flammable

UV

> 12,500

-20°C +40°C



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB62-60620	T30-200-Dimmable	E27	2200K	6W	42W	540Lm	220-240VAC	360°	Glass	50

LED

15,000 HOURS

2 YEARS WARRANTY

DIMMABLE

CE

LVD

EMC

ErP COMPLIANT

RoHS

Hg 0.0mg

IP 20


Non-Flammable

UV

> 12,500

-20°C +40°C


*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA52-00680	T8/0.6mt	Double Side	G13	3000K	9W	900Lm	220-240VAC	270°	Glass	25
BA52-00681	T8/0.6mt	Double Side	G13	4000K	9W	900Lm	220-240VAC	270°	Glass	25
BA52-00683	T8/0.6mt	Double Side	G13	6500K	9W	900Lm	220-240VAC	270°	Glass	25




Scan the QR code for more information.



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA52-01280	T8/1.2mt	Double Side	G13	3000K	18W	1800Lm	220-240VAC	270°	Glass	25
BA52-01281	T8/1.2mt	Double Side	G13	4000K	18W	1800Lm	220-240VAC	270°	Glass	25
BA52-01283	T8/1.2mt	Double Side	G13	6500K	18W	1800Lm	220-240VAC	270°	Glass	25




MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA52-01580	T8/1.5mt	Double Side	G13	3000K	24W	2440Lm	220-240VAC	270°	Glass	25
BA52-01581	T8/1.5mt	Double Side	G13	4000K	24W	2440Lm	220-240VAC	270°	Glass	25
BA52-01583	T8/1.5mt	Double Side	G13	6500K	24W	2440Lm	220-240VAC	270°	Glass	25



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA52-20680	T8/0.6mt	Single Side	G13	3000K	9W	900Lm	220-240VAC	270°	Glass	25
BA52-20681	T8/0.6mt	Single Side	G13	4000K	9W	900Lm	220-240VAC	270°	Glass	25
BA52-20683	T8/0.6mt	Single Side	G13	6500K	9W	900Lm	220-240VAC	270°	Glass	25



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA52-21280	T8/1.2mt	Single Side	G13	3000K	18W	1800Lm	220-240VAC	270°	Glass	25
BA52-21281	T8/1.2mt	Single Side	G13	4000K	18W	1800Lm	220-240VAC	270°	Glass	25
BA52-21283	T8/1.2mt	Single Side	G13	6500K	18W	1800Lm	220-240VAC	270°	Glass	25

LED

15.000 HOURS

2 YEARS WARRANTY

100Lm/w

CE

LVD

EMC

ErP COMPLIANT

RoHS


Hg 0.0mg

IP 20

Non-halogen

UV-protected

-20°C +40°C



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA52-21580	T8/1.5mt	Single Side	G13	3000K	24W	2440Lm	220-240VAC	270°	Glass	25
BA52-21581	T8/1.5mt	Single Side	G13	4000K	24W	2440Lm	220-240VAC	270°	Glass	25
BA52-21583	T8/1.5mt	Single Side	G13	6500K	24W	2440Lm	220-240VAC	270°	Glass	25

LED

15.000 HOURS

2 YEARS WARRANTY

100Lm/w

CE

LVD

EMC

ErP COMPLIANT

RoHS

Hg 0.0mg

IP 20

Non-halogen

UV-protected

-20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

LED STRIP LIGHT

- LED STRIPS
- LED MODULE FIXTURES
- LED DRIVERS
- POWER SUPPLIES
- RGB CONTROLLERS
- SENSORS
- TRACKLINE APARATUS
- PENDANT LAMP HOLDERS
- ADHESIVE TAPES
- WATERPROOF CONNECTOR





MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-00300	Ecoline	5050	3000K	12W	60 Led	12VDC	IP20	250 Mt
BS01-00301	Ecoline	5050	4000K	12W	60 Led	12VDC	IP20	250 Mt
BS01-00303	Ecoline	5050	6500K	12W	60 Led	12VDC	IP20	250 Mt
BS01-00304	Ecoline	5050	Red	12W	60 Led	12VDC	IP20	250 Mt
BS01-00305	Ecoline	5050	Green	12W	60 Led	12VDC	IP20	250 Mt
BS01-00306	Ecoline	5050	Blue	12W	60 Led	12VDC	IP20	250 Mt
BS01-00309	Ecoline	5050	RGB	12W	60 Led	12VDC	IP20	250 Mt

LED

Scan the QR code for more information.




MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-00310	Ecoline	5050	3000K	12W	60 Led	24VDC	IP20	250 Mt
BS01-00311	Ecoline	5050	4000K	12W	60 Led	24VDC	IP20	250 Mt
BS01-00313	Ecoline	5050	6500K	12W	60 Led	24VDC	IP20	250 Mt
BS01-00319	Ecoline	5050	RGB	12W	60 Led	24VDC	IP20	250 Mt

LED



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-00409	Ecoline	5050	RGB	12W	60 Led	12VDC	IP54	250 Mt


LED



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-00700	Ecoline	2835	3000K	8W	60 Led	12VDC	IP20	100 Mt
BS01-00701	Ecoline	2835	4000K	8W	60 Led	12VDC	IP20	100 Mt
BS01-00703	Ecoline	2835	6500K	8W	60 Led	12VDC	IP20	100 Mt
BS01-00704	Ecoline	2835	RED	8W	60 Led	12VDC	IP20	100 Mt
BS01-00705	Ecoline	2835	GREEN	8W	60 Led	12VDC	IP20	100 Mt
BS01-00706	Ecoline	2835	BLUE	8W	60 Led	12VDC	IP20	100 Mt
BS01-00707	Ecoline	2835	AMBER	8W	60 Led	12VDC	IP20	100 Mt

LED


*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-00710	Ecoline	2835	3000K	8W	60 Led	24VDC	IP20	100 Mt
BS01-00711	Ecoline	2835	4000K	8W	60 Led	24VDC	IP20	100 Mt
BS01-00713	Ecoline	2835	6500K	8W	60 Led	24VDC	IP20	100 Mt
BS01-00714	Ecoline	2835	RED	8W	60 Led	24VDC	IP20	100 Mt
BS01-00715	Ecoline	2835	GREEN	8W	60 Led	24VDC	IP20	100 Mt
BS01-00716	Ecoline	2835	BLUE	8W	60 Led	24VDC	IP20	100 Mt




Scan the QR code for more information.



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-00800	Ecoline	2835	3000K	12W	120 Led	12VDC	IP20	100 Mt
BS01-00801	Ecoline	2835	4000K	12W	120 Led	12VDC	IP20	100 Mt
BS01-00803	Ecoline	2835	6500K	12W	120 Led	12VDC	IP20	100 Mt
BS01-00804	Ecoline	2835	RED	12W	120 Led	12VDC	IP20	100 Mt
BS01-00805	Ecoline	2835	GREEN	12W	120 Led	12VDC	IP20	100 Mt
BS01-00806	Ecoline	2835	BLUE	12W	120 Led	12VDC	IP20	100 Mt




MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-00810	Ecoline	2835	3000K	12W	120 Led	24VDC	IP20	100 Mt
BS01-00811	Ecoline	2835	4000K	12W	120 Led	24VDC	IP20	100 Mt
BS01-00813	Ecoline	2835	6500K	12W	120 Led	24VDC	IP20	100 Mt




MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-10810	Ecoline	2835	3000K	12W	120 Led	24VDC	IP54	100 Mt
BS01-10811	Ecoline	2835	4000K	12W	120 Led	24VDC	IP54	100 Mt
BS01-10813	Ecoline	2835	6500K	12W	120 Led	24VDC	IP54	100 Mt




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LUMEN(Φuse 360°)/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-01210	Plusline	2835	3000K	13W	1680Lm	168 Led	24VDC	IP20	100 Mt
BS01-01211	Plusline	2835	4000K	13W	1680Lm	168 Led	24VDC	IP20	100 Mt
BS01-01213	Plusline	2835	6500K	13W	1680Lm	168 Led	24VDC	IP20	100 Mt



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-01310	Plusline	2835	3000K	20W	240 Led	24VDC	IP20	100 Mt
BS01-01311	Plusline	2835	4000K	20W	240 Led	24VDC	IP20	100 Mt
BS01-01313	Plusline	2835	6500K	20W	240 Led	24VDC	IP20	100 Mt



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-01318	Plusline	2835+5050	RGBW+CW	12W	90 Led	24VDC	IP20	100 Mt




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-00500	Ecoline	2835	3000K	8W	120 Led	220-240VAC	IP54	100 Mt
BS01-00501	Ecoline	2835	4000K	8W	120 Led	220-240VAC	IP54	100 Mt
BS01-00503	Ecoline	2835	6500K	8W	120 Led	220-240VAC	IP54	100 Mt
BS01-00504	Ecoline	2835	RED	8W	120 Led	220-240VAC	IP54	100 Mt
BS01-00505	Ecoline	2835	GREEN	8W	120 Led	220-240VAC	IP54	100 Mt
BS01-00506	Ecoline	2835	BLUE	8W	120 Led	220-240VAC	IP54	100 Mt

Scan the QR code
for more information.



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS02-00010	Neon	2835	3000K	6W	120 Led	220-240VAC	IP65	100 Mt
BS02-00013	Neon	2835	6500K	6W	120 Led	220-240VAC	IP65	100 Mt
BS02-00014	Neon	2835	RED	6W	120 Led	220-240VAC	IP65	100 Mt
BS02-00015	Neon	2835	GREEN	6W	120 Led	220-240VAC	IP65	100 Mt
BS02-00016	Neon	2835	BLUE	6W	120 Led	220-240VAC	IP65	100 Mt
BS02-00017	Neon	2835	AMBER	6W	120 Led	220-240VAC	IP65	100 Mt



MODEL NO	TYPE	LED TYPE	CCT	WATT/PCS	LED QTY/MT	VOLTAGE	IP	PCS/CTN
BS04-00203	Module	5730	6500K	1.2W	3 Led	12VDC	IP67	2400
BS04-00204	Module	5730	Red	1.2W	3 Led	12VDC	IP67	2400
BS04-00205	Module	5730	Green	1.2W	3 Led	12VDC	IP67	2400
BS04-00206	Module	5730	Blue	1.2W	3 Led	12VDC	IP67	2400



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




MODEL NO	MAX.WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY02-00250	25W	12VDC	2A	>0.5	220-240VAC	IP20	Aluminium	85x57x34	60
BY02-00600	60W	12VDC	5A	>0.5	220-240VAC	IP20	Aluminium	160x40x32	60
BY02-01000	100W	12VDC	8.3A	>0.5	220-240VAC	IP20	Aluminium	190x46x35	60
BY02-01500	150W	12VDC	12.5A	>0.5	220-240VAC	IP20	Aluminium	200x46x37	60
BY02-02000	200W	12VDC	16.5A	>0.5	220-240VAC	IP20	Aluminium	200x58x40	40
BY02-02500	250W	12VDC	21A	>0.5	220-240VAC	IP20	Aluminium	222x68x41	40
BY02-03500	350W	12VDC	29A	>0.5	220-240VAC	IP20	Aluminium	222x68x41	40

Scan the QR code for more information.



MODEL NO	MAX.WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY02-10250	25W	24VDC	1A	>0.5	220-240VAC	IP20	Aluminium	86x58x33	60
BY02-10600	60W	24VDC	2.5A	>0.5	220-240VAC	IP20	Aluminium	160x40x32	60
BY02-11000	100W	24VDC	4.2A	>0.5	220-240VAC	IP20	Aluminium	190x47x35	60
BY02-11500	150W	24VDC	6.2A	>0.5	220-240VAC	IP20	Aluminium	200x57x40	60
BY02-12500	250W	24VDC	10.5A	>0.5	220-240VAC	IP20	Aluminium	220x68x40	40
BY02-13500	350W	24VDC	14.5A	>0.5	220-240VAC	IP20	Aluminium	222x68x41	40



MODEL NO	MAX.WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY02-20600	60W	24VDC	2.5A	>0.5	220-240V	IP20	Aluminium	150x35x23mm	60
BY02-21000	100W	24VDC	4.2A	>0.5	220-240V	IP20	Aluminium	143x48x23mm	60
BY02-21500	150W	24VDC	6.2A	>0.5	220-240V	IP20	Aluminium	185x48x23mm	60
BY02-22500	250W	24VDC	10.5A	>0.5	220-240V	IP20	Aluminium	210x63x25mm	40
BY02-23500	350W	24VDC	14.5A	>0.5	220-240V	IP20	Aluminium	226x63x28mm	40



MODEL NO	MAX.WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY03-22000	200W	48VDC	4A	>0.5	220-240V	IP20	Aluminium	255x49x30mm	56
BY03-23500	350W	48VDC	7.2A	>0.5	220-240V	IP20	Aluminium	255x60x30mm	42



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




MODEL NO	MAX.WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY03-22001	200W	48VDC	4A	>0.7	220-240VAC	IP20	PC	315x22x25mm	30




Scan the QR code for more information.




MODEL NO	MAX.WATT	INPUT VOLTAGE	OUTPUT	IP	MATERIAL	PCS/CTN
BY35-30130	3W	220-240V	3.7V 2200mAh	IP20	PC	50
BY35-30230	5W	220-240V	7.4V 2200mAh	IP20	PC	50
BY35-30330	10W	220-240V	11.1V 2200mAh	IP20	PC	50



MODEL NO	TYPE	WATT	OUTPUT CURRENT	OUTPUT VOLTAGE	VOLTAGE	MATERIAL	PCS/CTN
BY30-01120	Controller	216W	18A	12/24VDC	220-240VAC	PC	100



MODEL NO	TYPE	WATT	OUTPUT CURRENT	OUTPUT VOLTAGE	VOLTAGE	MATERIAL	PCS/CTN
BY30-01130	Controller	72W	6A	12/24VDC	220-240VAC	PC	200




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	WATT	OUTPUT CURRENT	OUTPUT VOLTAGE	VOLTAGE	MATERIAL	PCS/CTN
BY30-01140	Controller	480W	4A/CH	12/24VDC	220-240VAC	PC	100

2 YEARS WARRANTY



Scan the QR code for more information.



MODEL NO	TYPE	MAX WATT	VOLTAGE	MATERIAL	PCS/CTN
BS01-99908	Controller	800W	220-240VAC	PC	100

2 YEARS WARRANTY



MODEL NO	TYPE	AMPER	LED	VOLTAGE	PCS/CTN
BS01-99901	Power Cord	8A	120LED	220-240VAC	100

2 YEARS WARRANTY



NEW

BY90-00202
SC202 2IN Grey
Current 32A
Cable Size 0.2-4mm²
IP20 PC



NEW

BY90-00203
SC203 3IN Grey
Current 32A
Cable Size 0.2-4mm²
IP20 PC



NEW

BY90-00205
SC205 5IN Grey
Current 32A
Cable Size 0.2-4mm²
IP20 PC

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

MODEL NO	TYPE	SENSOR TYPE	IP	INPUT VOLTAGE	RATED LOAD	RATED LOAD	RATED LOAD	POWER CONSUMPTION	TIME DELAY	DETECTION ANGLE
BY31-01010	MS01	PIR	IP20	220-240VAC	2000W(Halogen)	500W(CFL)	800W(LED)	0.45W(Static 0.1W)	5 Sec.-5 Min (Adjustable)	360°
DETECTION DISTANCE	DETECTION SPEED	AMBIENT LIGHT	INSTALLATION HEIGHT	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN			
8 Mt Max. 24°	0.6-1.5 m/S	5-2000LUX	1.5-3.5 Mt	-20°-+40°	%93 RH	PC	50			





2 YEARS WARRANTY

20,000 HOURS



Scan the QR code for more information.





MODEL NO	TYPE	SENSOR TYPE	IP	INPUT VOLTAGE	RATED LOAD	RATED LOAD	RATED LOAD	POWER CONSUMPTION	TIME DELAY	DETECTION ANGLE
BY31-01030	MS03	PIR	IP44	220-240VAC	800W(Halogen)	150W(CFL)	250W(LED)	0.5W(Static 0.1W)	5 Sec.-8 Min (Adjustable)	180°
DETECTION DISTANCE	DETECTION SPEED	AMBIENT LIGHT	INSTALLATION HEIGHT	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN			
25 Mt Max. 24°	0.6-1.5 m/S	5-2000LUX	1.8-2.5 Mt	-20°-+40°	%93 RH	PC	50			



2 YEARS WARRANTY

20,000 HOURS




MODEL NO	TYPE	SENSOR TYPE	IP	INPUT VOLTAGE	RATED LOAD	RATED LOAD	RATED LOAD	POWER CONSUMPTION	TIME DELAY	DETECTION ANGLE
BY31-01040	MS04	PIR	IP20	220-240VAC	800W(Halogen)	150W(CFL)	250W(LED)	0.45W(Static 0.1W)	5 Sec.-5 Min (Adjustable)	360°
DETECTION DISTANCE	DETECTION SPEED	AMBIENT LIGHT	INSTALLATION HEIGHT	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN			
6 Mt Max. 24°	0.6-1.5 m/S	5-2000LUX	2-4 Mt	-20°-+40°	%93 RH	PC	100			




2 YEARS WARRANTY

20,000 HOURS



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

MODEL NO	TYPE	INPUT POWER	RATED LOAD	AMPER	AMBIENT LIGHT	ELECTRICAL PROTECTION CLASS
BY31-03010	PS01	220-240VAC	Max. 1000W	6A	<2-100 Lux	Class II
PROTECTION DEGREE	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN		
IP44	-20°~+40°	<%93RH	PC	100		




2 YEARS WARRANTY

20,000 HOURS



Scan the QR code for more information.




MODEL NO	TYPE	INPUT POWER	RATED LOAD	AMPER	AMBIENT LIGHT	ELECTRICAL PROTECTION CLASS
BY31-03040	PS03	220-240VAC	Max. 3000W	25A	<2-100 Lux	Class II
PROTECTION DEGREE	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN		
IP44	-20°~+40°	<%93RH	PC	100		



2 YEARS WARRANTY

20,000 HOURS




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	BODY COLOR	LENGTH	WIRE	MATERIAL	PCS/CTN
BY40-00110	2-Wires	White	1 Mt	Copper	Aluminium	20
BY40-00120	2-Wires	White	2 Mt	Copper	Aluminium	20
BY40-00130	2-Wires	White	3 Mt	Copper	Aluminium	20


2 YEARS
WARRANTY

 Scan the QR code
for more information.


MODEL NO	TYPE	BODY COLOR	LENGTH	WIRE	MATERIAL	PCS/CTN
BY40-00111	2-Wires	Black	1 Mt	Copper	Aluminium	20
BY40-00121	2-Wires	Black	2 Mt	Copper	Aluminium	20
BY40-00131	2-Wires	Black	3 Mt	Copper	Aluminium	20

2 YEARS
WARRANTY



MODEL NO	TYPE	BODY COLOR	LENGTH	WIRE	MATERIAL	PCS/CTN
BY40-00210	4-Wires	White	1 Mt	Copper	Aluminium	10
BY40-00220	4-Wires	White	2 Mt	Copper	Aluminium	10
BY40-00250	4-Wires	White	3 Mt	Copper	Aluminium	10

2 YEARS
WARRANTY


MODEL NO	TYPE	BODY COLOR	LENGTH	WIRE	MATERIAL	PCS/CTN
BY40-00211	4-Wires	Black	1 Mt	Copper	Aluminium	10
BY40-00221	4-Wires	Black	2 Mt	Copper	Aluminium	10
BY40-00251	4-Wires	Black	3 Mt	Copper	Aluminium	10

2 YEARS
WARRANTY

 *Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	BODY COLOR	WIRE	MATERIAL	PCS/CTN
BY40-00230	2-Wires	White	Copper	PC	250
BY40-00231	2-Wires	Black	Copper	PC	250

2 YEARS WARRANTY



Scan the QR code for more information.



MODEL NO	TYPE	BODY COLOR	WIRE	MATERIAL	PCS/CTN
BY40-00240	2-Wires	White	Copper	PC	250
BY40-00241	2-Wires	Black	Copper	PC	250

2 YEARS WARRANTY



MODEL NO	TYPE	BODY COLOR	WIRE	MATERIAL	PCS/CTN
BY40-00330	4-Wires	White	Copper	Aluminium	100
BY40-00331	4-Wires	Black	Copper	Aluminium	100

2 YEARS WARRANTY




MODEL NO	TYPE	BODY COLOR	WIRE	MATERIAL	PCS/CTN
BY40-00340	4-Wires	White	Copper	Aluminium	200
BY40-00341	4-Wires	Black	Copper	Aluminium	200

2 YEARS WARRANTY



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




***Only for Romania market**


*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com



MODEL NO	BY45-00201
SOCKET	E27
BODY COLOR	Copper
LENGTH	1 Mt
MATERIAL	Metal
PCS/CARTON	50



2 YEARS WARRANTY



MODEL NO	BY45-00200
SOCKET	E27
BODY COLOR	Black
LENGTH	1 Mt
MATERIAL	Metal
PCS/CARTON	100

Scan the QR code for more information.



2 YEARS WARRANTY



MODEL NO	BT42-09000
HOUSING	PA
METAL PART	Brass
WATERPROOF O-RING	Silicone
RATED VOLTAGE	250V
RATED CURRENT	16A
CABLE RANGE	0.5-1.5mm ²
CABLE OD	≤7mm
Operating Temp. range	-40°~+85°
WATERPROOF RATE	IP67
FIRE CLASSIFICATION	94V0
PCS/CARTON	500



2 YEARS WARRANTY



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Braytron
lighting expert
GLOBAL OFFICE

Braytron
lighting expert

Lighting-expert Aydınlatma uzmanı Lichtexperte
Expertul în iluminare Experti în iluminat Expert en éclairage
Универсален експерт в осветителна техника Експерт в осветителна техника
експерт в осветении Експертът в осветлението
ειδίκοι στον φωτισμό Ειδικός σε φωτισμό Ειδικός ειδικός

LIGHTING UNIT
CATALOGUE

2023