



Cables, adapters and related accessories



Catalog

2020

**CHECK LANBERG
PRODUCTS OFFER**




Table of contents

Switches and splitters

- Switches and splitters
- Splitters

Peripheral cables

USB, Lightning cables

- USB 2.0 cables
- Mini, Micro USB 2.0 cables
- Micro, Type A USB 2.0 cables
- USB 2.0 3in1 cables
- Magnetic USB 2.0 cables
- USB 2.0 Type-C cables
- USB 3.0 cables, extenders
- USB 3.1 Type-C cables

Video transmission cables

- HDMI cables
- DisplayPort, DVI-D cables
- DVI-D, HDMI cables
- DVI-D, VGA cables
- VGA extenders, SCART cables
- SCART, RCA cables

Audio transmission cables

- Mini-Jack cables
- Mini-Jack extenders, Optical Toslink cables

Internal cables

- SATA power cables
- SATA power, SATA III cables
- SATA III cables
- SATA III cables, Molex -> SATA power cables
- ATX->BTX power cables, power splitters
- Power splitters

Power cables, extenders

- IEC 320 C13 power cables
- Euro, IEC 320 C13, C19, power cables

6

8

9

10

12

13

14

16

18

20

22

24

25

26

27

30

31

32

33

34

35

36

37

38

39

40

41

43

44

45

46

48

49

- Euro, IEC power cables, IEC extenders
- Power extenders
- Power strips with circuit breaker
- Power strips

50

51

52

53

Adapters

54

- USB Type-C adapters
- USB Type-C, HDMI adapters
- HDMI adapters
- HDMI, DisplayPort adapters
- Adaptery DisplayPort
- Mini DisplayPort adapters
- Mini DisplayPort, VGA adapters
- VGA, Audio adapters
- Audio, HDD adapters
- Other adapters

56

61

62

64

65

66

67

68

69

70

Cable accessories

72

- Wall sockets with USB
- Cable clips
- Cable ties
- Cable sleeves
- Heat-shrinkable tubes
- Cable terminal kit
- Rack cabinet configurator

74

75

76

78

79

80

82



Switches and splitters

HDMI SWITCH, 3-/5-PORT
SWV-HDMI-0003 / SWV-HDMI-0005



Product description:

- Standard: HDMI 2.0b,
- Number of ports: input: 1, output: 3/5,
- Maximum supported resolution: RGB 3840 × 2160 @ 60Hz,
- Supports audio transmission,
- Supports 3D and 4K HDR10,
- Compliant with HDCP 2.2 protocol,
- Nickel-plated HDMI ports,
- Housing material: ABS,
- Power supply: USB-micro port, 5V/1A,
- Power consumption: 0.2A.

Packaging contains:

- HDMI switch,
- USB-micro -> USB-A cable,
- User manual.

HDMI SPLITTER, 2-PORT
SPV-HDMI-0002



Product description:

- Standard: HDMI 1.4b,
- Number of ports: input: 1, output: 2,
- Maximum supported resolution: RGB 3840 × 2160 @ 30Hz, YUV 3840 × 2160 @ 60Hz,
- Supports audio transmission,
- Supports 3D and 4K HDR10,
- Compliant with HDCP 1.4 protocol,
- Nickel-plated HDMI ports,
- Housing material: ABS,
- Power supply: USB-micro port, 5V/1A,
- Power consumption: 0.3A.

Packaging contains:

- HDMI splitter,
- USB-micro -> USB-A cable,
- User manual.

HDMI SPLITTER, 4-PORT
SPV-HDMI-0004



Product description:

- Standard: HDMI 1.4b,
- Number of ports: input: 1, output: 4,
- Maximum supported resolution: RGB 3840 × 2160 @ 30Hz, YUV 3840 × 2160 @ 60Hz,
- Supports audio transmission,
- Supports 3D and 4K HDR10,
- Compliant with HDCP 1.4 protocol,
- Nickel-plated HDMI ports,
- Housing material: aluminum,
- Power consumption: 0.8A,
- Power supply: Power port: Jack DC,
- Rated current: 110-250V/1A,
- Cable length: 1.5m.

Contents of the package:

- HDMI splitter,
- Power supply,
- User manual.

HDMI SPLITTER, 8-PORT
SPV-HDMI-0008



Product description:


- Standard: HDMI 1.4b,
- Number of ports: input: 1, output: 8,
- Maximum supported resolution: RGB 3840 × 2160 @ 30Hz, YUV 3840 × 2160 @ 60Hz,
- Supports audio transmission,
- Supports 3D and 4K HDR10,
- Compliant with HDCP 1.4 protocol,
- Nickel-plated HDMI ports,
- Housing material: aluminum,
- Power consumption: 0.8A,
- Power supply: Power port: Jack DC,
- Rated current: 110-250V/1A,
- Cable length: 1.5m.

Contents of the package:

- HDMI splitter,
- Power supply,
- User manual.



Peripheral cables



USB, Lightning cables

USB 2.0 AM-BM CABLE



Product description:

- 1: USB 2.0, Type A, male,
- 2: USB 2.0, Type B, male,
- Maximum data transfer up to 480Mb/s,
- AWG: 30,
- Wire material: 100% CU,
- Gold-plated pins.

Manufacturer code	Length [m]	Color	Core
CA-USBA-10CC-0018-BK	1.8	Black	Non-ferrite
CA-USBA-10CC-0030-BK	3	Black	Non-ferrite
CA-USBA-10CC-0050-BK	5	Black	Non-ferrite
CA-USBA-11CC-0018-BK	1.8	Black	Ferrite
CA-USBA-11CC-0030-BK	3	Black	Ferrite
CA-USBA-11CC-0050-BK	5	Black	Ferrite
CA-USBA-12CC-0018-TR	1.8	Transparent	Ferrite
CA-USBA-12CC-0030-TR	3	Transparent	Ferrite
CA-USBA-12CC-0050-TR	5	Transparent	Ferrite

USB 2.0 AM-AF EXTENDER



Product description:

- 1: USB 2.0, Type A, male,
- 2: USB 2.0, Type A, female,
- Maximum data transfer up to 480Mb/s,
- AWG: 30,
- Wire material: 100% CU,
- Gold-plated pins.

Manufacturer code	Length [m]	Color	Core
CA-USBE-10CC-0007-BK	0.7	Black	Non-ferrite
CA-USBE-10CC-0018-BK	1.8	Black	Non-ferrite
CA-USBE-10CC-0030-BK	3	Black	Non-ferrite
CA-USBE-10CC-0050-BK	5	Black	Non-ferrite
CA-USBE-12CC-0018-TR	1.8	Transparent	Ferrite
CA-USBE-12CC-0030-TR	3	Transparent	Ferrite
CA-USBE-12CC-0050-TR	5	Transparent	Ferrite

USB 2.0 MINI AM->BM5P (CANON) CABLE



Product description:

- 1: USB 2.0, Type A, male,
- 2: USB 2.0, Mini-B, male,
- Maximum data transfer up to 480Mb/s,
- AWG: 30,
- Wire material: 100% CU.

Manufacturer code	Length [m]	Color	Core
CA-USBK-10CC-0003-BK	0.3	Black	Non-ferrite
CA-USBK-10CC-0018-BK	1.8	Black	Non-ferrite
CA-USBK-11CC-0018-BK	1.8	Black	Ferrite
CA-USBK-10CC-0018-S	1.8	Grey	Non-ferrite

USB 2.0 MICRO-B(M)->A(M) QUICK CHARGE 3.0 CABLE



Product description:

- 1: USB 2.0, Micro-B, male,
- 2: USB 2.0, Type A, male,
- Maximum data transfer up to 480Mb/s,
- Supports Quick Charge 3.0 technology,
- Gold-plated pins.

Manufacturer code	Length [m]	Color
CA-USBM-20CU-0005-BK	0.5	Black
CA-USBM-20CU-0010-BK	1	Black
CA-USBM-20CU-0018-BK	1.8	Black
CA-USBM-20CU-0030-BK	3	Black

PREMIUM USB 2.0 MICRO-B(M)->A(M) QUICK CHARGE 3.0 CABLE




Product description:

- 1: USB 2.0, Micro-B, male,
- 2: USB 2.0, Type A, male,
- Maximum data transfer up to 480Mb/s,
- Supports Quick Charge 3.0 technology,
- Aluminum connector shell,
- Gold-plated pins.

Manufacturer code	Length [m]	Color
CA-USBM-20CU-0005-BL	0.5	Blue
CA-USBM-20CU-0010-BL	1	Blue
CA-USBM-20CU-0018-BL	1.8	Blue
CA-USBM-20CU-0030-BL	3	Blue

USB 2.0 MICRO-B(M)->A(M) MICRO-EASY-USB CABLE



Product description:

- 1: USB 2.0, Micro-B, male, angled,
- 2: USB 2.0, Type A, male,
- Maximum data transfer up to 480Mb/s,
- Easy-Micro-USB,
- USB 2.0, Micro-B, 90° angled right/left connector,
- Gold-plated pins.

Manufacturer code	Length [m]	Color	Connector
CA-USBM-12CC-0010-BK	1.0	Black	Straight
CA-USBM-12CC-0018-BK	1.8	Black	Straight
CA-USBM-13CC-0018-BK	1.8	Black	Angled

MICRO USB 2.0 AM-MBM5P CABLE



Product description:

- 1: USB 2.0, Type A, male,
- 2: USB 2.0, Micro-B, male,
- Maximum data transfer up to 480Mb/s,
- AWG: 30,
- Wire material: 100% CU.

Manufacturer code	Length [m]	Color
CA-USBM-10CC-0003-BK	0.3	Black
CA-USBM-10CC-0005-BK	0.5	Black
CA-USBM-10CC-0010-BK	1	Black
CA-USBM-10CC-0018-BK	1.8	Black
CA-USBM-10CC-0030-BK	3	Black
CA-USBM-10CC-0003-W	0.3	White
CA-USBM-10CC-0005-W	0.5	White
CA-USBM-10CC-0010-W	1	White
CA-USBM-10CC-0018-W	1.8	White
CA-USBM-10CC-0030-W	3	White

USB-A 2.0 M/M CABLE



Product description:

- 1:USB 2.0, Type A, male,
- 2:USB 2.0, Type A, male,
- Maximum data transfer up to 480Mb/s,
- Wire material: 100% CU.

Manufacturer code	Length [m]	Color
CA-USBA-20CU-0005-BK	0.5	Black
CA-USBA-20CU-0010-BK	1	Black
CA-USBA-20CU-0018-BK	1.8	Black

3IN1 USB-A(M)->USB MICRO-B(M)+LIGHTNING(M)+USB-C(M) 2.0 CABLE



Product description:

- 1: USB 2.0, Type A, male,
- 2: USB, Type C, male,
- 3: USB Micro-B, male,
- 4: 8-pin connector,
- Maximum data transfer up to 480Mb/s,
- Supports both data transmission and charging,
- Enables the connection with a single device at the same time,
- Maximum current: 1.5A,
- Wire thicknesses: Power line AWG:22, Data line AWG: 28,
- Wire material: 100% CU, braiding: fabric, connector shells: aluminum.

Manufacturer code	Length [m]	Color
CA-3IN1-11CC-0010-BK	1.0	Black
CA-3IN1-11CC-0018-BK	1.8	Black

COMBO USB-A(M)->USB MICRO-B(M)+LIGHTNING(M)+USB-C(M) 2.0 CABLE



Product description:

- 1: USB 2.0, Type A, male,
- 2: USB, Type C, male,
- 3: USB Micro-B, male,
- 4: 8-pin connector,
- Maximum data transfer up to 480Mb/s,
- Allows both data transmission and charging of all connected devices simultaneously,
- Maximum current: 1.5A,
- Wire thicknesses: Power line AWG:22, Data line AWG: 28,
- Wire material: 100% CU, braiding: fabric, connector shells: aluminum.

Manufacturer code	Length [m]	Color
CA-3IN1-13CC-0018-BK	1.8	Black

3IN1 USB-A(M)->USB MICRO-B(M)+LIGHTNING(M)+USB-C(M) 2.0 CABLE

Product description:

- 1: USB 2.0, Type A, male,
- 2: USB, Type C, male,
- 3: USB Micro-B, male,
- 4: 8-pin connector,
- Allows just charging a single device at the same time,
- Maximum current: 1.5A,
- Power line thicknesses: AWG:22,
- Wire material: 100% CU, braiding: PVC.



Manufacturer code	Length [m]	Color
CA-3IN1-12CC-0018-BK	1.8	Black

COMBO USB-A(M)->USB MICRO-B(M)+LIGHTNING(M)+USB-C(M) 2.0 CABLE

Product description:

- 1: USB 2.0, Type A, male,
- 2: USB, Type C, male,
- 3: USB Micro-B, male,
- 4: 8-pin connector,
- Allows just charging all connected devices at the same time,
- Maximum current: 1.5A,
- Power line thicknesses: AWG:22,
- Wire material: 100% CU, braiding: PVC.



Manufacturer code	Length [m]	Color
CA-3IN1-10CC-0018-BK	1.8	Black

PREMIUM LIGHTNING(M)->USB-A(M) CABLE

Product description:

- 1: USB 2.0, Type A, male,
- 2: 8-pin connector, male,
- AWG: 24 CU (data and power),
- Aluminum connector shell,
- Fabric cable braiding,
- Wire material: 100% CU.



Manufacturer code	Length [m]	Color
CA-USLM-10CU-0018-BL	1.8	Blue

LIGHTNING(M)->USB-A(M) CABLE

Product description:

- 1: USB 2.0, Type A, male,
- 2: 8-pin connector, male,
- AWG: 24 CU (data and power),
- Wire material: 100% CU.



Manufacturer code	Length [m]	Color
CA-USLM-10CU-0010-WH	1	White
CA-USLM-10CU-0018-WH	1.8	White
CA-USLM-10CU-0030-WH	3	White
CA-USLM-10CU-0010-BK	1	Black
CA-USLM-10CU-0018-BK	1.8	Black
CA-USLM-10CU-0030-BK	3	Black

MAGNETIC USB-A(M)->USB MICRO-B(M)+LIGHTNING(M)+USB-C ANGLED CABLE



Product description:

- 1: USB, Type A, male,
- 2: Round, angled, magnetic cable end,
- Connectors included: 1: USB, Micro-B, male,
- 2: 8-pin connector, 3: USB 2.0, Type C, male,
- Maximum data transfer up to 480 Mb/s,
- Supports Quick Charge 3.0 technology,
- Allows both data transmission and charging.

Manufacturer code	Length [m]	Color
CA-3IN1-21CU-0010-BL	1.0	Black-blue
CA-3IN1-21CU-0010-BK	1.0	Black

MAGNETIC USB-A(M)->USB MICRO-B(M)+LIGHTNING(M)+USB-C CABLE



Product description:

- 1: USB, Type A, male,
- 2: Round, magnetic cable end,
- Connectors included: 1: USB, Micro-B, male,
- 2: 8-pin connector, 3: USB 2.0, Type C, male,
- Maximum data transfer up to 480 Mb/s,
- Supports Quick Charge 3.0 technology,
- Allows both data transmission and charging.

Manufacturer code	Length [m]	Color
CA-3IN1-20CU-0010-BL	1.0	Black-blue
CA-3IN1-20CU-0010-BK	1.0	Black

PREMIUM USB 2.0 TYPE-C(M)->A(M) QUICK CHARGE CABLE



Product description:

- 1: USB 2.0, Type-C, male,
- 2: USB 2.0, Type A, male,
- Supports Quick Charge 3.0 technology,
- Fabric cable braiding,
- Aluminum connector shell and gold-plated pins,
- Backwards compatible with USB 1.1.

Manufacturer code	Length [m]	Color
CA-USBO-22CU-0005-BL	0.5	Blue
CA-USBO-22CU-0010-BL	1	Blue
CA-USBO-22CU-0018-BL	1.8	Blue

PREMIUM USB 2.0 TYPE-C(M)->A(M) 5A CABLE



Product description:

- 1: USB 2.0, Type-C, male,
- 2: USB 2.0, Type A, male,
- Supports Super Charge (5A) technology,
- Fabric cable braiding,
- Aluminum connector shell and gold-plated pins,
- Backwards compatible with USB 1.1.

Manufacturer code	Length [m]	Color
CA-USBO-21CU-0005-BL	0.5	Blue
CA-USBO-21CU-0010-BL	1	Blue

USB TYPE-C M/M CABLE



Product description:

- 1: USB 2.0, Type-C, male,
- 2: USB 2.0, Type-C, male,
- Backwards compatible with USB 1.1,
- Gold-plated pins.

Manufacturer code	Length [m]	Color
CA-CMCM-10CU-0005-BK	0.5	Black
CA-CMCM-10CU-0010-BK	1	Black
CA-CMCM-10CU-0018-BK	1.8	Black
CA-CMCM-10CU-0030-BK	3	Black
CA-CMCM-10CU-0050-BK	5	Black

USB 2.0 TYPE-C(M)->A(M) QUICK CHARGE CABLE



Product description:

- 1: USB 2.0, Type-C, male,
- 2: USB 2.0, Type A, male,
- Supports Quick Charge 3.0 technology,
- Backwards compatible with USB 1.1,
- Gold-plated pins.

Manufacturer code	Length [m]	Color
CA-USBO-20CU-0005-BK	0.5	Black
CA-USBO-20CU-0010-BK	1	Black
CA-USBO-20CU-0018-BK	1.8	Black
CA-USBO-20CU-0030-BK	3	Black

USB 2.0 TYPE-C(M)->AM CABLE



Product description:

- 1: USB 2.0, Type A, male,
- 2: USB 2.0, Type-C, male,
- Maximum data transfer up to 480Mb/s,
- AWG: 30,
- Wire material: 100% CU.

Manufacturer code	Length [m]	Color
CA-USBO-10CU-0005-BK	0.5	Black
CA-USBO-10CC-0010-BK	1	Black
CA-USBO-10CC-0018-BK	1.8	Black
CA-USBO-10CU-0030-BK	3	Black
CA-USBO-10CU-0050-BK	5	Black

USB-A 3.0 M/M CABLE



Product description:

- 1: USB 3.0, Type A, male,
- 2: USB 3.0, Type A, male,
- Maximum data transfer up to 5Gb/s,
- Wire material: 100% CU.

Manufacturer code	Length [m]	Color
CA-USBA-30CU-0005-BK	0.5	Black
CA-USBA-30CU-0010-BK	1.0	Black
CA-USBA-30CU-0018-BK	1.8	Black

USB 3.0 MICRO AM->MBM5P CABLE



Product description:

- 1: USB 3.0, Type A, male,
- 2: USB 3.0, Micro-B, male,
- Maximum data transfer up to 5Gb/s,
- Gold-plated pins.

Manufacturer code	Length [m]	Color
CA-US3M-10CC-0005-B	0.5	Blue
CA-US3M-10CC-0018-B	1.8	Blue
CA-US3M-10CC-0030-B	3	Blue

USB 3.1 TYPE-C M/M CABLE



Product description:

- 1: USB 3.1, Type-C, male,
- 2: USB 3.1, Type-C, male,
- Maximum data transfer up to 5Gb/s,
- Backwards compatible with USB 3.0, 2.0, 1.1,
- Gold-plated pins.

Manufacturer code	Length [m]	Color
CA-CMCM-31CU-0005-BK	0.5	Black
CA-CMCM-31CU-0010-BK	1	Black
CA-CMCM-31CU-0018-BK	1.8	Black
CA-CMCM-31CU-0030-BK	3	Black

USB 3.0 AM->AF EXTENDER



Product description:

- 1: USB 3.0, Type A, male,
- 2: USB 3.0, Type A, female,
- Maximum data transfer up to 5Gb/s,
- Gold-plated pins.

Manufacturer code	Length [m]	Color
CA-US3E-10CC-0018-B	1.8	Blue
CA-US3E-10CC-0030-B	3	Blue

USB TYPE-C 3.1 (M)->A(M) CABLE



Product description:

- 1: USB 3.1, Type-C, male,
- 2: USB 3.1, Type A, male,
- Maximum data transfer up to 5Gb/s,
- Backwards compatible with USB 3.0, 2.0, 1.1,
- Gold-plated pins.

Manufacturer code	Length [m]	Color
CA-USBO-31CU-0010-BK	1	Black
CA-USBO-31CU-0018-BK	1.8	Black



SLIM HDMI M/M V2.0 CABLE

Product description:

- 1: HDMI-A, male,
- 2: HDMI-A, male,
- HDMI version: 2.0 High Speed with Ethernet,
- Max. video resolution: 4K UHD (3840 x 2160),
- AWG: 34 CU,
- Copper conductors and gold-plated pins,
- Ultra-slim cable,
- 3D/CEC 2.0 support,
- Compatible with Audio Return Channel (ARC).



Manufacturer code	Length [m]	Color
CA-HDMI-22CU-0005-BK	0.5	Black-blue
CA-HDMI-22CU-0010-BK	1.0	Black-blue
CA-HDMI-22CU-0018-BK	1.8	Black-blue

PREMIUM HDR HDMI M/M V2.0 CABLE

Product description:

- 1: HDMI-A, male,
- 2: HDMI-A, male,
- HDMI version: 2.0 Premium High Speed with Ethernet,
- HDR technology support,
- Max. video resolution: 4K UHD (3840 x 2160),
- AWG: 30,
- Copper conductors and gold-plated pins,
- 3D/CEC 2.0 support,
- Compatible with Audio Return Channel (ARC), wider color spectrum/BT.2020 colorimetry,
- Surround sound support, including 32 audio channels,
- Highest interference protection.



Manufacturer code	Length [m]	Color
CA-HDMI-P20CU-0010-BK	0.5	Black-blue
CA-HDMI-P20CU-0020-BK	1.0	Black-blue
CA-HDMI-P20CU-0030-BK	1.8	Black-blue

Video transmission cables

PREMIUM HDMI M/M V2.0 CABLE



Product description:

- 1: HDMI-A, male,
- 2: HDMI-A, male,
- HDMI version: 2.0 High Speed with Ethernet,
- Max. video resolution: 4K UHD (3840 x 2160),
- AWG: 28,
- Copper conductors and gold-plated pins,
- 3D/CEC 2.0 support,
- Compatible with Audio Return Channel (ARC).

Manufacturer code	Length [m]	Color
CA-HDMI-20CU-0010-BL	1	Czarno-Blue
CA-HDMI-20CU-0018-BL	1.8	Czarno-Blue
CA-HDMI-20CU-0030-BL	3	Czarno-Blue

PREMIUM HDMI M/M V2.0 CABLE



Product description:

- 1: HDMI-A, male,
- 2: HDMI-A, male,
- HDMI version: 2.0 High Speed with Ethernet,
- Max. video resolution: 4K UHD (3840 x 2160),
- AWG: 30 CU,
- Copper conductors and gold-plated pins,
- 3D support / CEC 2.0,
- Compatible with Audio Return Channel (ARC).

Manufacturer code	Length [m]	Color
CA-HDMI-20CU-0005-BK	0.5	Black-blue
CA-HDMI-20CU-0010-BK	1	Black-blue
CA-HDMI-20CU-0018-BK	1.8	Black-blue
CA-HDMI-20CU-0030-BK	3	Black-blue
CA-HDMI-20CU-0045-BK	4.5	Black-blue
CA-HDMI-20CU-0075-BK	7.5	Black-blue
CA-HDMI-20CU-0100-BK	10	Black-blue
CA-HDMI-20CU-0150-BK	15	Black-blue
CA-HDMI-20CU-0200-BK	20	Black-blue

HDMI M/M V2.0 FLAT CABLE



Product description:

- 1: HDMI-A, male,
- 2: HDMI-A, male,
- HDMI version: 2.0 High Speed with Ethernet,
- Max. video resolution: 4K UHD (3840 x 2160),
- AWG: 30 CU,
- Copper conductors and gold-plated pins,
- Flat, elastic cable,
- 3D support / CEC 2.0,
- Compatible with Audio Return Channel (ARC).

Manufacturer code	Length [m]	Color
CA-HDMI-21CU-0005-BK	0.5	Black
CA-HDMI-21CU-0010-BK	1	Black
CA-HDMI-21CU-0018-BK	1.8	Black
CA-HDMI-21CU-0030-BK	3	Black
CA-HDMI-21CU-0050-BK	5	Black

KABEL HDMI M/M V1.4



Product description:

- 1: HDMI-A, male,
- 2: HDMI-A, male,
- HDMI version: 1.4 High Speed with Ethernet,
- Max. video resolution: Full HD 1080p,
- AWG: 32 CCS,
- Gold-plated pins.

Manufacturer code	Length [m]	Color
CA-HDMI-11CC-0005-BK	0.5	Black
CA-HDMI-11CC-0010-BK	1	Black
CA-HDMI-11CC-0018-BK	1.8	Black
CA-HDMI-11CC-0030-BK	3	Black
CA-HDMI-11CC-0050-BK	5	Black
CA-HDMI-10CC-0075-BK	7.5	Black
CA-HDMI-10CC-0100-BK	10	Black
CA-HDMI-10CC-0150-BK	15	Black
CA-HDMI-10CC-0200-BK	20	Black

DISPLAYPORT M/M CABLE



Product description:

- 1: DisplayPort, 19-pin, male,
- 2: DisplayPort, 19-pin, male,
- 20th DisplayPort pin empty,
- Maximum resolution: 4K UHD (3840 x 2160),
- AWG: 32,
- Wire material: 100% CU,
- Gold plated pins.

Manufacturer code	Length [m]	Color
CA-DPDP-10CC-0010-BK	1	Black
CA-DPDP-10CC-0018-BK	1.8	Black
CA-DPDP-10CC-0030-BK	3	Black

DISPLAYPORT (M) V1.2 ->DVI-D(M)(24+1)



Product description:

- 1: DisplayPort, 19-pin, male,
- 2: DVI-D, Dual Link, 24 + 1 pin, male,
- Maximum resolution: Full HD, 1080p.

Manufacturer code	Length [m]	Color
CA-DPDV-10CU-0010-BK	1	Black
CA-DPDV-10CU-0018-BK	1.8	Black
CA-DPDV-10CU-0030-BK	3	Black

HDMI(M)->DVI-D(M)(18+1) CABLE



Product description:

- 1: HDMI-A, male,
- 2: DVI-D 18 + 1, male,
- HDMI version: High Speed, DVI: DVI-D Single Link,
- Maximum resolution: 1920x1200,
- AWG: 30,
- Copper conductors and gold-plated pins,
- Does not transmit analog signal,
- Two-way communication,
- Double shielded.

Manufacturer code	Length [m]	Color
CA-HDDV-10CC-0005-BK	0.5	Black
CA-HDDV-10CC-0018-BK	1.8	Black
CA-HDDV-10CC-0030-BK	3	Black
CA-HDDV-10CC-0050-BK	5	Black
CA-HDDV-10CC-0075-BK	7.5	Black
CA-HDDV-10CC-0100-BK	10	Black

HDMI(M)->DVI-D(M)(24+1) CABLE



Product description:

- 1: HDMI-A, male,
- 2: DVI-V 24 + 1, male,
- HDMI version: High Speed, DVI: DVI-D Dual Link,
- Maximum resolution: 4K UHD (3840x2160),
- AWG: 28,
- Copper conductors and gold-plated pins,
- Does not transmit analog signal,
- Two-way communication,
- Double shielded.

Manufacturer code	Length [m]	Color
CA-HDDV-20CU-0018-BK	1.8	Black
CA-HDDV-20CU-0030-BK	3	Black
CA-HDDV-20CU-0050-BK	5	Black

DVI-D(M)(18+1)->DVI-D(M)(18+1) CABLE / DVI-D(M)(24+1)->DVI-D(M)(24+1) CABLE



Product description:

- 1: DVI-D Single or DVI-D Dual Link, male,
- 2: DVI-D Single or DVI-D Dual Link, male,
- Maximum resolution: WQHD 1440p,
- AWG: 30 CCS,
- 2 x Ferrite core, ABS material,
- Gold plated pins.

Manufacturer code	Length [m]	Color	Pin no.
CA-DVIS-10CC-0018-BK	1.8	Black	18+1
CA-DVID-10CC-0018-BK	1.8	Black	24+1
CA-DVID-10CC-0030-BK	3	Black	24+1

VGA M/F EXTENDER



Product description:

- 1: VGA, 15-pin, male,
- 2: VGA, 15-pin, female,
- Maximum resolution: Full HD, 1080p,
- 2 x Ferrite core.

Manufacturer code	Length [m]	Color
CA-VGAC-10CC-0018-B+	1.8	Black

VGA M/M CABLE



Product description:

- 1: VGA, 15-pin, male,
- 2: VGA, 15-pin, male,
- Maximum resolution: Full HD, 1080p,
- 2 x Ferrite core.

Manufacturer code	Length [m]	Color
CA-VGAC-10CC-0018-B	1.8	Black
CA-VGAC-10CC-0030-B	3	Black
CA-VGAC-10CC-0050-B	5	Black
CA-VGAC-10CC-0100-B	10	Black
CA-VGAC-10CC-0150-B	15	Black

SCART M/M CABLE



Product description:

- 1: SCART, 21-pin, male,
- 2: SCART, 21-pin, male,
- To be connected to devices with SCART socket.

Manufacturer code	Length [m]	Color
CA-EUEU-10CC-0018-BK	1.8	Black
CA-EUEU-10CC-0030-BK	3	Black

SCART, RCA cables

SCART(M)->3X RCA(M) CABLE



Product description:

- 1: SCART, 21-pin, male,
- 2: RCA x 3 (Audio, Video L/R), male,
- To be connected to devices with SCART and / or RCA sockets.

Manufacturer code	Length [m]	Color
CA-EURC-10CC-0018-BK	1.8	Black, White, Yellow, Red

MINI-JACK(M)->2X CHINCH(M) CABLE



Product description:

- 1: Mini-Jack, 3.5mm, 3-pin, male,
- 2: 2 x RCA (Chinch), male
- Number of channels: 2; stereo.

Manufacturer code	Length [m]	Color
CA-MJRC-10CC-0002-BK	0.2	Black
CA-MJRC-10CC-0015-BK	1.5	Black
CA-MJRC-10CC-0020-BK	2	Black
CA-MJRC-10CC-0050-BK	5	Black
CA-MJRC-10CC-0100-BK	10	Black



Audio transmission cables

PREMIUM STEREO MINI-JACK (M)->MINI-JACK(M) CABLE



Product description:

- 1: Mini-Jack, 3.5mm, 3-pin, male,
- 2: Mini-Jack, 3.5mm, 3-pin, male,
- Number of channels: 2; stereo,
- Fabric cable braiding,
- Aluminum connector shell,
- Copper conductor.

Manufacturer code	Length [m]	Color
CA-MJMJ-10CU-0010-BL	1	Blue
CA-MJMJ-10CU-0020-BL	2	Blue
CA-MJMJ-10CU-0030-BL	3	Blue

STEREO MINI-JACK(M)->MINI-JACK(F) EXTENDER



Product description:

- 1: Mini-Jack, 3.5mm, 3-pin, male,
- 2: Mini-Jack, 3.5mm, 3-pin, female,
- Number of channels: 2; stereo.

Manufacturer code	Length [m]	Color
CA-MJFJ-10CC-0015-BK	1.5	Black
CA-MJFJ-10CC-0020-BK	2	Black
CA-MJFJ-10CC-0050-BK	5	Black

STEREO MINI-JACK (M)->MINI-JACK(M) CABLE



Product description:

- 1: Mini-Jack, 3.5mm, 3-pin, male,
- 2: Mini-Jack, 3.5mm, 3-pin, male,
- Number of channels: 2; stereo.

Manufacturer code	Length [m]	Color
CA-MJMJ-10CC-0012-BK	1.2	Black
CA-MJMJ-10CC-0020-BK	2	Black
CA-MJMJ-10CC-0030-BK	3	Black
CA-MJMJ-10CC-0050-BK	5	Black
CA-MJMJ-10CC-0100-BK	10	Black

OPTICAL TOSLINK M/M CABLE




Product description:

- 1: Toslink, male x2,
- Audio signal transmission.

Manufacturer code	Length [m]	Color
CA-TOSL-10CC-0010-BK	1	Black
CA-TOSL-10CC-0020-BK	2	Black
CA-TOSL-10CC-0030-BK	3	Black


SATA (M)->SATA(F) 90° X2 POWER CABLE

**Product description:**

- 1: SATA, 15-pin, male,
- 2: 2 x SATA, 15-pin, female,
- AWG: 20.

Manufacturer code	Length [cm]	Color
CA-SASA-10CU-0015	15	Black, Red, Yellow

SATA (M)->MOLEX(F) POWER CABLE

**Product description:**

- 1: Molex, 4-pin, female,
- 2: SATA, 15-pin, male,
- AWG: 20.

Manufacturer code	Length [cm]	Color
CA-SAHD-10CU-0015	15	Black, Red, Yellow

SATA (M)->PCI EXPRESS 6PIN POWER CABLE


**Product description:**

- 1: SATA, 15-pin, male,
- 2: PCI Express, 6-pin, male,
- AWG: 20.

Manufacturer code	Length [cm]	Color
CA-SA6P-10CU-0020	20	Black, Yellow

Internal cables

SATA DATA SLIMLINE POWER CABLE



Product description:

- 1: Molex, 2-pin, male,
- 2: SATA, 7-pin, male,
- 3: SATA SLIMLINE, 13-pin, male
- AWG: 20,
- Maximum data transfer up to 3Gb/s.

Manufacturer code	Length [cm]	Color
CA-SASL-10CU-0035-R	35	Black, Red

SATA DATA III (F)-> SATA DATA III (F) PLASTIC CLIPS CABLE



Product description:

- 1: SATA, 7-pin, female,
- 2: SATA, 7-pin, female,
- AWG: 28,
- Maximum data transfer up to 6Gb/s,
- Backwards compatible with SATA II.

Manufacturer code	Length [cm]	Color	Clips
CA-SASA-10CU-0030-R	30	Red	Plastic
CA-SASA-10CU-0050-R	50	Red	Plastic
CA-SASA-10CU-0070-R	70	Red	Plastic
CA-SASA-10CU-0100-R	100	Red	Plastic

SATA DATA III (F)-> SATA DATA III (F) ANGLED PLASTIC CLIPS CABLE



Product description:

- 1: SATA, 7-pin, female,
- 2: SATA, 7-pin, female,
- AWG: 28,
- Maximum data transfer up to 6Gb/s,
- Backwards compatible with SATA II.

Manufacturer code	Length [cm]	Color	Clips
CA-SASA-12CU-0050-R	50	Red	Plastic

SATA DATA III (F)-> SATA DATA III (F) METAL CLIPS CABLE



Product description:

- 1: SATA, 7-pin, female,
- 2: SATA, 7-pin, female,
- AWG: 28,
- Maximum data transfer up to 6Gb/s,
- Backwards compatible with SATA II.

Manufacturer code	Length [cm]	Color	Clips
CA-SASA-14CU-0030-R	30	Red	Metal
CA-SASA-14CU-0050-R	50	Red	Metal
CA-SASA-14CU-0070-R	70	Red	Metal
CA-SASA-11CU-0100-R	100	Red	Metal

SATA DATA III (F)-> SATA DATA III (F) METAL CLIPS CABLE



Product description:

- 1: SATA, 7-pin, female,
- 2: SATA, 7-pin, female,
- AWG: 28,
- Maximum data transfer up to 6Gb/s,
- Backwards compatible with SATA II.

Manufacturer code	Length [cm]	Color	Clips
CA-SASA-14CU-0030-BK	30	Black	Metal
CA-SASA-14CU-0050-BK	50	Black	Metal
CA-SASA-14CU-0070-BK	70	Black	Metal

SATA DATA III (F) -> SATA DATA III (F) ANGLED METAL CLIPS CABLE



Product description:

- 1: SATA, 7-pin, female,
- 2: SATA, 7-pin, female,
- AWG: 28,
- Maximum data transfer up to 6Gb/s,
- Backwards compatible with SATA II.

Manufacturer code	Length [cm]	Color	Clips
CA-SASA-13CU-0030-R	30	Red	Metal
CA-SASA-13CU-0050-R	50	Red	Metal
CA-SASA-13CU-0070-R	70	Red	Metal

SATA DATA III (F) -> SATA DATA III (F) ANGLED METAL CLIPS CABLE



Product description:

- 1: SATA, 7-pin, female,
- 2: SATA, 7-pin, female,
- AWG: 28,
- Maximum data transfer up to 6Gb/s,
- Backwards compatible with SATA II.

Manufacturer code	Length [cm]	Color	Clips
CA-SASA-13CU-0030-BK	30	Black	Metal
CA-SASA-13CU-0050-BK	50	Black	Metal
CA-SASA-13CU-0070-BK	70	Black	Metal

SATA DATA II (F)-> SATA DATA II (F) METAL CLIPS CABLE



Product description:

- 1: SATA, 7-pin, female,
- 2: SATA, 7-pin, female,
- AWG: 26,
- Maximum data transfer up to 3Gb/s.

Manufacturer code	Length [cm]	Color	Clips
CA-SASA-14CC-0030-R	30	Red	Metal
CA-SASA-14CC-0050-R	50	Red	Metal
CA-SASA-14CC-0070-R	70	Red	Metal
CA-SASA-14CC-0100-R	100	Red	Metal

SATA DATA II (F)-> SATA DATA II (F) ANGLED METAL CLIPS CABLE



Product description:

- 1: SATA, 7-pin, female,
- 2: SATA, 7-pin, female,
- AWG: 26,
- Maximum data transfer up to 3Gb/s.

Manufacturer code	Length [cm]	Color	Clips
CA-SASA-13CC-0030-R	30	Red	Metal
CA-SASA-13CC-0050-R	50	Red	Metal
CA-SASA-13CC-0070-R	70	Red	Metal
CA-SASA-13CC-0100-R	100	Red	Metal

SATA DATA III / MICRO SATA+ MOLEX CABLE




Product description:

- 1: Molex, 2-pin, male,
- 2: Micro-SATA, 7-pin, male,
- 3: SATA, 13-pin, male,
- AWG: 28,
- Maximum data transfer up to 6Gb/s,
- Backwards compatible with SATA II.

Manufacturer code	Length [cm]	Color
CA-SAHD-10CU-0035-R	35 / 45 / 25	Black, Red

MOLEX(F)->SATA(M) POWER CABLE




Product description:

- 1: Molex, 4-pin, male,
- 2: SATA, 15-pin, female,
- AWG: 20.

Manufacturer code	Length [cm]	Color
CA-HDSA-10CU-0015	15	Black, Red, Yellow

MOLEX(M)->SATA(F) X2 POWER CABLE



Product description:

- 1: Molex, 4-pin, male,
- 2: 2x SATA, 15-pin, female,
- AWG: 20.

Manufacturer code	Length [cm]	Color
CA-HDSA-11CU-0015	15	Black, Red, Yellow
CA-HDSA-11CU-0030	30	Black, Red, Yellow

ATX->BTX POWER CABLE




Product description:

- 1: ATX, 20-pin, female,
- 2: BTX, 24-pin, male.

Manufacturer code	Length [cm]	Color
AD-0021-W	15	Black, Red, Yellow

2HDD/6PIN BTX/PSU POWER SPLITTER CABLE




Product description:

- 1: 2 x Molex, 3-pin, male,
- 2: BTX, 6-pin, female,
- AWG: 20.

Manufacturer code	Length [cm]	Color
CA-HD6P-10CU-0015	15	Black, Yellow

1XHDD/2XHDD POWER SPLITTER CABLE




Product description:

- 1: Molex, 4-pin, male,
- 2: 2 x Molex, 15-pin, female,
- AWG: 20.

Manufacturer code	Length [cm]	Color
CA-HDHD-10CU-0015	15	Black, Red, Yellow


2HDD/3PIN POWER SPLITTER CABLE



Product description:


- 1: Molex, 4-pin, male,
- 2: Molex, 4-pin, female,
- 3: 3-pin connector for fans,
- AWG: 20.

Manufacturer code	Length [cm]	Color
CA-HDFA-10CU-0015	15	Black, Red



**Power cables,
extenders**

CEE 7/7->IEC 320 POWER CABLE



Product description:

- 1: Uni-Schuko, male,
- 2: IEC 320 C13, female,
- Conductor stranding: CU wire; (16 / 0.2 ± 0.02mm),
- Conductor thickness: 0.5mm,
- Resistance up to 10A.

Manufacturer code	Length [m]	Color
CA-C13C-10CC-0018-BK	1.8	Black

CEE 7/7->IEC 320 C13 VDE POWER CABLE




Product description:

- 1: Uni-Schuko, male,
- 2: IEC 320 C13, female,
- Compliance with VDE standard,
- Conductor thickness: 0.75mm / 1.0mm,
- Resistance up to 10A.

Manufacturer code	Length [m]	Color	Stranding / thickness
CA-C13C-11CC-0018-BK	1.8	Black	(24/0.2 ± 0.02mm) / 0.75mm
CA-C13C-11CC-0030-BK	3	Black	(32/0.2 ± 0.02mm) / 1.0mm
CA-C13C-11CC-0050-BK	5	Black	(32/0.2 ± 0.02mm) / 1.0mm
CA-C13C-11CC-0100-BK	10	Black	(32/0.2 ± 0.02mm) / 1.0mm

CEE 7/7->IEC 320 C13 VDE ANGLED POWER CABLE




Product description:

- 1: Uni-Schuko, male
- 2: IEC 320 C13, female, angled
- Compliance with VDE standard,
- Conductor stranding: (24/0.2 ± 0.02mm),
- Conductor thickness: 0.75mm,
- Resistance up to 10A.

Manufacturer code	Length [m]	Color	IEC plug type
CA-C13C-12CC-0018-BK	1.8	Black	Angled

CEE 7/7->2XIEC 320 C13 VDE POWER CABLE




Product description:

- 1: Uni-Schuko, male,
- 2: 2 x IEC 320 C13, female,
- Compliance with VDE standard,
- Conductor stranding: CU wire; (48 / 0.2 ± 0.02mm),
- Conductor thickness: 1mm,
- Resistance up to 10A.

Manufacturer code	Length [m]	Color
CA-C13C-13CC-0018-BK	1.8	Black

CEE 7/7->IEC 320 C19 VDE POWER CABLE



Product description:

- 1: Uni-Schuko, male,
- 2: IEC 320 C19, female,
- Compliance with VDE standard,
- Conductor stranding: (48/0.2 ± 0.02mm),
- Conductor thickness: 1.5mm,
- Resistance up to 16A.

Manufacturer code	Length [m]	Color
CA-C19C-10CC-0018-BK	1.8	Black

CEE 7/16->IEC 320 EUROPLUG POWER CABLE



Product description:

- 1: Europlug, 2-pin, male,
- 2: IEC 320 C7, female,
- Conductor stranding: CU wire; (16/0.2 ± 0.02mm),
- Conductor thickness: 0.5mm,
- Resistance up to 10A.

Manufacturer code	Length [m]	Color
CA-C7CA-10CC-0018-BK	1.8	Black

CEE 7/16->IEC 320 EUROPLUG VDE POWER CABLE




Product description:

- 1: Europlug, 2-pin, male,
- 2: IEC 320 C7, female,
- Compliance with VDE standard,
- Conductor stranding: CU wire; (24/0.2 ± 0.02mm),
- Conductor thickness: 0.75mm,
- Resistance up to 10A.

Manufacturer code	Length [m]	Color
CA-C7CA-11CC-0018-BK	1.8	Black

CEE 7/7->IEC 320 C5 VDE POWER CABLE



Product description:

- 1: Uni-Schuko, male,
- 2: IEC 320 C5, female,
- Compliance with VDE standard,
- Conductor stranding: CU wire; (24/0.2 ± 0.02mm),
- Conductor thickness: 0.75mm,
- Resistance up to 10A.

Manufacturer code	Length [m]	Color
CA-C5CA-11CC-0018-BK	1.8	Black
CA-C5CA-11CC-003-BK	3	Black

IEC 320 C19->C20 VDE POWER EXTENDER



Product description:

- 1: IEC 320 C19, male,
- 2: IEC 320 C20, female,
- Compliance with VDE standard,
- Conductor stranding: CU wire; (24/0.2 ± 0.02mm),
- Conductor thickness: 1.5mm,
- Resistance up to 10A.

Manufacturer code	Length [m]	Color
CA-C19E-10CC-0018-BK	1.8	Black

IEC 320 C13->C14 POWER EXTENDER



Product description:

- 1: IEC 320 C13, female,
- 2: IEC 320 C14, male,
- Conductor stranding: CU wire; (16/0.2 ± 0.02mm),
- Conductor thickness: 0.5mm,
- Resistance up to 10A.

Manufacturer code	Length [m]	Color
CA-C13E-10CC-0018-BK	1.8	Black

IEC 320 C13->C14 VDE POWER EXTENDER



Product description:

- 1: IEC 320 C13, female,
- 2: IEC 320 C14, male,
- Compliance with VDE standard,
- Conductor thickness: 0.75mm / 1.0mm,
- Resistance up to 10A.

Manufacturer code	Length [m]	Color	Stranding / thickness
CA-C13E-11CC-0018-BK	1.8	Black	(24/0.2 ± 0.02mm) / 0.75mm
CA-C13E-11CC-0030-BK	3	Black	(32/0.2 ± 0.02mm) / 1.0mm
CA-C13E-11CC-0050-BK	5	Black	(32/0.2 ± 0.02mm) / 1.0mm

IEC 320 C14-> CEE 7/7(F) POWER EXTENDER



Product description:

- 1: IEC 320 C14, male
- 2: Uni-Schuko, female,
- Conductor stranding: CU wire; (48/0.2 ± 0.02mm),
- Conductor thickness: 1.5mm,
- Resistance up to 10A.

Manufacturer code	Length [m]	Color
CA-C14E-10CC-0018-BK	0.2	Black

3-OUTLET POWER STRIP



Product description:

- Outlet type: French CEE 7/5,
- Plug type: Uni-Schuko CEE 7/7,
- Conductor stranding: 3 x 1,0mm CU wire,
- Child protection,
- Varistor overvoltage protection.

Manufacturer code	Length [m]	Color
PS1-03E-0150-W	1.5	White
PS1-03E-0150-BK	1.5	Black
PS1-03E-0300-W	3	White
PS1-03E-0300-BK	3	Black

4-OUTLET POWER STRIP



Product description:

- Outlet type: French CEE 7/5,
- Plug type: Uni-Schuko CEE 7/7,
- Conductor stranding: 3 x 1,0mm CU wire,
- Child protection,
- Varistor overvoltage protection.

Manufacturer code	Length [m]	Color
PS1-04E-0150-W	1.5	White
PS1-04E-0150-BK	1.5	Black

5-OUTLET POWER STRIP



Product description:

- Outlet type: French CEE 7/5,
- Plug type: Uni-Schuko CEE 7/7,
- Conductor stranding: 3 x 1,0mm CU wire,
- Child protection,
- Varistor overvoltage protection.

Manufacturer code	Length [m]	Color
PS1-05E-0150-W	1.5	White
PS1-05E-0150-BK	1.5	Black
PS1-05E-0300-W	3	White
PS1-05E-0300-BK	3	Black

3-OUTLET POWER STRIP



Product description:

- Outlet type: French CEE 7/5,
- Plug type: Uni-Schuko CEE 7/7,
- Conductor stranding: 3 x 1,0mm CU wire,
- Child protection.

Manufacturer code	Length [m]	Color
PSO-03E-0150-W	1.5	White
PSO-03E-0150-BK	1.5	Black
PSO-03E-0300-W	3	White
PSO-03E-0300-BK	3	Black

4-OUTLET POWER STRIP



Product description:

- Outlet type: French CEE 7/5,
- Plug type: Uni-Schuko CEE 7/7 or IEC 320 C13,
- Conductor stranding: 3 x 1,0mm CU wire,
- Child protection.

Manufacturer code	Length [m]	Color
PSO-04E-0100-IEC-BK	1.0	Black
PSO-04E-0150-W	1.5	White
PSO-04E-0150-BK	1.5	Black

5-OUTLET POWER STRIP



Product description:

- Outlet type: French CEE 7/5,
- Plug type: Uni-Schuko CEE 7/7 or IEC 320 C13,
- Conductor stranding: 3 x 1,0mm CU wire,
- Child protection.

Manufacturer code	Length [m]	Color
PSO-05E-0100-IEC-BK	1.0	Black
PSO-05E-0150-W	1.5	White
PSO-05E-0150-BK	1.5	Black
PSO-05E-0300-W	3	White
PSO-05E-0300-BK	3	Black

from a revenue generation
translate your business goals
that work. We focus on
actual reasons why people will
product or service and then
e and offline. In summary, we
find your greatness and
the world.



Adapters

30 days
can be
can be
can be

USB TYPE-C(F)->USB-A 3.1(M) ADAPTER AD-UC-UA-01



Product description:

- 1: USB 3.1, Type-C, female,
- 2: USB 3.1, Type A, male,
- Maximum data transfer up to 5Gb/s,
- Supports both data transfer and charging,
- OTG (On-The-Go) feature,
- Nickel-plated connectors.

USB TYPE-C(M)->USB-A 3.1(F) ADAPTER AD-UC-UA-02



Product description:

- 1: USB 3.1, Type-C, male,
- 2: USB 3.1, Type A, female,
- Maximum data transfer up to 5Mb/s,
- Supports both data transfer and charging,
- OTG (On-The-Go) feature,
- Nickel-plated connectors.

USB TYPE-C(F)->USB MICRO-B 2.0(M) ADAPTER AD-UC-UM-01



Product description:

- 1: USB 2.0, Type-C, female,
- 2: USB 2.0, Micro-B, male,
- Maximum data transfer up to 480Mb/s,
- Supports both data transfer and charging,
- OTG (On-The-Go) feature,
- Nickel-plated connectors.

USB TYPE-C(M)-> MICRO-B USB 2.0(F) ADAPTER AD-UC-UM-02



Product description:

- 1: USB 2.0, Type-C, male,
- 2: USB 2.0, Micro-B, female,
- Maximum data transfer up to 480Mb/s,
- Supports both data transfer and charging,
- OTG (On-The-Go) feature,
- Nickel-plated connector.

USB TYPE-C(M)->HDMI(F) ADAPTER AD-UC-HD-01



Product description:

- 1: USB 2.0, Type-C, male,
- 2: HDMI-A, female,
- DisplayPort alternate mode support,
- Max. video resolution: Full HD, 1080p,
- Power from the USB port, does not require external power source,
- Nickel-plated connectors,
- Available cable length: 15cm.

USB TYPE-C(M)->DISPLAYPORT(F) ADAPTER AD-UC-DP-01



Product description:

- 1: USB 2.0, Type-C, male,
- 2: DisplayPort, 19-pin, ver. 1.2, female,
- 20th DisplayPort pin empty,
- Max. video resolution: Full HD, 1080p,
- Power from the USB port, does not require external power source,
- Nickel-plated connectors,
- Available cable length: 15cm.

MICRO-B USB 2.0(F)-> LIGHTNING(M) ADAPTER AD-LM-UM-02



Product description:

- 1: USB 2.0, Micro-B, female,
- 2: 8-pin connector, male
- Maximum data transfer up to 480Mb/s,
- Supports both data transfer and charging,
- OTG (On-The-Go) feature,
- Nickel-plated connectors.

USB TYPE-C(M) 2.0->LIGHTNING(F) ADAPTER AD-UC-LM-02



Product description:

- 1: USB 2.0, Type-C, male,
- 2: 8-pin connector, female
- Maximum data transfer up to 480Mb/s,
- Supports both data transfer and charging,
- OTG (On-The-Go) feature,
- Nickel-plated connectors.

MICRO-B USB 2.0(M)-> LIGHTNING(F) ADAPTER AD-LM-UM-01



Product description:

- 1: USB 2.0, Micro-B, male,
- 2: 8-pin connector, female
- Maximum data transfer up to 480Mb/s,
- Supports both data transfer and charging,
- OTG (On-The-Go) feature,
- Nickel-plated connectors.

USB TYPE-C(M)->USB-A(F) 2.0 ADAPTER AD-OTG-UC-01



Product description:

- 1: USB 2.0, Type-C, male,
- 2: USB 2.0, Type A, female
- Maximum data transfer up to 480Mb/s,
- Supports both data transfer and charging,
- OTG (On-The-Go) feature,
- Nickel-plated connectors,
- Available cable length: 15cm.

USB TYPE-C(F) 2.0-> LIGHTNING(M) ADAPTER AD-UC-LM-01



Product description:

- 1: USB 2.0, Type-C, female,
- 2: 8-pin connector, male
- Maximum data transfer up to 480Mb/s,
- Supports both data transfer and charging,
- OTG (On-The-Go) feature,
- Nickel-plated connectors.

MICRO-B(M)->USB-A(F) 2.0 ADAPTER AD-OTG-UM-01



Product description:

- 1: USB 2.0, Micro-B, male,
- 2: USB 2.0, Type A, female
- Maximum data transfer up to 480Mb/s,
- Supports both data transfer and charging,
- OTG (On-The-Go) feature,
- Nickel-plated connectors,
- Available cable length: 15cm.

USB TYPE-C(F) 3.1->USB-A(M) ADAPTER AD-UC-UA-03



Product description:

- 1: USB 3.1, Type-C, female,
- 2: USB 3.0, Type A, male
- Maximum data transfer up to 5Gb/s,
- Supports both data transfer and charging,
- OTG (On-The-Go) feature,
- Nickel-plated connectors,
- Available cable length: 15cm.

USB TYPE-C(M) 3.1->USB-A(F) ADAPTER AD-UC-UA-04



Product description:

- 1: USB 3.0, Type A, female
- 2: USB 3.1, Type-C, male,
- Maximum data transfer up to 5Gb/s,
- Supports both data transfer and charging,
- OTG (On-The-Go) feature,
- Nickel-plated connectors,
- Available cable length: 15cm.

USB TYPE-C(M)->VGA(F) ADAPTER AD-UC-VG-01



Product description:

- 1: USB 2.0, Type-C, male,
- 2: VGA, 15-pin, ver. 1.2, female,
- DisplayPort alternate mode support,
- Max. video resolution: Full HD, 1080p,
- Power from the USB port, does not require external power source,
- Nickel-plated connectors,
- Available cable length: 15cm.

USB TYPE-C(M)-DVI-I(F)(24+5) ADAPTER AD-UC-DV-01



Product description:

- 1: USB 2.0, Type-C, male,
- 2: VGA, 15-pin, ver. 1.2, female,
- DVI-D (24+1) connector specification, VGA not connected,
- Max. video resolution: Full HD, 1080p,
- Power from the USB port, does not require external power source,
- Nickel-plated connectors,
- Available cable length: 15cm.

HDMI(F)->HDMI MINI-C(M) ADAPTER AD-0037-BK



Product description:

- 1: HDMI-A, female,
- 2: HDMI, Mini-C, male,
- HDMI version: 1.4 High Speed with Ethernet,
- Maximum data transfer up to 10.2Gb/s,
- Max. video resolution: 4K UHD (3840 x 2160),
- 3D/CEC 2.0 support,
- Return audio channel,
- Gold-plated connectors.

HDMI(F)->HDMI(F) ANGLED DOWN ADAPTER AD-0033-BK



Product description:

- 1: HDMI-A, female,
- 2: HDMI-A, male, angled 90° downward,
- HDMI version: 1.4 High Speed with Ethernet,
- Maximum data transfer up to 10.2Gb/s,
- Max. video resolution: 4K UHD (3840 x 2160),
- 3D/CEC 2.0 support,
- Return audio channel,
- Gold-plated connectors.

HDMI(F)->HDMI(F) ANGLED UP ADAPTER AD-0034-BK



Product description:

- 1: HDMI-A, female,
- 2: HDMI-A, male, angled 90° upward,
- HDMI version: 1.4 High Speed with Ethernet,
- Maximum data transfer up to 10.2Gb/s,
- Max. video resolution: 4K UHD (3840 x 2160),
- 3D/CEC 2.0 support,
- Return audio channel,
- Gold-plated connectors.


HDMI(F)->HDMI(F) ANGLED LEFT ADAPTER AD-0035-BK



Product description:

- 1: HDMI-A, female,
- 2: HDMI-A, male, angled 90° leftward,
- HDMI version: 1.4 High Speed with Ethernet,
- Maximum data transfer up to 10.2Gb/s,
- Max. video resolution: 4K UHD (3840 x 2160),
- 3D/CEC 2.0 support,
- Return audio channel,
- Gold-plated connectors.

HDMI(F)->HDMI(F) ANGLED RIGHT ADAPTER AD-0036-BK



Product description:

- 1: HDMI-A, female,
- 2: HDMI-A, male, angled 90° rightward,
- HDMI version: 1.4 High Speed with Ethernet,
- Maximum data transfer up to 10.2Gb/s,
- Max. video resolution: 4K UHD (3840 x 2160),
- 3D/CEC 2.0 support,
- Return audio channel,
- Gold-plated connectors.

HDMI-A(F)->HDMI-A(F) ADAPTER AD-0018-BK



Product description:

- 1: HDMI-A, female,
- 2: HDMI-A, female,
- HDMI version: 1.4 High Speed with Ethernet,
- Max. video resolution: Full HD, 1080p.

HDMI-A(M)->HDMI-A(F) X2 SPLITTER ADAPTER AD-0019-BK



Product description:

- 1: HDMI-A, male,
- 2: 2 x HDMI-A, female,
- HDMI version: 1.4 High Speed with Ethernet,
- Max. video resolution: Full HD, 1080p,
- Available cable length: 25cm.

HDMI-A(F)->MICRO HDMI-D(M) AD-0015-BK



Product description:

- 1: HDMI-A, female,
- 2: HDMI Micro-D, male,
- HDMI version: 1.4 High Speed with Ethernet,
- Max. video resolution: Full HD, 1080p,
- Gold-plated pins.

HDMI(F)->DVI-D(M)(18+1) ADAPTER / HDMI(M)->DVI-D(F) (24+1) ADAPTER AD-0013-BK / AD-0014-BK



Product description:

- 1: HDMI, female or HDMI, male,
- 2: DVI-D (18+1 pins), male or DVI-D (24+1 pins), female,
- HDMI version: 1.4 High Speed with Ethernet,
- Max. video resolution: Full HD, 1080p,
- Gold-plated pins.

HDMI-A(M)->VGA(F) ADAPTER AD-0016-BK



Product description:

- 1: HDMI-A, male,
- 2: VGA, 15-pin, female,
- HDMI version: 1.4 High Speed with Ethernet,
- Max. video resolution: Full HD, 1080p.

HDMI-A(M)->VGA(F)+AUDIO ADAPTER AD-0017-BK



Product description:

- 1: HDMI-A, male,
- 2: VGA, 15-pin, female,
- HDMI version: 1.4 High Speed with Ethernet,
- Max. video resolution: Full HD, 1080p,
- Available cable length: 20cm,
- Audio cable (Mini-Jack 3.5mm [M] -> Mini-Jack 3.5mm [M]) included.

DISPLAYPORT(M)->HDMI(F) ADAPTER AD-0009-BK



Product description:

- 1: DisplayPort, 19-pin, ver. 1.2, male,
- 2: HDMI-A, female,
- 20th DisplayPort pin empty,
- Max. video resolution: Full HD, 1080p,
- Available cable length: 20cm.

DISPLAYPORT(M)->DVI-D(F)(24+1) DUAL LINK ADAPTER AD-0007-BK



Product description:

- DisplayPort, 19-pin, ver. 1.2, male,
- 2: DVI-D, Dual Link, (24+5 pins), female,
- DVI-D (24+1) connector without the analog signal connected,
- Maximum resolution: Full HD, 1080p,
- Available cable length: 10cm.

DISPLAYPORT 1.1(M)->VGA (F) 15 PIN ADAPTER AD-0001-BK



Product description:

- 1: DisplayPort, 19-pin, ver. 1.1a, male,
- 2: VGA, 15-pin, female,
- Max. video resolution: Full HD, 1080p.

DISPLAYPORT 1.1 (M)->VGA (F) ADAPTER AD-0002-BK



Product description:

- 1: DisplayPort, 19-pin, ver. 1.1a, male,
- 2: VGA, 15-pin, female,
- Max. video resolution: Full HD, 1080p,
- Available cable length: 20cm.

DISPLAYPORT MINI(M)->HDMI(F) ADAPTER AD-0004-BK



Product description:

- 1: Mini DisplayPort, 19-pin, ver. 1.1a, male,
- 2: HDMI, female,
- HDMI version: 1.3b,
- Max. video resolution: Full HD, 1080p.

DISPLAYPORT MINI(M)->HDMI(F) ADAPTER AD-0005-BK



Product description:

- 1: Mini DisplayPort, 19-pin, ver. 1.2, male,
- 2: HDMI, female,
- HDMI version: 1.3b,
- Max. video resolution: Full HD, 1080p,
- Available cable length: 20cm.

DISPLAYPORT MINI(M)->DISPLAYPORT(F) ADAPTER AD-0003-BK



Product description:

- 1: Mini DisplayPort, 19-pin, ver. 1.1a, male,
- 2: DisplayPort, 19-pin, ver. 1.1a, female,
- Max. video resolution: Full HD, 1080p,
- Available cable length: 10cm.

ADAPTER DISPLAYPORT MINI(M)->VGA(F) AD-0006-BK



Product description:

- 1: Mini DisplayPort, 19-pin, ver. 1.2, male,
- 2: VGA, 15-pin, female,
- Max. video resolution: Full HD, 1080p,
- Available cable length: 20cm.

DVI-I(M)(24+5) DUAL LINK ->VGA(F) ADAPTER AD-0012-BK



Product description:

- 1: DVI-I, 24+5 pin, male, analog,
- 2: VGA, 15-pin, female,
- Analog signal transmission only.

VGA->VGA X2 ADAPTER AD-0020-BK



Product description:

- 1: VGA, 15-pin, male,
- 2: 2 x VGA, 15-pin, female,
- Max. video resolution: Full HD, 1080p,
- Available cable length: 20cm.

VGA(F)+AUDIO 3.5MM JACK->HDMI(M) ADAPTER AD-0021-BK



Product description:

- 1: VGA, 15-pin, male,
- 2: Mini-Jack, 3.5mm, 3-pin, male,
- 3: HDMI, female,
- Max. video resolution: Full HD, 1080p,
- USB 2.0 cable -> USB 2.0 Micro-B (30cm) included,
- Available length of VGA-> HDMI cable: 20cm.


JACK STEREO MINI(M) 3-PIN->JACK MINI(F) X2 ADAPTER AD-0024-BK / AD-0024-W



Product description:

- 1: Mini-Jack, 3.5mm, 3-pin, male,
- 2: 2 x Mini-Jack, 3.5mm, 3-pin, female,
- Available cable length: 10cm.

JACK STEREO MINI(M) 4-PIN->JACK MINI(F) X2 ADAPTER AD-0023-BK



Product description:

- 1: Mini-Jack, 3.5mm, 4-pin, male,
- 2: 2 x Mini-Jack, 3.5mm, 4-pin, female,
- Available cable length: 20cm.


HDD/SSD MOUNTING FRAME 3.5"->2.5" IF-35-25



Product description:

- To be mounted in 3.5" bays,
- Compatible with 2.5" SATA SSD/HDD drives,
- Dimensions 120x29x16mm,
- Made of galvanized steel sheet,
- Mounting screws (8 pcs) included.

HDD/SSD MOUNTING FRAME 5.25"->3.5" AD-0031-S



Product description:

- To be mounted in 5.25" bays,
- Compatible with 3.5" HDD drives,
- Dimensions: 95x27x22mm,
- Made of galvanized steel sheet,
- Mounting screws (8 pcs) included.

HDD BRACKET 5.25"->2.5" SLIM BAY ADAPTER
IF-SATA-10 / IF-SATA-13



Product description:

- To be mounted in 5,25" slim bay up to 13mm height,
- Supports any 2,5" SATA SDD/HDD up to 9,5mm height,
- Plug & Play compliant,
- OS independent, no driver necessary,
- Screwdriver and screws included.

SERIAL SLOT BRACKET ADAPTER
BR-0001-S / BR-0002-S



Product description:

- 1: COM, 9-pin, male (on bracket),
- 2: 10-pin connector, female,
- To be mounted on the motherboard,
- Available in high and low-profile versions,
- Available cable length: 40cm.

2 X USB 2.0 SLOT BRACKET ADAPTER
BR-0005-S



Product description:

- 1: USB 2.0, Type A, female (on bracket),
- 2: 5-pin connector, female,
- To be mounted on the motherboard,
- Available cable length: 30cm.

2 X USB 3.0 SLOT BRACKET ADAPTER
BR-0006-S



Product description:

- 1: USB 3.0, Type A, female (on bracket),
- 2: 20-pin connector, female,
- To be mounted on the motherboard,
- Available cable length: 40cm.

USB 2.0->PS/2 X2 ADAPTER
AD-0025-W



Product description:

- 1: USB 2.0, Type A, male,
- 2: PS,
- 3: PS,
- Backwards compatible with USB 1.1,
- Supported OS: Windows XP, Vista, 7, 8, 10, Linux, MAC OS 8.6 or higher, NetWare, Sun Microsystems and HP Server.

USB 2.0->LPT ADAPTER
AD-0028-W



Product description:

- 1: USB 2.0, Type A, male,
- 2: LPT (IEEE1284) 36-pin, male,
- Backwards compatible with USB 1.1,
- Supported systems: Windows XP, Vista, 7, 8, 10.



Cable accessories

230V + 2 X USB WHITE WALL SOCKET AC-WS01-USB2-E / AC-WS01-USB2-F



Product description:

- Number of USB 2.0 ports: 2,
- Voltage range: 100V ~ 240V,
- Frequency range: 50Hz / 60Hz,
- Resistance of the output socket / USB port: 16A / 2.1A,
- Output socket type: French / Schuko,
- Grounding: Yes,
- Outlet shutter: Yes,
- Module housing material: Polyamide,
- Frame material: Plastic (ABS),
- Color: White.

230V + 2 X USB BLACK WALL SOCKET AC-WS01-USB2-E-B / AC-WS01-USB2-F



Product description:

- Number of USB 2.0 ports: 2,
- Voltage range: 100V ~ 240V,
- Frequency range: 50Hz / 60Hz,
- Resistance of the output socket / USB port: 16A / 2.1A,
- Output socket type: French / Schuko,
- Grounding: Yes,
- Outlet shutter: Yes,
- Module housing material: Polyamide,
- Frame material: Plastic (ABS),
- Color: Black.



Product description:

Cable clips equipped with a nail are used for fixing wires or individual wires of the round cable, due to their unique shape. These cable accessories facilitate quick and easy installation of cables and wires to walls, joinery elements, furniture, etc., by driving a hardened steel nail to the applied surface.

CABLE CLIPS PACKAGE



Product features:

- Application for wires, individual cable wires,
- Material: Polypropylene and galvanized hardened steel,
- Color: White / black.

Manufacturer code	Cable clips no.	Max. cable thickness [mm]	Color
ORG01-CC35-100	100	3,5	White
ORG01-CC50-101	100	5	White
ORG01-CC70-102	100	7	White
ORG01-CC50-101B	100	5	Black
ORG01-CC70-102B	100	7	Black



Product description:

Cable ties are made of flexible plastic characterized by its high durability, both mechanical and thermal. Resistant to greases, saltwater, solvents, etc. These cable accessories can be clamped by hand or with the use of specialized tools.

400 PCS. CABLE TIE SET ORG01-BVP400-MC2



Packaging includes:

Cable ties:

- 2,5mm x 100mm – 300 pcs. [200 pcs. of transparent + 100 pcs. of black].
- 3,5mm x 200mm – 100 pcs. [50 pcs. of transparent / black].

Color: Transparent / black.

150 PCS. CABLE TIE SET ORG01-BVP150-MC3



300 PCS. CABLE TIE SET ORG01-BVP300-MC6



12 PCS. VELCRO CABLE TIES ORG01-MT150-MC6



Packaging includes:

Cable ties:

- 2,5mm x 100mm – 100 pcs. [50 pcs. of red / yellow],
- 3,5mm x 200mm – 50 pcs. [50 pcs. of blue].

Color: Red / yellow / blue.

Packaging includes:

Cable ties:

- 2,5mm x 100mm – 150 pcs. [25 pcs. of red / yellow / black / green / white],
- 3,5mm x 200mm – 150 pcs. [50 pcs. of blue / red / transparent].

Color: White / black / green / blue / yellow / red / transparent.

Product description:

- Soft and flexible velcro cable ties to keep cable organized,
- Width x length: 12mm x 15cm.

Color: White / black / green / blue / yellow / red.

CABLE SLEEVE



Product description:

- Material - Polyester (PET),
- Length: 5m,
- Operating temperature (°C) - -75°C to +125°C,
- Melting temperature (°C) - +230°C ±5°C,
- Flammability - Self-extinguishing, halogen-free,
- Compliance with ROHS.

Manufacturer code	Color	Diameter [mm]
ORG02-ES-B005-06	Black	3-9
ORG02-ES-B006-12	Black	8-24
ORG02-ES-B005-19	Black	14-30

SELF -CLOSING CABLE SLEEVE



Product description:

- Material - Polyester (PET),
- Operating temperature (°C) - -75°C to +125°C,
- Melting temperature (°C) - +230°C ±5°C,
- Flammability - Self-extinguishing, halogen-free,
- Compliance with ROHS.

Manufacturer code	Color	Diameter [mm]
ORG02-SES-B002-06	2	Max. 6
ORG02-SES-B002-13	2	Max. 13
ORG02-SES-B002-19	2	Max. 19
ORG02-SES-B005-06	5	Max. 6
ORG02-SES-B005-13	5	Max. 13
ORG02-SES-B005-19	5	Max. 19

6PCS VELCRO CABLE TIES



Product description:

- Dimensions: Width x length: 14mm x 1m,
- Packaging includes 6 pcs.,
- Available colors: Black, red, yellow, blue, green, grey.

Manufacturer code	Length [m]	Dimensions
ORG02-MT-MC001-6	1	Width x length: 14mm x 1m

100 PCS. HEAT-SHRINKABLE TUBES KIT ORG01-ST100B



Product description:

- Length 100mm,
- Diameter of tubes - from 1.5mm up to 13mm,
- Transparent packaging with compartments,
- Color: Black.

100 PCS. HEAT-SHRINKABLE TUBES KIT ORG01-ST100MC



Product description:

- Length 100mm,
- Diameter of tubes - from 1.5mm up to 13mm,
- Transparent packaging with compartments,
- Color: White / black / green / blue / yellow / red.

CABLE TERMINAL KIT + CRIMPING TOOL SCC01-TCC-IT101



Product description:

- 100 pcs. of cable terminal kit,
- Designed for 1.25-4mm thick cables,
- Crimping tool included,
- Transparent packaging with compartments,
- Color: Blue / red / yellow.

Connector description	Pcs. included
RV1.25-4 insulated ring spade terminal	10
FDD1.25-250 insulated spade terminal, female	10
MDD1.25-250 insulated spade terminal, male	10
FDD2-250 insulated spade terminal, female	10
MDD2-250 insulated spade terminal, male	10
PBDD1.25-250 insulated piggy back spade terminal	10
PBDD2-250 insulated piggy back spade terminal	10
MPD2-195 insulated bullet spade terminal, male	10
FRD2-195 insulated bullet spade terminal, female	10
FDD5.5-250 insulated spade terminal, female	10

CABLE TERMINAL KIT CC01-BCC-IT175



Product description:


- 175 pcs. of cable terminal kit,
- Designed for 1.25-4mm thick cables,
- Transparent packaging with compartments,
- Color: Blue / red / yellow.

Connector description	Pcs. included
RV1.25-3 insulated ring spade terminal	15
RV1.25-4 insulated ring spade terminal	10
RV1.25-5 insulated ring spade terminal	10
RV2-3 insulated ring spade terminal	15
RVS2-4 insulated ring spade terminal	10
RVL2-5 insulated ring spade terminal	10
RV5.5-5 insulated ring spade terminal	5
RV5.5-6 insulated ring spade terminal	5
SV1.25-3 insulated furcate spade terminal	10
SVS1.25-4 insulated furcate spade terminal	10
SVL2-4 insulated furcate spade terminal	10
BV1.25 insulated butt spade terminal	10
BV2 insulated butt spade terminal	10
BV5.5 insulated butt spade terminal	5
MDD1.25-250 insulated spade terminal, male	10
MDD2-250 insulated spade terminal, male	10
FDD1.25-250 insulated spade terminal, female	10
FDD2-250 insulated spade terminal, female	10



Check out our immensely-helpful
cabinets configurator!

<http://lanberg.pl/en/konfigurator>



Despite all efforts, the manufacturer / distributor / seller does not guarantee that the published technical data, photos and descriptions do not contain any deficiencies or mistakes.

The above catalogue is for information purposes and does not constitute an offer within the meaning of the Civil Code.

In case of any doubts, please contact us at:
email: info@lanberg.eu



www.lanberg.pl/en
e-mail: info@lanberg.eu
All rights reserved
Lanberg ©